

III 6678

40

# **The Standard National Manufacturers List**

*Doors, Open Sash and Outside Blinds*

Effective August 1st, 1926

---

## **The Red River Lumber Co.**

*Mill, Factory and General Offices:*  
**Westwood, Calif.**

---

### *Sales Offices:*

807 Hennepin Avenue  
Minneapolis, Minn.

360 North Michigan Avenue  
Chicago, Illinois

307 Monadnock Building  
San Francisco, Calif.

702 East Slauson Avenue  
Los Angeles, Calif.


---

### *Distributing Yards:*

301 North 7th Street  
Minneapolis, Minn.

2452 Loomis Street  
Chicago, Ill.


702 East Slauson Avenue  
Los Angeles, Calif.



Digitized by ASSOCIATION FOR PRESERVATION TECHNOLOGY, [www.apti.org](http://www.apti.org) for the  
BUILDING TECHNOLOGY HERITAGE LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of Mike Jackson, FAIA





*The*  
Standard National  
Manufacturers  
List

*of*  
*Doors, Open Sash and*  
*Outside Blinds*

Showing Cuts and Lists for  
Standard Designs and Sizes  
*also*

Rules for Listing Doors, Open  
Sash and Outside Blinds of  
Designs or Sizes not Shown

---

EFFECTIVE AUGUST 1, 1926

---

Compiled by NORMAN L. GODFREY  
*for the*  
Sash, Door and Blind Manufacturers

Copyrighted, 1922  
Revised, 1926

Printed by  
SHATTOCK & McKAY COMPANY  
426 South Clinton Street, Chicago

## Grading Rules

### DOORS

No. 1 Quality—Material in No. 1 doors must be clear, except defects not more serious in nature than a tight, sound knot, one-fourth ( $\frac{1}{4}$ ) inch in diameter. No piece to contain more than one (1) such defect, and no door more than a total of five (5) such defects. In addition, stiles may contain one small pitch streak on one side.

White sap, light brown water stain and light red kiln burn not considered defects.

Workmanship must be good.

Door with White Pine stiles and rails and laminated panels are, unless otherwise specified, to have No. 1 quality stiles and rails. Panels to be three ply, good two sides and may contain not to exceed twenty-five (25) per cent two piece faces if joints are well made.

No. 2 Quality—Material in No. 2 doors may contain pitch streaks, fine season checks, pitch pockets if slivered, light blue sap, showing on not to exceed twenty-five (25) per cent of the area of any piece, and defects not more serious in nature than a tight, sound knot, three-quarter ( $\frac{3}{4}$ ) inch in diameter.

No piece to contain more than two (2) such defects, and no door to contain more than eight (8) such defects on each side.

Plugs admitted, but regarded as defects.

Slight defects in workmanship admitted.

No. 3 Quality—Material for No. 3 doors may contain all blue sap, small worm holes, season checks, pitch streaks, pitch pockets, fine shake and defects not more serious in nature than a tight knot one and three-quarter ( $1\frac{3}{4}$ ) inches in diameter. No piece to contain more than four (4) such defects and no door to contain more than twenty (20) such defects on each side.

Plugs admitted, but regarded as defects.

Slight defects in workmanship admitted.

No. 4 Quality—Material for No. 4 doors may contain an unlimited number of coarse defects except rot, but each piece must be sound.

Defects in workmanship admitted.

### OPEN SASH OR WINDOWS

Check Rail Windows may contain one defect not more serious in nature than a tight knot one-fourth ( $\frac{1}{4}$ ) inch in diameter in each piece of a window. White sap may be admitted. Workmanship must be good.

Plain Rail Windows and Sash may contain blue sap and small knots.

# ***Standard National Door Lists***

---

## **GARAGE DOORS**

"A" Quality—Material for "A" garage doors may contain fine season checks, small pitch streaks, pitch pockets if slivered, light blue sap showing on not to exceed twenty-five (25) per cent of the area of any piece, and defects not more serious in nature than a tight sound knot three-quarter ( $\frac{3}{4}$ ) inch in diameter.

Stiles and bottom rails may contain two (2) and other parts one (1) such defect on each side, but no door to contain more than eight (8) such defects on each side.

Plugs not admitted.

Workmanship must be good.

"B" Quality—Material for "B" garage doors may contain season checks, large pitch streaks, pitch pockets, blue sap without limit and defects not more serious in nature than a tight, sound knot one and one-half ( $1\frac{1}{2}$ ) inches in diameter.

Stiles and bottom rails may contain three (3) and other parts two (2) such defects on each side, but no doors to contain more than fourteen (14) such defects on each side.

Plugs admitted but regarded as defects.

Slight defects in workmanship admitted.

## **OUTSIDE BLINDS**

Outside blinds are graded as Millrun No. 1 and No. 2 and are shipped in the proportion produced by the factory in its ordinary operation.

Millrun No. 1 Outside Blinds for paint must be made of sound lumber and may contain small sound pin knots, water stain and white sap. Slight imperfections in workmanship also admitted.

Millrun No. 2 Outside Blinds must be made of sound stock which may contain sound knots up to one-half ( $\frac{1}{2}$ ) inch in diameter and any amount of either white or blue sap. Slight imperfections in workmanship admitted.

## **Standard Sizes of Component Parts**

The standard sizes of top rails, bottom rails, stiles, etc., is the basis on which these lists are figured and is the width over-all.

## **Finished Thickness**

Doors, windows and sash are listed  $\frac{3}{4}$ ",  $1\frac{1}{8}$ ",  $1\frac{3}{8}$ " and  $1\frac{1}{4}$ " thick. The finished thickness shall be not more than  $\frac{1}{16}$ " scant of these measurements.

## Standard Panel Door Lists

These lists apply to all panel doors not otherwise provided for, regardless of grade or arrangement of panels.

### Standard Stock Sticking.

Stiles and Top Rail not over 4 $\frac{3}{4}$ " wide over all.

Lock Rail not over 8 $\frac{3}{4}$ " wide over all.

Bottom Rail not over 9 $\frac{3}{4}$ " wide over all.

Cross Rails and Mullions not over 4 $\frac{3}{4}$ " wide over all.

Size	1 $\frac{3}{8}$ "	1 $\frac{1}{2}$ "	1 $\frac{3}{4}$ "	2"
2- 0 $\times$ 6- 0	\$ 6.10	.....	\$ 5.55	\$ 4.95
6- 6	6.40	.....	.....	.....
6- 8	6.50	\$ 8.35	5.90	5.30
6-10	6.95	.....	.....	.....
7- 0	7.05	9.00	.....	.....
2- 4 $\times$ 6- 4	6.95	.....	6.30	.....
6- 6	7.05	.....	.....	.....
6- 8	7.20	9.15	6.50	.....
6-10	7.65	.....	.....	.....
7- 0	7.75	9.90	.....	.....
2- 6 $\times$ 6- 0	7.05	.....	6.35	.....
6- 6	7.40	9.40	6.65	5.95
6- 8	7.50	9.55	6.80	.....
6-10	8.00	10.20	.....	.....
7- 0	8.10	10.35	.....	.....
7- 6	8.85	11.25	.....	.....
8- 0	9.20	11.75	.....	.....
2- 8 $\times$ 6- 0	7.35	9.40	6.65	.....
6- 6	7.70	9.85	.....	.....
6- 8	7.85	10.05	7.10	6.35
6-10	8.35	10.65	.....	.....
7- 0	8.45	10.80	7.65	.....
7- 6	9.25	11.75	.....	.....
8- 0	9.65	12.30	.....	.....
2-10 $\times$ 6- 8	8.15	10.45	.....	.....
6-10	8.70	11.10	7.85	.....
7- 0	8.80	11.25	.....	.....
7- 6	9.65	12.30	.....	.....
3- 0 $\times$ 6- 0	7.95	.....	7.20	.....
6- 6	8.35	10.70	.....	.....
6- 8	8.50	10.85	.....	.....
6-10	9.05	11.55	.....	.....
7- 0	9.20	11.70	8.30	.....
7- 6	10.00	12.75	.....	.....
8- 0	10.45	13.30	.....	.....

## **Panel Door Extras**

**Note 1**—These extras are intended to enable the forming of a complete list on all designs and sizes not regularly listed.

**Note 2**—For sizes not listed and intermediate sizes, use same list as next larger listed size.

### **LARGER THAN LISTED SIZES**

**Rule A**—(1) Wider than listed sizes, use widest list specified of same height and add for each additional 4 inches or part thereof..... **10%**

(2) Longer than listed sizes, use longest list specified of same width, and add for each additional 6 inches or part thereof..... **10%**

(3) Single Doors made to represent pairs, add ..... **\$3.50 List**

### **THICK DOORS**

**Rule B**—(1) 2" or 2¼" doors (single or double thick), add to list of a 1¾" door, same size.. **100%**

(2) 2½" doors (single or double thick), add to list of a 1¾" door, same size..... **200%**

### **WIDE STILES, RAILS OR MUNTZ**

List	
For	For
1¾"	1¾"

**Rule C**—(1) Stiles, including top rail wider than standard layout, add for each additional 1 inch or part thereof. **\$0.70 \$1.05**

(2) Cross Rails, top, lock or bottom rail, wider than standard layout, add for each additional one inch or part thereof, for each wide rail..... **\$0.15 \$0.25**

(3) Solid White Pine Panels (not otherwise specified) ordered wider than 12½" requiring glue joint, add 40c list extra for each glue joint.

(4) Wide Rails over 12½", for each glue joint, add 40c list.



## Panel Door Extras—Continued

### ARRANGEMENT OF PANELS

**Rule D—**(1) Doors—4 regular and 5 regular panel, over 3-0 and not wider than 4-2, will be made 3 upright panels wide.

(2) Doors—4 regular and 5 regular panel, over 4-2 and not wider than 5-6, will be made 4 upright panels wide.

(3) Doors—4 regular and 5 regular panel, over 5-6 and not wider than 6-8, will be made 5 upright panels wide.

(4) Doors—4 regular and 5 regular panel, over 6-8 and not wider than 8-0, will be made 6 upright panels wide.

(5) Cross Panel Doors, up to and including 7-2, will be made 5 panels high.

(6) Cross Panel Doors, over 7-2 and not higher than 8-6, will be made 6 panels high.

(7) Cross Panel Doors, over 8-6 and not higher than 9-10, will be made 7 panels high.

(8) For a less number of panels (making wider panels) special price will be charged.

(9) For a greater number of panels than provided by regular lists, add for each additional panel .....\$0.30 List

### MIRROR DOORS

(Counter Sunk and Mould for Mirror)

**Rule E—**(1) One Panel Doors, made to receive mirror one side, add to list of similar panel door .....\$2.00 List

(2) Two Panel Doors, made to receive mirror one side, add to list of similar panel door ..... 4.20 List

(3) Other Panel Doors, made to receive mirror one side, add to list of similar panel door ..... 6.50 List



## Panel Door Extras--Continued

### DUTCH DOORS

- Rule F**—(1) Made with double width lock rail, so as to permit of cutting through center, add to list of a similar door of same size .....\$1.50 List  
 (2) Cut through lock rail and rabbeted ..... 2.50 List

### BANDING

- Rule G**—Banding sliding doors two sides, add to proper list for such doors, for each lineal foot—measured around opening of each door..... .20 List

### RABBETING

- Rule H**—Rabbeting and Beading folding doors made extra wide for rabbeting, add to proper list for such doors, per pair ..... 2.50 List

### MOULDINGS AROUND RECTANGULAR PANELS

- |   | List<br>Per Side |
|---|------------------|
| <b>Rule I</b> —Plain Flush Mould (not over $\frac{3}{4} \times 1\frac{1}{8}$ ) add per united inch..... | \$0.01½          |
| Plain Raised Mould (not over $\frac{3}{4} \times 1\frac{1}{4}$ ) add per united inch.....               | .02              |
| Flush E. & D. Pressed Mould (not over $\frac{3}{4} \times 1\frac{1}{8}$ ) add per united inch.....      | .03¾             |
| Raised E. & D. Pressed Mould (not over $\frac{3}{4} \times 1\frac{1}{4}$ ) add per united inch.....     | .04½             |

### SEGMENT, CIRCLE OR GOTHIC TOP DOORS

Not over 1¾" thick  
up to 3' 0" wide

**Rule J**—


- |   |              |
|---|--------------|
| (1) Circle Top, add.....                                    | \$10.00 List |
| (2) Circle Top with Solid Corners, add..                    | 9.00 List    |
| (3) Circle Top with Panel Corners, add                      | 15.00 List   |
| (4) Segment Top, add.....                                   | 5.50 List    |
| (5) Gothic Top, either Full Gothic or Semi-Gothic, add..... | 10.00 List   |
| (6) Peak Head Top, add.....                                 | 7.00 List    |

### ASTRAGALS, LOOSE (Not Put On)

- Rule K**—Single, for folding doors not over eight feet high:
- |   |             |
|---|-------------|
| (1) If doors are 1¾" thick, or less.....            | \$1.25 List |
| If doors are 2¼" or 2½" thick, or less..            | 4.00 List   |
| Double, for sliding doors not over eight feet high: |             |
| (2) If doors are 1¾" thick, or less.....            | 1.50 List   |
| If doors are 2¼" or 2½" thick, or less..            | 5.00 List   |
| (3) Astragal Joints on stiles, add per pair .....   | 2.50 List   |

## 6 Panel Colonial Door

Standard Stock Sticking



No. 1 Quality

Stiles, Top and Cross Rails not over  $4\frac{3}{4}$ " wide over all.  
Lock Rail not over  $8\frac{3}{4}$ " wide over all.  
Bottom Rail not over  $9\frac{3}{4}$ " wide over all.  
Muntins and Mullion not over  $4\frac{3}{4}$ " wide over all.  
Panels— $7/16$ " solid raised or  $5/16$ " flat.

---

### List Extras

	List $1\frac{3}{8}$ "	List $1\frac{3}{4}$ "
$5\frac{1}{2}$ " Stiles and Top Rail, add.....	\$0.70	\$1.05
$11\frac{1}{2}$ " Bottom Rail, add.....	.30	.50
$12\frac{1}{2}$ " Bottom Rail, add.....	.45	.75
$\frac{3}{4}$ " Panels, heavy raised 1 side, light raised or flat 1 side, add.....	1.50	1.50
Doors Plain Flush Mould, per side, add.....	2.75	2.75
Doors Plain Raised Mould, per side, add.....	3.75	3.75

(List follows on page 9)

# *Standard National Door Lists*

## **6 Panel Colonial Door**

Standard Stock Sticking

Size	1 $\frac{3}{8}$ "	1 $\frac{3}{4}$ "
2- 0×6- 0	\$ 6.75	.....
6- 6	7.05	.....
6- 8	7.15	\$ 9.00
6-10	7.60	.....
7- 0	7.70	9.65
2- 4×6- 4	7.60	.....
6- 6	7.70	.....
6- 8	7.85	9.80
6-10	8.30	.....
7- 0	8.40	10.55
2- 6×6- 0	7.70	.....
6- 6	8.05	10.05
6- 8	8.15	10.20
6-10	8.65	10.85
7- 0	8.75	11.00
7- 6	9.50	11.90
8- 0	9.85	12.40
2- 8×6- 0	8.00	10.05
6- 6	8.35	10.50
6- 8	8.50	10.70
6-10	9.00	11.30
7- 0	9.10	11.45
7- 6	9.90	12.40
8- 0	10.30	12.95
2-10×6- 8	8.80	11.10
6-10	9.35	11.75
7- 0	9.45	11.90
7- 6	10.30	12.95
3- 0×6- 0	8.60	.....
6- 6	9.00	11.35
6- 8	9.15	11.50
6-10	9.70	12.20
7- 0	9.85	12.35
7- 6	10.65	13.40
8- 0	11.10	13.95

(Design and List Extras on preceding page 8)

# Standard Cupboard Door Lists

These lists apply to all panel cupboard doors regardless of grade or arrangement of panels.

Standard Stock Sticking.

Size	¾	1½	Size	¾	1½
1-0×1- 6	1.45	1.55	1-4×4- 6	3.25	3.60
2- 0	1.60	1.75	5- 0	3.45	3.75
2- 6	2.05	2.25	5- 6	3.60	3.95
2- 8	2.10	2.30	5- 8	3.65	4.05
2-10	2.15	2.35	5-10	3.70	4.10
3- 0	2.20	2.45	6- 0	3.80	4.15
3- 6	2.65	2.90	1-6×1- 6	1.50	1.60
4- 0	2.80	3.10	2- 0	1.65	1.80
4- 6	3.25	3.60	2- 6	2.10	2.30
5- 0	3.45	3.75	2- 8	2.15	2.35
5- 6	3.60	3.95	2-10	2.20	2.40
5- 8	3.65	4.05	3- 0	2.25	2.50
5-10	3.70	4.10	3- 6	2.70	2.95
6- 0	3.80	4.15	4- 0	2.85	3.15
1-2×1- 6	1.45	1.55	4- 6	3.30	3.65
2- 0	1.60	1.75	5- 0	3.50	3.80
2- 6	2.05	2.25	5- 6	3.65	4.00
2- 8	2.10	2.30	5- 8	3.70	4.10
2-10	2.15	2.35	5-10	3.75	4.15
3- 0	2.20	2.45	6- 0	3.85	4.20
3- 6	2.65	2.90	1-8×1- 6	1.55	1.70
4- 0	2.80	3.10	1- 8	1.60	1.75
4- 6	3.25	3.60	2- 0	1.75	1.90
5- 0	3.45	3.75	2- 6	2.20	2.40
5- 6	3.60	3.95	2- 8	2.25	2.45
5- 8	3.65	4.05	2-10	2.30	2.55
5-10	3.70	4.10	3- 0	2.40	2.60
6- 0	3.80	4.15	3- 6	2.85	3.10
1-4×1- 6	1.45	1.55	4- 0	3.05	3.30
2- 0	1.60	1.75	4- 6	3.50	3.80
2- 6	2.05	2.25	5- 0	3.65	4.00
2- 8	2.10	2.30	5- 6	3.90	4.25
2-10	2.15	2.35	5- 8	3.95	4.30
3- 0	2.20	2.45	5-10	4.00	4.40
3- 6	2.65	2.90	6- 0	4.05	4.45
4- 0	2.80	3.10			

## Standard Cupboard Door Lists

Size	$\frac{3}{4}$ "	$1\frac{1}{8}$ "	Size	$\frac{3}{4}$ "	$1\frac{1}{8}$ "
1-10×1- 6	1.60	1.75	2-0×1- 6	1.65	1.85
1-10	1.75	1.90	2- 0	1.90	2.10
2- 0	1.80	2.00	2- 6	2.40	2.65
2- 6	2.30	2.50	2- 8	2.45	2.70
2- 8	2.35	2.60	2-10	2.55	2.80
2-10	2.45	2.65	3- 0	2.60	2.85
3- 0	2.50	2.75	3- 6	3.10	3.45
3- 6	3.00	3.25	4- 0	3.35	3.65
4- 0	3.20	3.50	4- 6	3.85	4.20
4- 6	3.65	4.00	5- 0	4.05	4.45
5- 0	3.85	4.25	5- 6	4.30	4.70
5- 6	4.10	4.45	5- 8	4.35	4.80
5- 8	4.15	4.55	5-10	4.45	4.85
5-10	4.20	4.60	6- 0	4.50	4.95
6- 0	4.30	4.70			

These cupboard door lists are based on the following maximum over-all measurements.

Stiles, Top and Cross Rails..... $3\frac{1}{2}$  inches  
 Bottom Rail ..... $4\frac{1}{2}$  inches

### CUPBOARD DOOR EXTRAS

Doors, up to and including 2-0 high....2 Cross Panels  
 Over 2-0 and up to and incl. 3-0 high...3 Cross Panels  
 Over 3-0 and up to and incl. 4-0 high...4 Cross Panels  
 Over 4-0 high will be made.....5 Cross Panels  
 For rabbeting single pair, add.....\$0.50 List  
 For rabbeting two pair or more, pair, add .35 List  
 For  $1\frac{3}{4}$ " Cupboard Doors, add to  $1\frac{1}{8}$ " List 15%

For Odd or Intermediate size, see Note 2 and, for sizes larger than listed see Rule "A" of Panel Door extras, page 5.

For lists on

## MEDICINE CABINET DOORS

### MADE TO RECEIVE MIRROR


Add to Cupboard Door Lists.....50c List

These Medicine Cabinet Door lists are based on the following maximum overall measurements.

Stiles and Top Rail.....2" Face  
 Bottom Rail .....3" Face

## 1 X Panel and 1 Light

Standard Stock Sticking  
Raised Panel Two Sides  
Beads for Glass Included



**S. D. 500**

No. 1 Quality

Stiles and Top Rail not over 5½" wide over all.  
Lock and Bottom Rail not over 9¾" wide over all.


Size of Door	Open List 1½ in.	Open List 1½ in.	Glass Size
2- 6×6- 6	\$8.00	\$10.55	20×38
6- 8	8.15	10.70	40
7- 0	8.75	11.55	44
2- 8×6- 8	8.35	11.00	22×40
7- 0	8.95	11.80	44
2-10×6- 8	8.55	11.25	24×40
6-10	9.05	11.90	42
7- 0	9.15	12.10	44
3- 0×6- 8	8.80	11.50	26×40
7- 0	9.40	12.35	44

If beads omitted, deduct.....25c List  
For door extras, see pages 79 to 81 inclusive.



## 1 X Panel and 6 Lights

Standard Stock Sticking  
Raised Panel Two Sides  
Beads for Glass Included



S. D. 501

No. 1 Quality


Stiles and Top Rail not over 5½" wide over all.  
Lock and Bottom Rail not over 9¾" wide over all.

Size of Door	Open List 1⅞ in.	Open List 1¾ in.	Glass Size ½ in. Between
2- 6×6- 6	\$10.25	\$13.10	9¾ × 12⅞
6- 8	10.40	13.25	13
7- 0	11.15	14.20	14⅞
2- 8×6- 8	10.60	13.55	10¾ × 13
7- 0	11.35	14.45	14⅞
2-10×6- 8	10.80	13.80	11¾ × 13
6-10	11.45	14.55	13⅝
7- 0	11.55	14.75	14⅞
3- 0×6- 8	11.05	14.05	12¾ × 13
7- 0	11.80	15.00	14⅞

If beads omitted, deduct.....55c List  
For door extras, see pages 79 to 81 inclusive.

## 1 X Panel and 9 Lights

Standard Stock Sticking  
Raised Panel Two Sides  
Beads for Glass Included



**S. D. 502**

**No. 1 Quality**

Stiles and Top Rail not over 5½" wide over all.


Lock and Bottom Rail not over 9¾" wide over all.

Size of Door	Open List 1⅞ in.	Open List 1¾ in.	Glass Size ½ in. Between
2- 6×6- 6	\$11.15	\$14.15	6 ⅞ × 12 ⅞
6- 8	11.30	14.30	13
7- 0	11.90	15.15	14 ⅞
2- 8×6- 8	11.50	14.60	7 × 13
7- 0	12.10	15.40	14 ⅞
2-10×6- 8	11.70	14.85	7 ⅝ × 13
6-10	12.20	15.50	13 ⅝
7- 0	12.30	15.70	14 ⅞
3- 0×6- 8	11.95	15.10	8 ⅞ × 13
7- 0	12.55	15.95	14 ⅞

If beads omitted, deduct.....70c List  
For door extras, see pages 79 to 81 inclusive.

# 1 X Panel and 1 Light

Standard Stock Sticking  
Raised Panel Two Sides  
Beads for Glass Included



**S. D. 507**

No. 1 Quality


Stiles and Top Rail not over 5½" wide over all.  
Lock and Bottom Rail not over 9¾" wide over all.

Size of Door	Open List 1¾ in.	Open List 1¾ in.	Glass Size
2- 6×6- 6	\$7.50	\$10.05	20×44
6- 8	7.65	10.20	46
7- 0	8.25	11.00	50
2- 8×6- 8	7.80	10.45	22×46
7- 0	8.40	11.25	50
2-10×6- 8	7.95	10.65	24×46
6-10	8.45	11.30	48
7- 0	8.55	11.50	50
3- 0×6- 8	8.15	10.90	26×46
7- 0	8.75	11.70	50

If beads omitted, deduct..... 25c List  
Doors, Single Fillet around glass opening, add 60c List  
Doors, Plain Flush Mould, one side, not including Fillet, add.....\$1.70 List  
Doors, Plain Raised Mould, one side, not including Fillet, add..... 2.25 List  
Doors, Flush, Egg and Dart Mould, one side, not including Fillet, add..... 4.25 List  
Doors, Raised, Egg and Dart Mould, one side, not including Fillet, add..... 5.20 List  
For door extras, see pages 79 to 81 inclusive.

## 1 X Panel and 6 Lights

Standard Stock Sticking  
Raised Panel Two Sides  
Beads for Glass Included



**S. D. 508**

**No. 1 Quality**


Stiles and Top Rail not over 5½" wide over all.  
Lock and Bottom Rail not over 9¾" wide over all.

Size of Door	Open List 1¾ in.	Open List 1¾ in.	Glass Size ½ in. Between
2- 6×6- 6	\$ 9.75	\$12.55	9¾ × 14⅞
6- 8	9.90	12.70	15
7- 0	10.60	13.65	16⅞
2- 8×6- 8	10.05	12.95	10¾ × 15
7- 0	10.75	13.90	16⅞
2-10×6- 8	10.20	13.15	11¾ × 15
6-10	10.80	13.95	15⅝
7- 0	10.90	14.15	16⅞
3- 0×6- 8	10.40	13.40	12¾ × 15
7- 0	11.10	14.35	16⅞

If beads omitted, deduct.....55c List  
For door extras, see pages 79 to 81 inclusive.

## 1 X Panel and 9 Lights

Standard Stock Sticking  
Raised Panel Two Sides  
Beads for Glass Included



**S. D. 509**

No. 1 Quality

Stiles and Top Rail not over 5½" wide over all.  
Lock and Bottom rail not over 9¾" wide over all.

Size of Door	Open List 1½ in.	Open List 1¾ in.	Glass Size ½ in. Between
2- 6×6- 6	\$10.65	\$13.65	6 ⅞ × 14 ⅞
6- 8	10.80	13.80	15
7- 0	11.40	14.60	16 ⅞
2- 8×6- 8	10.95	14.05	7 × 15
7- 0	11.55	14.85	16 ⅞
2-10×6- 8	11.10	14.25	7 ⅝ × 15
6-10	11.60	14.90	15 ⅝
7- 0	11.70	15.10	16 ⅞
3- 0×6- 8	11.30	14.50	8 ⅞ × 15
7- 0	11.90	15.30	16 ⅞

If beads omitted, deduct..... 70c List

1¾"  
List


1¾"  
List

If made with 12 lights, add .....\$1.05 \$1.20

If beads omitted (12 light design), deduct....90c List

For door extras, see pages 79 to 81 inclusive.

## 2 X Panels and 1 Light



Standard Stock Sticking  
Raised Panel Two Sides  
Beads for Glass Included

**S. D. 514**

No. 1 Quality

Stiles, Top and Cross Rail  
not over 4¾" wide over  
all.

Lock Rail not over 6½" wide  
over all.

Bottom Rail not over 9¾"  
wide over all.

Size of Door	Open List 1¾ in.	Open List 1¾ in.	Glass Size
2- 6×6- 6	\$7.35	\$ 9.60	21 ½×34
6- 8	7.40	9.70	36
7- 0	7.95	10.40	40
2- 8×6- 8	7.60	9.95	23 ½×36
7- 0	8.10	10.70	40
2-10×6- 8	7.80	10.20	25 ½×36
6-10	8.20	10.80	38
7- 0	8.25	10.90	40
3- 0×6- 8	7.95	10.40	27 ½×36
7- 0	8.50	11.20	40


If beads omitted, deduct.....20 List  
1¾" 1¾"  
List List

Doors with Lock Rail not over 4¾" wide,  
deduct .....\$0.20 \$0.30  
Doors Plain Flush Mould, one side, around  
panels and glass, including fillet, add.... \$2.70 List  
Doors Plain Flush Mould, two sides around  
panels and one side around glass, in-  
cluding fillet, add..... 3.85 List  
Doors Plain Raised Mould, one side, around  
panels and glass, including fillet, add.... 3.40 List  
Doors Plain Raised Mould, two sides around  
panels and one side around glass, includ-  
ing fillet, add..... 4.90 List  
For door extras, see pages 79 to 81 inclusive.



## 2 X Panels and 4 Lights

Standard Stock Sticking  
Raised Panel Two Sides  
Beads for Glass Included



S. D. 515

No. 1 Quality

Stiles, Top and Cross Rail not over 4 3/4" wide over all.

Lock Rail not over 6 1/2" wide over all.

Bottom Rail not over 9 3/4" wide over all.

Size of Door	Open List 1 3/8 in.	Open List 1 3/4 in.	Glass Size 1/2 in. Between
2- 6x6- 6	\$ 8.75	\$11.20	10 1/2 x 16 3/4
6- 8	8.80	11.30	17 3/4
7- 0	9.45	12.05	19 3/4
2- 8x6- 8	9.00	11.55	11 1/2 x 17 3/4
7- 0	9.60	12.35	19 3/4
2-10x6- 8	9.20	11.80	12 1/2 x 17 3/4
6-10	9.70	12.45	18 3/4
7- 0	9.75	12.55	19 3/4
3- 0x6- 8	9.35	12.00	13 1/2 x 17 3/4
7- 0	10.00	12.85	19 3/4


If beads omitted, deduct.....40c List

Doors rabbeted for putty, add.....50c List

For door extras, see pages 79 to 81 inclusive.

## 2 X Panels and 6 Lights

Standard Stock Sticking  
Raised Panel Two Sides  
Beads for Glass Included



**S. D. 516**  
No. 1 Quality

Stiles, Top and Cross Rail not over 4 1/4" wide over all.  
Lock Rail not over 6 1/2" wide over all.  
Bottom Rail not over 9 3/4" wide over all.

Size of Door	Open List 1 1/4 in.	Open List 1 3/4 in.	Glass Size 1/2 in. Between
2- 6x6- 6	\$ 9.65	\$12.15	6 1/8 x 16 3/4
6- 8	9.70	12.25	17 3/4
7- 0	10.35	13.10	19 3/4
2- 8x6- 8	9.90	12.50	7 1/2 x 17 3/4
7- 0	10.50	13.40	19 3/4
2-10x6- 8	10.10	12.75	8 1/8 x 17 3/4
6-10	10.60	13.50	18 3/4
7- 0	10.65	13.60	19 3/4
3- 0x6- 8	10.25	12.95	8 1/8 x 17 3/4
7- 0	10.90	13.90	19 3/4

If beads omitted, deduct.....55c List  
1 3/8" 1 3/4"  
List List


If made with 9 lights, add.....\$1.05 \$1.20

If beads omitted (9 light design) deduct.....70c List

For door extras, see pages 79 to 81 inclusive.

# 1 X Panel, 3 Small Panels and 1 Light

Standard Stock Sticking  
Raised Panels Two Sides  
Beads for Glass Included



**S. D. 522**

**No. 1 Quality**


Stiles and Top Rail not over 4 $\frac{3}{4}$ " wide over all.  
Lock Rail not over 8 $\frac{1}{8}$ " wide over all.  
Cross Rail not over 5 $\frac{1}{2}$ " wide over all.  
Bottom Rail not over 9 $\frac{3}{4}$ " wide over all.  
Muntins not over 3 $\frac{1}{2}$ " wide over all.

Size of Door	Open List 1 $\frac{1}{2}$ in.	Open List 1 $\frac{1}{2}$ in.	Glass Size
2- 6 $\times$ 6- 6	\$8.00	\$10.25	21 $\frac{1}{2}$ $\times$ 34
6- 8	8.05	10.40	36
7- 0	8.60	11.15	40
2- 8 $\times$ 6- 8	8.30	10.65	23 $\frac{1}{2}$ $\times$ 36
7- 0	8.85	11.40	40
2-10 $\times$ 6- 8	8.45	10.95	25 $\frac{1}{2}$ $\times$ 36
6-10	8.95	11.60	38
7- 0	9.00	11.70	40
3- 0 $\times$ 6- 8	8.65	11.20	27 $\frac{1}{2}$ $\times$ 36
7- 0	9.20	11.95	40

If beads omitted, deduct.....20c List  
For door extras, see pages 79 to 81 inclusive.

## 3 X Panels and 1 Light

Standard Stock Sticking  
Raised Panel Two Sides  
Beads for Glass Included



S. D. 530  
No. 1 Quality

Stiles, Top and Cross Rails not over 4 3/4" wide over all.  
Bottom Rail not over 9 3/4" wide over all.


Size of Door	Open List 1 3/8 in.	Open List 1 3/4 in.	Glass Size
2- 6 x 6- 6	\$7.75	\$10.05	21 1/2 x 24
6- 8	7.80	10.15	26
7- 0	8.35	10.90	30
2- 8 x 6- 8	8.00	10.45	23 1/2 x 26
7- 0	8.60	11.20	30
2- 10 x 6- 8	8.25	10.70	25 1/2 x 26
6- 10	8.75	11.35	28
7- 0	8.85	11.50	30
3- 0 x 6- 8	8.45	11.00	27 1/2 x 26
7- 0	9.05	11.80	30

If beads omitted, deduct.....20c List  
1 3/8" 1 3/4"  
List List

Doors with Lock Rail not over 6 1/2" wide,  
add .....\$0.20 \$0.30  
For door extras, see pages 79 to 81 inclusive.

## 3 X Panels and 4 Lights

Standard Stock Sticking  
 Raised Panel Two Sides  
 Beads for Glass Included



**S. D. 531**  
 No. 1 Quality


Stiles, Top and Cross Rails not over 4 3/4" wide over all.  
 Bottom Rail not over 9 3/4" wide over all.

Size of Door	Open List 1 1/2 in.	Open List 1 3/4 in.	Glass Size 1/2 in. Between
2- 6 X 6- 6	\$ 9.20	\$11.70	10 1/2 X 11 3/4
6- 8	9.25	11.80	12 3/4
7- 0	9.90	12.60	14 3/4
2- 8 X 6- 8	9.45	12.10	11 1/2 X 12 3/4
7- 0	10.15	12.90	14 3/4
2-10 X 6- 8	9.70	12.35	12 1/2 X 12 3/4
6-10	10.30	13.05	13 3/4
7- 0	10.40	13.20	14 3/4
3- 0 X 6- 8	9.90	12.65	13 1/2 X 12 3/4
7- 0	10.60	13.50	14 3/4

If beads omitted, deduct.....40c List  
 For door extras, see pages 79 to 81 inclusive.

## 3 X Panel and 6 Lights

Standard Stock Sticking  
Raised Panel Two Sides  
Beads for Glass Included



S. D. 532

No. 1 Quality

Stiles, Top and Cross Rails not over 4 3/4" wide over all.  
Bottom Rail not over 9 3/4" wide over all.


Size of Door	Open List 1 3/8 in.	Open List 1 3/4 in.	Glass Size 1/2 in. Between
2- 6 X 6- 6	\$10.10	\$12.65	6 13/16 X 11 3/4
6- 8	10.15	12.75	12 3/4
7- 0	10.80	13.65	14 3/4
2- 8 X 6- 8	10.35	13.05	7 1/2 X 12 3/4
7- 0	11.05	13.95	14 3/4
2- 10 X 6- 8	10.60	13.30	8 1/8 X 12 3/4
6- 10	11.20	14.10	13 3/4
7- 0	11.30	14.25	14 3/4
3- 0 X 6- 8	10.80	13.60	8 13/16 X 12 3/4
7- 0	11.50	14.55	14 3/4

If beads omitted, deduct.....55c List  
For door extras, see pages 79 to 81 inclusive.



## 3 X Panel and 1 Light

Standard Stock Sticking  
Raised Panel Two Sides  
Beads for Glass Included



**S. D. 537**

No. 1 Quality

Stiles, Top and Cross Rails not over 4 1/4" wide over all.  
Bottom Rail not over 9 1/4" wide over all.

Size of Door	Open List 1 1/8 in.	Open List 1 1/4 in.	Glass Size
2- 6x6- 6	\$7.60	\$ 9.90	21 1/2 x 28
6- 8	7.70	10.00	30
7- 0	8.25	10.70	34
2- 8x6- 8	7.85	10.25	23 1/2 x 30
7- 0	8.40	11.00	34
2-10x6- 8	8.05	10.55	25 1/2 x 30
6-10	8.55	11.15	32
7- 0	8.60	11.30	34
3- 0x6- 8	8.30	10.80	27 1/2 x 30
7- 0	8.85	11.60	34

If beads omitted, deduct.....20c List


1 3/8" 1 1/4"  
List List

Doors with Lock Rail not over 6 1/2" wide,  
add .....\$0.20 \$0.30

For door extras, see pages 79 to 81 inclusive.

## 3 X Panels and 4 Lights

Standard Stock Sticking  
Raised Panel Two Sides  
Beads for Glass Included



S. D. 538  
No. 1 Quality


Stiles, Top and Cross Rails not over 4 3/4" wide over all.  
Bottom Rail not over 9 3/4" wide over all.

Size of Door	Open List 1 3/4 in.	Open List 1 3/4 in.	Glass Size 1/2 in. Between
2- 6x6- 6	\$ 9.05	\$11.50	10 1/2 x 13 3/4
6- 8	9.15	11.60	14 3/4
7- 0	9.75	12.40	16 3/4
2- 8x6- 8	9.30	11.85	11 1/2 x 14 3/4
7- 0	9.90	12.70	16 3/4
2-10x6- 8	9.50	12.15	12 1/2 x 14 3/4
6-10	10.05	12.85	15 3/4
7- 0	10.10	13.00	16 3/4
3- 0x6- 8	9.75	12.40	13 1/2 x 14 3/4
7- 0	10.35	13.30	16 3/4

If beads omitted, deduct.....40c List  
For door extras, see pages 79 to 81 inclusive.

## 3 X Panels and 6 Lights

Standard Stock Sticking  
Raised Panel Two Sides  
Beads for Glass Included



**S. D. 539**

No. 1 Quality

Stiles, Top and Cross Rails not over 4  $\frac{3}{4}$ " wide over all.  
Bottom Rail not over 9  $\frac{3}{4}$ " wide over all.

Size of Door	Open List 1 $\frac{3}{8}$ in.	Open List 1 $\frac{3}{4}$ in.	Glass Size $\frac{1}{2}$ in. Between
2- 6x6- 6	\$ 9.90	\$12.50	6 $\frac{1}{8}$ x 13 $\frac{3}{4}$
6- 8	10.00	12.60	14 $\frac{3}{4}$
7- 0	10.70	13.40	16 $\frac{3}{4}$
2- 8x6- 8	10.15	12.85	7 $\frac{1}{2}$ x 14 $\frac{3}{4}$
7- 0	10.85	13.70	16 $\frac{3}{4}$
2- 10x6- 8	10.35	13.15	8 $\frac{1}{8}$ x 14 $\frac{3}{4}$
6- 10	11.00	13.85	15 $\frac{3}{4}$
7- 0	11.05	14.00	16 $\frac{3}{4}$
3- 0x6- 8	10.60	13.40	8 $\frac{1}{8}$ x 14 $\frac{3}{4}$
7- 0	11.30	14.30	16 $\frac{3}{4}$

If beads omitted, deduct.....55c List  
1  $\frac{3}{8}$ " 1  $\frac{3}{4}$ "  
List List


If made with 9 lights, add.....\$1.05 \$1.20

If beads omitted (9 light design), deduct.....70c List

For door extras, see pages 79 to 81 inclusive.

## 2 X Panels, 3 Small Panels and 1 Light

Standard Stock Sticking  
Raised Panels Two Sides  
Beads for Glass Included



S. D. 544  
No. 1 Quality


Stiles, Top and Cross Rails not over 4 3/4" wide over all.  
Bottom Rail not over 9 3/4" wide over all.  
Muntins not over 3 1/2" wide over all.

Size of Door	Open List 1 3/4 in.	Open List 1 3/4 in.	Glass Size
2- 6 X 6- 6	\$8.20	\$10.50	21 1/2 X 30
6- 8	8.30	10.60	32
7- 0	8.85	11.30	36
2- 8 X 6- 8	8.45	10.85	23 1/2 X 32
7- 0	9.00	11.60	36
2-10 X 6- 8	8.65	11.15	25 1/2 X 32
6-10	9.15	11.75	34
7- 0	9.20	11.90	36
3- 0 X 6- 8	8.90	11.40	27 1/2 X 32
7- 0	9.45	12.20	36

If beads omitted, deduct.....20c List  
For door extras, see pages 79 to 81 inclusive.

## 4 X Panels and 1 Light

Standard Stock Sticking  
Raised Panel Two Sides  
Beads for Glass Included



**S. D. 549**

**No. 1 Quality**

Stiles, Top and Cross Rails not over 4 3/4" wide over all.  
Bottom Rail not over 9 3/4" wide over all.


Size of Door	Open List 1 3/4 in.	Open List 1 3/4 in.	Glass Size
2- 6 X 6- 6	\$ 8.05	\$10.50	21 1/2 X 24
6- 8	8.20	10.60	26
7- 0	8.75	11.35	30
2- 8 X 6- 8	8.40	10.95	23 1/2 X 26
7- 0	8.95	11.70	30
2-10 X 6- 8	8.60	11.20	25 1/2 X 26
6-10	9.10	11.85	28
7- 0	9.25	12.05	30
3- 0 X 6- 8	8.85	11.55	27 1/2 X 26
7- 0	9.45	12.35	30

If beads omitted, deduct.....20c List  
1 3/8" 1 3/4"  
List List

Doors with Lock Rail not over 6 1/2" wide,  
add .....\$0.20 \$0.30  
For door extras, see pages 79 to 81 inclusive.

## 3 X Panels, 3 Small Panels and 1 Light

Standard Stock Sticking  
Raised Panel Two Sides  
Beads for Glass Included



**S. D. 554**

No. 1 Quality

Stiles, Top and Cross Rails not over 4 3/4" wide over all.  
Bottom Rail not over 9 3/4" wide over all.  
Muntins not over 3 1/2" wide over all.

Size of Door	Open List 1 3/8 in.	Open List 1 3/4 in.	Glass Size
2- 6x6- 6	\$ 8.65	\$11.10	21 1/2 x 24
6- 8	8.80	11.20	26
7- 0	9.35	11.95	30
2- 8x6- 8	9.00	11.55	23 1/2 x 26
7- 0	9.55	12.30	30
2-10x6- 8	9.20	11.80	25 1/2 x 26
6-10	9.70	12.45	28
7- 0	9.85	12.65	30
3- 0x6- 8	9.45	12.15	27 1/2 x 26
7- 0	10.05	12.95	30


If beads omitted, deduct.....20c List  
1 3/8" 1 3/4"  
List List

Doors with Lock Rail not over 6 1/2" wide,  
add .....\$0.20 \$0.30  
For door extras, see pages 79 to 81 inclusive.



## 2 Vertical Panels and 1 Light

Standard Stock Sticking  
Raised Panel Two Sides  
Beads for Glass Included



**S. D. 559**

No. 1 Quality


Stiles and Top Rail not over 4 3/4" wide over all.  
Lock Rail not over 3 1/8" wide over all.  
Bottom Rail not over 9 3/4" wide over all.  
Muntin not over 4 3/4" wide over all.

Size of Door	Open List 1 3/8 in.	Open List 1 3/4 in.	Glass Size
2- 6 × 6- 6	\$6.90	\$ 9.10	21 1/2 × 38
6- 8	7.05	9.25	40
7- 0	7.50	9.95	44
2- 8 × 6- 8	7.15	9.45	23 1/2 × 40
7- 0	7.70	10.15	44
2-10 × 6- 8	7.30	9.65	25 1/2 × 40
6-10	7.75	10.20	42
7- 0	7.80	10.40	44
3- 0 × 6- 8	7.45	9.85	27 1/2 × 40
7- 0	7.95	10.55	44

If beads omitted, deduct.....20c List  
For door extras, see pages 79 to 81 inclusive.

## 2 Vertical Panels and 4 Lights

Standard Stock Sticking  
Raised Panel Two Sides  
Beads for Glass Included



S. D. 560

No. 1 Quality

Stiles and Top Rail not over 4 3/4" wide over all.

Lock Rail not over 8 1/8" wide over all.

Bottom Rail not over 9 3/4" wide over all.

Muntin not over 4 3/4" wide over all.

Size of Door	Open List 1 1/2 in.	Open List 1 3/4 in.	Glass Size 1/2 in. Between
2- 6 x 6- 6	\$8.30	\$10.70	10 1/2 x 18 3/4
6- 8	8.45	10.85	19 3/4
7- 0	9.00	11.60	21 3/4
2- 8 x 6- 8	8.55	11.05	11 1/2 x 19 3/4
7- 0	9.20	11.80	21 3/4
2-10 x 6- 8	8.70	11.25	12 1/2 x 19 3/4
6-10	9.25	11.85	20 3/4
7- 0	9.30	12.05	21 3/4
3- 0 x 6- 8	8.85	11.45	13 1/2 x 19 3/4
7- 0	9.45	12.20	21 3/4


If beads omitted, deduct.....40c List

Door rabbeted for putty, add.....50c List

For door extras, see pages 79 to 81 inclusive.

## 2 Vertical Panels and 6 Lights

Standard Stock Sticking  
Raised Panel Two Sides  
Beads for Glass Included



**S. D. 561**

No. 1 Quality

Stiles and Top Rail not over 4 3/4" wide over all.

Lock Rail not over 8 1/8" wide over all.

Bottom Rail not over 9 3/4" wide over all.

Muntin not over 4 3/4" wide over all.

Size of Door	Open List 1 1/2 in.	Open List 1 3/4 in.	Glass Size 1/2 in. Between
2- 6x6- 6	\$ 9.20	\$11.65	6 1/8 x 18 3/4
6- 8	9.35	11.80	19 3/4
7- 0	9.90	12.65	21 3/4
2- 8x6- 8	9.45	12.00	7 1/2 x 19 3/4
7- 0	10.10	12.85	21 3/4
2-10x6- 8	9.60	12.20	8 1/8 x 19 3/4
6-10	10.15	12.90	20 3/4
7- 0	10.20	13.10	21 3/4
3- 0x6- 8	9.75	12.40	8 1/8 x 19 3/4
7- 0	10.35	13.25	21 3/4

If beads omitted, deduct.....55c List

1 3/8" 1 3/4"  
List List


If made with 9 lights, add.....\$1.05 \$1.20

If beads omitted (9 light design), deduct.....70c List

For door extras, see pages 79 to 81 inclusive.

## 2 Vertical Panels, 1 X Panel and 1 Light

Standard Stock Sticking  
Raised Panel Two Sides  
Beads for Glass Included



S. D. 567

No. 1 Quality

Stiles, Top and Cross Rails  
not over 4¾" wide over  
all.

Bottom Rail not over 9¾"  
wide over all.


Muntin not over 4¾" wide  
over all.

Size of Door	Open List 1¾ in.	Open List 1¾ in.	Glass Size
2- 6×6- 6	\$7.30	\$ 9.50	21 ½ × 32
6- 8	7.35	9.60	34
7- 0	7.90	10.35	38
2- 8×6- 8	7.50	9.85	23 ½ × 34
7- 0	8.05	10.60	38
2-10×6- 8	7.75	10.10	25 ½ × 34
6-10	8.20	10.70	36
7- 0	8.25	10.80	38
3- 0×6- 8	7.90	10.35	27 ½ × 34
7- 0	8.45	11.05	38

If beads omitted, deduct.....20c List  
Doors, Single Fillet around glass opening, add.50c List  
Doors Plain Flush Mould, one side, not in-  
cluding fillet, add.....\$2.40 List  
Doors Plain Raised Mould, one side, not in-  
cluding fillet, add.....3.20 List  
Doors, Flush, Egg and Dart Mould, one side,  
not including fillet, add.....6.00 List  
Doors, Raised, Egg and Dart Mould, one side,  
not including fillet, add.....7.20 List  
For door extras, see pages 79 to 81 inclusive.

## 2 Vertical Panels, 1 X Panel and 4 Lights

Standard Stock Sticking  
Raised Panel Two Sides  
Beads for Glass Included



**S. D. 568**

**No. 1 Quality**

Stiles, Top and Cross Rails not over 4¾" wide over all.

Bottom Rail not over 9¾" wide over all.

Muntin not over 4¾" wide over all.


Size of Door	Open List 1⅞ in.	Open List 1¾ in.	Glass Size ½ in. Between
2- 6×6- 6	\$8.75	\$11.10	10½×15¾
6- 8	8.80	11.20	16¾
7- 0	9.40	12.05	18¾
2- 8×6- 8	8.95	11.45	11½×16¾
7- 0	9.55	12.30	18¾
2-10×6- 8	9.20	11.70	12½×16¾
6-10	9.70	12.40	17¾
7- 0	9.75	12.50	18¾
3- 0×6- 8	9.35	11.95	13½×16¾
7- 0	9.95	12.75	18¾

If beads omitted, deduct.....40c List

For door extras, see pages 79 to 81 inclusive.

## 2 Vertical Panels, 1 X Panel and 6 Lights

Standard Stock Sticking  
Raised Panel Two Sides  
Beads for Glass Included



**S. D. 569**  
**No. 1 Quality**

Stiles, Top and Cross Rails not over 4 $\frac{3}{4}$ " wide over all.  
Bottom Rail not over 9 $\frac{3}{4}$ " wide over all.  
Muntin not over 4 $\frac{3}{4}$ " wide over all.

Size of Door	Open List 1 $\frac{3}{8}$ in.	Open List 1 $\frac{1}{4}$ in.	Glass Size $\frac{1}{2}$ in. Between
2- 6 $\times$ 6- 6	\$ 9.60	\$12.10	6 $\frac{3}{8}$ $\times$ 15 $\frac{3}{4}$
6- 8	9.65	12.20	16 $\frac{3}{4}$
7- 0	10.35	13.05	18 $\frac{3}{4}$
2- 8 $\times$ 6- 8	9.80	12.45	7 $\frac{1}{2}$ $\times$ 16 $\frac{3}{4}$
7- 0	10.50	13.30	18 $\frac{3}{4}$
2-10 $\times$ 6- 8	10.05	12.70	8 $\frac{1}{8}$ $\times$ 16 $\frac{3}{4}$
6-10	10.65	13.40	17 $\frac{3}{4}$
7- 0	10.70	13.50	18 $\frac{3}{4}$
3- 0 $\times$ 6- 8	10.20	12.95	8 $\frac{3}{8}$ $\times$ 16 $\frac{3}{4}$
7- 0	10.90	13.75	18 $\frac{3}{4}$


If beads omitted, deduct.....55c list

For door extras, see pages 79 to 81 inclusive.



# 1 X Panel and 1 Light

Standard Stock Sticking  
 "Laminated Flat Panel"— $\frac{5}{16}$ " Thick  
 Beads for Glass Included



S. D. 575  
 No. 1 Quality


Stiles and Top Rail not over  $4\frac{1}{4}$ " wide over all.  
 Lock Rail not over  $8\frac{1}{8}$ " wide over all.  
 Bottom Rail not over  $9\frac{3}{4}$ " wide over all.

Size of Door	Open List 1 $\frac{3}{8}$ in.	Open List 1 $\frac{1}{4}$ in.	Glass Size
2- 6 $\times$ 6- 6	\$7.30	\$ 9.40	21 $\frac{1}{2}$ $\times$ 38
6- 8	7.35	9.55	40
7- 0	7.90	10.25	44
2- 8 $\times$ 6- 8	7.60	9.80	23 $\frac{1}{2}$ $\times$ 40
7- 0	8.05	10.55	44
2-10 $\times$ 6- 8	7.75	10.05	25 $\frac{1}{2}$ $\times$ 40
6-10	8.25	10.65	42
7- 0	8.30	10.75	44
3- 0 $\times$ 6- 8	7.95	10.25	27 $\frac{1}{2}$ $\times$ 40
7- 0	8.50	11.05	44

If beads omitted, deduct.....25c List  
 For door extras, see pages 79 to 81 inclusive.

## 2 Vertical Panels and 1 Light

Standard Stock Sticking  
 "Laminated Flat Panels"  $\frac{5}{8}$ " Thick  
 Beads for Glass Included



**S. D. 591**

**No. 1 Quality**

Stiles, Top and Cross Rail  
 not over  $5\frac{1}{2}$ " wide over  
 all.

Mullion not over  $5\frac{1}{2}$ " wide  
 over all.

Bottom Rail not over  $9\frac{3}{4}$ "  
 wide over all.

Size of Door	Open List 1 $\frac{1}{8}$ in.	Open List 1 $\frac{1}{4}$ in.	Glass Size
2- 6 $\times$ 6- 6	\$ 8.80	\$11.50	20 $\times$ 18
6- 8	9.00	11.70	18
7- 0	9.85	12.80	18
2- 8 $\times$ 6- 8	9.25	12.05	22 $\times$ 18
7- 0	10.10	13.15	18
2-10 $\times$ 6- 8	9.50	12.30	24 $\times$ 18
6-10	10.15	13.20	18
7- 0	10.40	13.45	18
3- 0 $\times$ 6- 8	9.80	12.65	26 $\times$ 18
7- 0	10.65	13.80	18

	1 $\frac{3}{8}$ " List	1 $\frac{1}{4}$ " List
Lengthening glass height, for each 2", deduct..	\$0.10	\$0.10
4 $\frac{3}{4}$ " Stiles, Top Rail and Mullion, deduct..	.60	.95
11 $\frac{1}{2}$ " Bottom Rail, add.....	.30	.50
12 $\frac{1}{2}$ " Bottom Rail, add.....	.45	.75
If made one panel instead of two panel, add .....		80c List
If made three panel instead of two panel, add .....		30c List
If beads omitted, deduct.....		15c List
For door extras, see pages 79 to 81 inclusive.		

## 2 Vertical Panels and 3 Vertical Lights

Standard Stock Sticking  
"Laminated Flat Panels"  $\frac{5}{8}$ " Thick  
Beads for Glass Included


S. D. 592

No. 1 Quality

Stiles, Top and Cross Rail  
not over  $5\frac{1}{2}$ " wide over  
all.

Mullion not over  $5\frac{1}{2}$ " wide  
over all.

Bottom Rail not over  $9\frac{3}{4}$ "  
wide over all.




Size of Door	Open List 1 $\frac{3}{8}$ in.	Open List 1 $\frac{3}{8}$ in.	Glass Size $\frac{1}{2}$ in. Between
2- 6 $\times$ 6- 6	\$ 9.80	\$12.65	6 $\frac{5}{8}$ $\times$ 18
6- 8	10.00	12.85	18
7- 0	10.90	14.00	18
2- 8 $\times$ 6- 8	10.25	13.20	7 $\times$ 18
7- 0	11.15	14.35	18
2-10 $\times$ 6- 8	10.50	13.45	7 $\frac{5}{8}$ $\times$ 18
6-10	11.20	14.40	18
7- 0	11.45	14.65	18
3- 0 $\times$ 6- 8	10.80	13.80	8 $\frac{5}{8}$ $\times$ 18
7- 0	11.70	15.00	18

	1 $\frac{3}{8}$ " List	1 $\frac{3}{4}$ " List
Lengthening glass height, for each 2", deduct.	\$0.10	\$0.10
4 $\frac{3}{4}$ " Stiles, Top Rail and Mullion, deduct..	.60	.95
11 $\frac{1}{2}$ " Bottom Rail, add.....	.30	.50
12 $\frac{1}{2}$ " Bottom Rail, add.....	.45	.75
If made one panel instead of two panel, add .....		80c List
If made three panel instead of two panel, add .....		30c List
If beads omitted, deduct.....		25c List
For door extras, see pages 79 to 81 inclusive.		

## 2 Vertical Panels and 4 Vertical Lights

Standard Stock Sticking  
"Laminated Flat Panels"— $\frac{5}{16}$ " Thick  
Beads for Glass Included



S. D. 593

No. 1 Quality

Stiles, Top and Cross Rail  
not over  $5\frac{1}{2}$ " wide over  
all.

Mullion not over  $5\frac{1}{2}$ " wide  
over all.


Bottom Rail not over  $9\frac{3}{4}$ "  
wide over all.

Size of Door	Open List 1 $\frac{1}{8}$ in.	Open List 1 $\frac{1}{8}$ in.	Glass Size $\frac{1}{2}$ in. Between
2- 6 $\times$ 6- 6	\$10.25	\$13.10	4 $\frac{5}{8}$ $\times$ 18
6- 8	10.45	13.30	18
7- 0	11.35	14.50	18
2- 8 $\times$ 6- 8	10.70	13.65	5 $\frac{1}{8}$ $\times$ 18
7- 0	11.60	14.85	18
2-10 $\times$ 6- 8	10.95	13.90	5 $\frac{5}{8}$ $\times$ 18
6-10	11.65	14.90	18
7- 0	11.90	15.15	18
3- 0 $\times$ 6- 8	11.25	14.25	6 $\frac{1}{8}$ $\times$ 18
7- 0	12.15	15.50	18

	1 $\frac{3}{8}$ " List	1 $\frac{3}{4}$ " List
Lengthening glass height, for each 2", deduct..	\$0.10	\$0.10
4 $\frac{3}{4}$ " Stiles, Top Rail and Mullion, deduct..	.60	.95
11 $\frac{1}{2}$ " Bottom Rail, add.....	.30	.50
12 $\frac{1}{2}$ " Bottom Rail, add.....	.45	.75
If made one panel instead of two panel, add .....		80c List
If made three panel instead of two panel, add .....		30c List
If Beads omitted, deduct.....		35c List
For door extras, see pages 79 to 81 inclusive.		

## 2 Vertical Panels and 6 Lights

Standard Stock Sticking  
"Laminated Flat Panels"— $\frac{5}{16}$ " Thick  
Beads for Glass Included



S. D. 594

No. 1 Quality


Stiles, Top and Cross Rail not over  $5\frac{1}{2}$ " wide over all.  
Mullion not over  $5\frac{1}{2}$ " wide over all.  
Bottom Rail not over  $9\frac{3}{4}$ " wide over all.

Size of Door	Open List 1 $\frac{1}{8}$ in.	Open List 1 $\frac{3}{4}$ in.	Glass Size $\frac{1}{2}$ in. Between
2- 6 $\times$ 6- 6	\$11.10	\$14.10	6 $\frac{1}{8}$ $\times$ 8 $\frac{3}{4}$
6- 8	11.30	14.30	8 $\frac{3}{4}$
7- 0	12.30	15.50	8 $\frac{3}{4}$
2- 8 $\times$ 6- 8	11.55	14.65	7 $\times$ 8 $\frac{3}{4}$
7- 0	12.55	15.85	8 $\frac{3}{4}$
2-10 $\times$ 6- 8	11.80	14.90	7 $\frac{5}{8}$ $\times$ 8 $\frac{3}{4}$
6-10	12.60	15.90	8 $\frac{3}{4}$
7- 0	12.85	16.15	8 $\frac{3}{4}$
3- 0 $\times$ 6- 8	12.10	15.25	8 $\frac{1}{8}$ $\times$ 8 $\frac{3}{4}$
7- 0	13.10	16.50	8 $\frac{3}{4}$

	1 $\frac{3}{8}$ " List	1 $\frac{3}{4}$ " List
Lengthening glass height, for each 2", deduct...	\$0.10	\$0.10
4 $\frac{3}{4}$ " Stiles, Top Rail and Mullion, deduct...	.60	.95
11 $\frac{1}{2}$ " Bottom Rail, add.....	.30	.50
12 $\frac{1}{2}$ " Bottom Rail, add.....	.45	.75
If made one panel instead of two panel, add .....		80c List
If made three panel instead of two panel, add .....		30c List
If beads omitted, deduct.....		35c List
For door extras, see pages 79 to 81 inclusive.		

## 2 Vertical Panels and 8 Lights

Standard Stock Sticking  
 "Laminated Flat Panels"— $\frac{5}{16}$ " Thick  
 Beads for Glass Included



S. D. 595

No. 1 Quality

Stiles, Top and Cross Rail not over  $5\frac{1}{2}$ " wide over all.  
 Mullion not over  $5\frac{1}{2}$ " wide over all.  
 Bottom Rail not over  $9\frac{3}{4}$ " wide over all.

Size of Door	Open List 1 $\frac{1}{8}$ in.	Open List 1 $\frac{1}{8}$ in.	Glass Size $\frac{1}{2}$ in. Between
2- 6 $\times$ 6- 6	\$11.60	\$14.30	4 $\frac{5}{8}$ $\times$ 8 $\frac{3}{4}$
6- 8	11.80	14.50	8 $\frac{3}{4}$
7- 0	12.65	16.00	8 $\frac{3}{4}$
2- 8 $\times$ 6- 8	12.05	15.25	5 $\frac{1}{8}$ $\times$ 8 $\frac{3}{4}$
7- 0	12.90	16.35	8 $\frac{3}{4}$
2-10 $\times$ 6- 8	12.30	15.50	5 $\frac{5}{8}$ $\times$ 8 $\frac{3}{4}$
6-10	12.95	16.40	8 $\frac{3}{4}$
7- 0	13.20	16.65	8 $\frac{3}{4}$
3- 0 $\times$ 6- 8	12.60	15.85	6 $\frac{1}{8}$ $\times$ 8 $\frac{3}{4}$
7- 0	13.45	17.00	8 $\frac{3}{4}$

	1 $\frac{3}{8}$ " List	1 $\frac{3}{4}$ " List
Lengthening glass height, for each 2", deduct..	\$0.10	\$0.10
4 $\frac{3}{4}$ " Stiles, Top Rail and Mullion, deduct..	.60	.95
11 $\frac{1}{2}$ " Bottom Rail, add.....	.30	.50
12 $\frac{1}{2}$ " Bottom Rail, add.....	.45	.75
If made one panel instead of two panel, add .....		80c List
If made three panel instead of two panel, add .....		30c List
If beads omitted, deduct.....		40c List
For door extras, see pages 79 to 81 inclusive.		



On the following pages  
we show

Lists, Designs and Sizes

**Sash Doors** (without panels)

**Side Lights**

**Store Doors**


**Storm Doors**

**Garage Doors**

**Combination Doors**

## 1 Light Door

Standard Stock Sticking  
Beads for Glass Included



**S. D. 620**

No. 1 Quality

Stiles and Top Rail not over  $4\frac{3}{4}$ " wide over all.  
Bottom Rail not over  $9\frac{3}{4}$ " wide over all.

---

	List	List
	$1\frac{3}{8}$ "	$1\frac{3}{4}$ "
$3\frac{1}{2}$ " Stiles and Top Rail, deduct.....	\$0.70	\$1.05
$5\frac{1}{2}$ " Stiles and Top Rail, add.....	.70	1.05
$11\frac{1}{2}$ " Bottom Rail, add.....	.30	.50
$12\frac{1}{2}$ " Bottom Rail, add.....	.45	.75
If beads omitted, deduct.....	30c	List
For door extras, see pages 79 to 81 inclusive.		

# 1 Light Door

Standard Stock Sticking  
Beads for Glass Included

S. D. 620  
No. 1 Quality


Stiles and Top Rail not over 4 3/4" wide over all.  
Bottom Rail not over 9 3/4" wide over all.

Size of Door	Open List 1 3/4 in.	Open List 1 3/4 in.	Glass Size
1- 6x6- 6	\$ 5.50	\$ 7.20	9 1/2 x 64 1/2
6- 8	5.60	7.35	66 1/2
6-10	6.00	7.90	68 1/2
7- 0	6.10	8.00	70 1/2
2- 0x6- 6	5.70	7.50	15 1/2 x 64 1/2
6- 8	5.85	7.70	66 1/2
6-10	6.25	8.25	68 1/2
7- 0	6.40	8.40	70 1/2
2- 4x6- 6	5.90	7.75	19 1/2 x 64 1/2
6- 8	6.00	7.90	66 1/2
6-10	6.45	8.50	68 1/2
7- 0	6.50	8.60	70 1/2
2- 6x6- 6	5.95	7.85	21 1/2 x 64 1/2
6- 8	6.05	8.00	66 1/2
6-10	6.50	8.60	68 1/2
7- 0	6.60	8.80	70 1/2
2- 8x6- 8	6.15	8.10	23 1/2 x 66 1/2
6-10	6.60	8.75	68 1/2
7- 0	6.65	8.90	70 1/2
2-10x6- 8	6.20	8.25	25 1/2 x 66 1/2
6-10	6.65	8.85	68 1/2
7- 0	6.75	9.00	70 1/2
3- 0x6- 8	6.35	8.35	27 1/2 x 66 1/2
6-10	6.75	9.00	68 1/2
7- 0	6.80	9.10	70 1/2

	List 1 3/4"	List 1 3/4"
3 1/2" Stiles and Top Rail, deduct.....	\$0.70	\$1.05
5 1/2" Stiles and Top Rail, add.....	.70	1.05
11 1/2" Bottom Rail, add.....	.30	.50
12 1/2" Bottom Rail, add.....	.45	.75
If beads omitted, deduct.....	30c	List
For door extras, see pages 79 to 81 inclusive.		

## 3 Vertical Light Door

Standard Stock Sticking  
Beads for Glass Included



**S. D. 621**

No. 1 Quality

Stiles and Top Rail not over  $4\frac{3}{4}$ " wide over all.  
Bottom Rail not over  $9\frac{3}{4}$ " wide over all.  
Mullions not over  $1\frac{1}{2}$ " between glass.

	1 $\frac{3}{8}$ " List	1 $\frac{3}{4}$ " List
3 $\frac{1}{2}$ " Stiles and Top Rail, deduct.....	\$0.70	\$1.05
5 $\frac{1}{2}$ " Stiles and Top Rail, add.....	.70	1.05
11 $\frac{1}{2}$ " Bottom Rail, add.....	.30	.50
12 $\frac{1}{2}$ " Bottom Rail, add.....	.45	.75
If Mullions less than $1\frac{1}{2}$ " between glass, deduct for each $\frac{1}{2}$ " or fraction thereof, per set .....	.15	.25
If beads omitted, deduct.....		65c List
For door extras, see pages 79 to 81 inclusive.		

## 3 Vertical Light Door

Standard Stock Sticking  
Beads for Glass Included

S. D. 621

No. 1 Quality


Stiles and Top Rail not over  $4\frac{3}{4}$ " wide over all.  
Bottom Rail not over  $9\frac{3}{4}$ " wide over all.  
Mullions not over  $1\frac{1}{2}$ " between glass.

Size of Door	Open List 1 $\frac{3}{8}$ in.	Open List 1 $\frac{3}{4}$ in.	Glass Size 1 $\frac{1}{2}$ " Between
1- 6×6- 6	\$ 7.15	\$ 9.40	2 $\frac{1}{8}$ ×64 $\frac{1}{2}$
6- 8	7.30	9.55	66 $\frac{1}{2}$
6-10	7.85	10.25	68 $\frac{1}{2}$
7- 0	8.00	10.50	70 $\frac{1}{2}$
2- 0×6- 6	7.40	9.70	4 $\frac{1}{8}$ ×64 $\frac{1}{2}$
6- 8	7.55	9.95	66 $\frac{1}{2}$
6-10	8.10	10.65	68 $\frac{1}{2}$
7- 0	8.20	10.85	70 $\frac{1}{2}$
2- 4×6- 6	7.55	10.00	5 $\frac{1}{2}$ ×64 $\frac{1}{2}$
6- 8	7.65	10.15	66 $\frac{1}{2}$
6-10	8.25	10.85	68 $\frac{1}{2}$
7- 0	8.40	11.10	70 $\frac{1}{2}$
2- 6×6- 6	7.65	10.10	6 $\frac{1}{8}$ ×64 $\frac{1}{2}$
6- 8	7.80	10.25	66 $\frac{1}{2}$
6-10	8.30	11.05	68 $\frac{1}{2}$
7- 0	8.45	11.20	70 $\frac{1}{2}$
2- 8×6- 8	7.85	10.40	6 $\frac{1}{8}$ ×66 $\frac{1}{2}$
6-10	8.40	11.15	68 $\frac{1}{2}$
7- 0	8.55	11.30	70 $\frac{1}{2}$
2-10×6- 8	7.95	10.50	7 $\frac{1}{2}$ ×66 $\frac{1}{2}$
6-10	8.50	11.25	68 $\frac{1}{2}$
7- 0	8.60	11.40	70 $\frac{1}{2}$
3- 0×6- 8	8.00	10.60	8 $\frac{1}{8}$ ×66 $\frac{1}{2}$
6-10	8.55	11.35	68 $\frac{1}{2}$
7- 0	8.70	11.60	70 $\frac{1}{2}$

	1 $\frac{3}{8}$ " List	1 $\frac{3}{4}$ " List
3 $\frac{1}{2}$ " Stiles and Top Rail, deduct.....	\$0.70	\$1.05
5 $\frac{1}{2}$ " Stiles and Top Rail, add.....	.70	1.05
11 $\frac{1}{2}$ " Bottom Rail, add.....	.30	.50
12 $\frac{1}{2}$ " Bottom Rail, add.....	.45	.75
If Mullions less than 1 $\frac{1}{2}$ " between glass, deduct for each $\frac{1}{2}$ " or fraction thereof, per set .....	.15	.25
If beads omitted, deduct.....		65c List
For door extras, see pages 79 to 81 inclusive.		

## 8 Light Door

Standard Stock Sticking  
Beads for Glass Included



**S. D. 622**

**No. 1 Quality**

Stiles and Top Rail not over  $4\frac{3}{4}$ " wide over all.  
Bottom Rail not over  $9\frac{3}{4}$ " wide over all.

---

	$1\frac{3}{8}$ " List	$1\frac{3}{4}$ " List
$3\frac{1}{2}$ " Stiles and Top Rail, deduct.....	\$0.70	\$1.05
$5\frac{1}{2}$ " Stiles and Top Rail, add.....	.70	1.05
$11\frac{1}{2}$ " Bottom Rail, add.....	.30	.50
$12\frac{1}{2}$ " Bottom Rail, add.....	.45	.75
If beads omitted, deduct.....	75c	List
For door extras, see pages 79 to 81 inclusive.		



## 8 Light Door

Standard Stock Sticking  
Beads for Glass Included

S. D. 622  
No. 1 Quality


Stiles and Top Rail not over 4¼" wide over all.  
Bottom Rail not over 9¾" wide over all.

Size of Door	Open List 1½ in.	Open List 1¾ in.	Glass Size ½ in. Between
1- 6×6- 6	\$ 7.90	\$10.00	4 ½×15 ¾
6- 8	8.00	10.15	16 ¼
6-10	8.40	10.70	16 ¾
7- 0	8.50	10.80	17 ¼
2- 0×6- 6	8.10	10.30	7 ½×15 ¾
6- 8	8.25	10.50	16 ¼
6-10	8.65	11.05	16 ¾
7- 0	8.80	11.20	17 ¼
2- 4×6- 6	8.30	10.55	9 ½×15 ¾
6- 8	8.40	10.70	16 ¼
6-10	8.85	11.30	16 ¾
7- 0	8.90	11.40	17 ¼
2- 6×6- 6	8.35	10.65	10 ½×15 ¾
6- 8	8.45	10.80	16 ¼
6-10	8.90	11.40	16 ¾
7- 0	9.00	11.60	17 ¼
2- 8×6- 8	8.55	10.90	11 ½×16 ¼
6-10	9.00	11.55	16 ¾
7- 0	9.05	11.70	17 ¼
2-10×6- 8	8.60	11.05	12 ½×16 ¼
6-10	9.05	11.65	16 ¾
7- 0	9.15	11.80	17 ¼
3- 0×6- 8	8.75	11.15	13 ½×16 ¼
6-10	9.15	11.80	16 ¾
7- 0	9.20	11.90	17 ¼

	1¾"	1¾"
	List	List
3½" Stiles and Top Rail, deduct.....	\$0.70	\$1.05
5½" Stiles and Top Rail, add.....	.70	1.05
11½" Bottom Rail, add.....	.30	.50
12½" Bottom Rail, add.....	.45	.75
If beads omitted, deduct.....	75c	List
For door extras, see pages 79 to 81 inclusive.		

## 9 Marginal Light Door

Standard Stock Sticking  
Beads for Glass Included



**S. D. 623**

No. 1 Quality

Stiles and Top Rail not over  $4\frac{3}{4}$ " wide over all.  
Bottom Rail not over  $9\frac{3}{4}$ " wide over all.

---

	$1\frac{3}{8}$ "	$1\frac{3}{4}$ "
	List	List
$3\frac{1}{2}$ " Stiles and Top Rail, deduct.....	\$0.70	\$1.05
$5\frac{1}{2}$ " Stiles and Top Rail, add.....	.70	1.05
$11\frac{1}{2}$ " Bottom Rail, add.....	.30	.50
$12\frac{1}{2}$ " Bottom Rail, add.....	.45	.75
If beads omitted, deduct.....		75c List
For door extras, see pages 79 to 81 inclusive.		

## 9 Marginal Light Door

Standard Stock Sticking  
Beads for Glass Included

S. D. 623  
No. 1 Quality

Stiles and Top Rail not over 4 3/4" wide over all.  
Bottom Rail not over 9 3/4" wide over all.


Size of Door	Open List 1 3/8 in.	Open List 1 1/4 in.	Glass Size 1/2 in. Between
1- 6×6- 6	\$ 8.65	\$10.80	Corner 5×5
6- 8	8.75	10.95	Corner 5×5
6-10	9.15	11.50	Corner 5×5
7- 0	9.25	11.60	Corner 5×5
2- 0×6- 6	8.85	11.10	Corner 5×5
6- 8	9.00	11.30	Corner 5×5
6-10	9.40	11.85	Corner 5×5
7- 0	9.55	12.00	Corner 5×5
2- 4×6- 6	9.05	11.35	Corner 5×5
6- 8	9.15	11.50	Corner 5×5
6-10	9.60	12.10	Corner 5×5
7- 0	9.65	12.20	Corner 5×5
2- 6×6- 6	9.10	11.45	Corner 5×5
6- 8	9.20	11.60	Corner 5×5
6-10	9.65	12.20	Corner 5×5
7- 0	9.75	12.40	Corner 5×5
2- 8×6- 8	9.30	11.70	Corner 5×5
6-10	9.75	12.35	Corner 5×5
7- 0	9.80	12.50	Corner 5×5
2-10×6- 8	9.35	11.85	Corner 5×5
6-10	9.80	12.45	Corner 5×5
7- 0	9.90	12.60	Corner 5×5
3- 0×6- 8	9.50	11.95	Corner 5×5
6-10	9.90	12.60	Corner 5×5
7- 0	9.95	12.70	Corner 5×5

	1 3/8"	1 3/4"
	List	List
3 1/2" Stiles and Top Rail, deduct.....	\$0.70	\$1.05
5 1/2" Stiles and Top Rail, add.....	.70	1.05
11 1/2" Bottom Rail, add.....	.30	.50
12 1/2" Bottom Rail, add.....	.45	.75
If beads omitted, deduct.....		75c List

For door extras, see pages 79 to 81 inclusive.

## 9 Light Door

Standard Stock Sticking  
Beads for Glass Included



**S. D. 624**

No. 1 Quality

Stiles and Top Rail not over  $4\frac{3}{4}$ " wide over all.  
Bottom Rail not over  $9\frac{3}{4}$ " wide over all.

---

	$1\frac{3}{8}$ "	$1\frac{3}{4}$ "
	List	List
$3\frac{1}{2}$ " Stiles and Top Rail, deduct.....	\$0.70	\$1.05
$5\frac{1}{2}$ " Stiles and Top Rail, add.....	.70	1.05
$11\frac{1}{2}$ " Bottom Rail, add.....	.30	.50
$12\frac{1}{2}$ " Bottom Rail, add.....	.45	.75
If beads omitted, deduct.....		75c List
For door extras, see pages 79 to 81 inclusive.		

## 9 Light Door

Standard Stock Sticking  
Beads for Glass Included

S. D. 624

No. 1 Quality

Stiles and Top Rail not over 4¾" wide over all.


Bottom Rail not over 9¾" wide over all.

Size of Door	Open List 1½ in.	Open List 1½ in.	Glass Size ½ in. Between
1- 6×6- 6	\$ 8.65	\$10.80	Top 2 11⁄16 × 2 11⁄16
6- 8	8.75	10.95	2 11⁄16
6-10	9.15	11.50	2 11⁄16
7- 0	9.25	11.60	2 11⁄16
2- 0×6- 6	8.85	11.10	Top 4 11⁄16 × 4 11⁄16
6- 8	9.00	11.30	4 11⁄16
6-10	9.40	11.85	4 11⁄16
7- 0	9.55	12.00	4 11⁄16
2- 4×6- 6	9.05	11.35	Top 6 1⁄8 × 6 1⁄8
6- 8	9.15	11.50	6 1⁄8
6-10	9.60	12.10	6 1⁄8
7- 0	9.65	12.20	6 1⁄8
2- 6×6- 6	9.10	11.45	Top 6 11⁄16 × 6 11⁄16
6- 8	9.20	11.60	6 11⁄16
6-10	9.65	12.20	6 11⁄16
7- 0	9.75	12.40	6 11⁄16
2- 8×6- 8	9.30	11.70	Top 7 1⁄2 × 7 1⁄2
6-10	9.75	12.35	7 1⁄2
7- 0	9.80	12.50	7 1⁄2
2-10×6- 8	9.35	11.85	Top 8 1⁄8 × 8 1⁄8
6-10	9.80	12.45	8 1⁄8
7- 0	9.90	12.60	8 1⁄8
3- 0×6- 8	9.50	11.95	Top 8 11⁄16 × 8 11⁄16
6-10	9.90	12.60	8 11⁄16
7- 0	9.95	12.70	8 11⁄16

	1¾"	1¾"
	List	List
3½" Stiles and Top Rail, deduct.....	\$0.70	\$1.05
5½" Stiles and Top Rail, add.....	.70	1.05
11½" Bottom Rail, add.....	.30	.50
12½" Bottom Rail, add.....	.45	.75
If beads omitted, deduct.....	75c	List
For door extras, see pages 79 to 81 inclusive.		

10 Light Door

Standard Stock Sticking  
Beads for Glass Included



S. D. 625

No. 1 Quality

Stiles and Top Rail not over 4 3/4" wide over all.  
Bottom Rail not over 9 3/4" wide over all.

---

	1 3/8"	1 3/4"
	List	List
3 1/2" Stiles and Top Rail, deduct.....	\$0.70	\$1.05
5 1/2" Stiles and Top Rail, add.....	.70	1.05
11 1/2" Bottom Rail, add.....	.30	.50
12 1/2" Bottom Rail, add.....	.45	.75
If beads omitted, deduct.....	80c	List
For door extras, see pages 79 to 81 inclusive.		

## 10 Light Door

Standard Stock Sticking  
Beads for Glass Included

S. D. 625

No. 1 Quality

Stiles and Top Rail not over 4 1/4" wide over all.  
Bottom Rail not over 9 3/4" wide over all.


Size of Door	Open List 1 3/8 in.	Open List 1 1/4 in.	Glass Size 1/2 in. Between
1- 6x6- 6	\$ 8.50	\$10.70	4 1/2 x 12 1/2
6- 8	8.60	10.85	12 7/8
6-10	9.00	11.40	13 1/4
7- 0	9.10	11.50	13 1/8
2- 0x6- 6	8.70	11.00	7 1/2 x 12 1/2
6- 8	8.85	11.20	12 7/8
6-10	9.25	11.75	13 1/4
7- 0	9.40	11.90	13 1/8
2- 4x6- 6	8.90	11.25	9 1/2 x 12 1/2
6- 8	9.00	11.40	12 7/8
6-10	9.45	12.00	13 1/4
7- 0	9.50	12.10	13 1/8
2- 6x6- 6	8.95	11.35	10 1/2 x 12 1/2
6- 8	9.05	11.50	12 7/8
6-10	9.50	12.10	13 1/4
7- 0	9.60	12.30	13 1/8
2- 8x6- 8	9.15	11.60	11 1/2 x 12 7/8
6-10	9.60	12.25	13 1/4
7- 0	9.65	12.40	13 1/8
2-10x6- 8	9.20	11.75	12 1/2 x 12 7/8
6-10	9.65	12.35	13 1/4
7- 0	9.75	12.50	13 1/8
3- 0x6- 8	9.35	11.85	13 1/2 x 12 7/8
6-10	9.75	12.50	13 1/4
7- 0	9.80	12.60	13 1/8

	List	List
	1 3/8"	1 3/4"
3 1/2" Stiles and Top Rail, deduct.....	\$0.70	\$1.05
5 1/2" Stiles and Top Rail, add.....	.70	1.05
11 1/2" Bottom Rail, add.....	.30	.50
12 1/2" Bottom Rail, add.....	.45	.75
If beads omitted, deduct.....	80c	List
For door extras, see pages 79 to 81 inclusive.		



## 12 Light Door

Standard Stock Sticking  
Beads for Glass Included



**S. D. 626**

No. 1 Quality

Stiles and Top Rail not over  $4\frac{3}{4}$ " wide over all.  
Bottom Rail not over  $9\frac{3}{4}$ " wide over all.

---

	1 $\frac{3}{8}$ "	1 $\frac{3}{4}$ "
	List	List
3 $\frac{1}{2}$ " Stiles and Top Rail, deduct.....	\$0.70	\$1.05
5 $\frac{1}{2}$ " Stiles and Top Rail, add.....	.70	1.05
11 $\frac{1}{2}$ " Bottom Rail, add.....	.30	.50
12 $\frac{1}{2}$ " Bottom Rail, add.....	.45	.75
If beads omitted, deduct.....	\$1.00	List
For door extras, see pages 79 to 81 inclusive.		

# 12 Light Door

Standard Stock Sticking  
Beads for Glass Included

S. D. 626  
No. 1 Quality


Stiles and Top Rail not over 4 3/4" wide over all.  
Bottom Rail not over 9 3/4" wide over all.

Size of Door	Open List 1 3/8 in.	Open List 1 3/4 in.	Glass Size 1/2 in. Between
1- 6×6- 6	\$ 9.10	\$11.40	2 13/16 × 15 3/4
6- 8	9.20	11.55	16 1/4
6-10	9.60	12.10	16 3/4
7- 0	9.70	12.20	17 1/4
2- 0×6- 6	9.30	11.70	4 13/16 × 15 3/4
6- 8	9.45	11.90	16 1/4
6-10	9.85	12.45	16 3/4
7- 0	10.00	12.60	17 1/4
2- 4×6- 6	9.50	11.95	6 1/8 × 15 3/4
6- 8	9.60	12.10	16 1/4
6-10	10.05	12.70	16 3/4
7- 0	10.10	12.80	17 1/4
2- 6×6- 6	9.55	12.05	6 13/16 × 15 3/4
6- 8	9.65	12.20	16 1/4
6-10	10.10	12.80	16 3/4
7- 0	10.20	13.00	17 1/4
2- 8×6- 8	9.75	12.30	7 1/2 × 16 1/4
6-10	10.20	12.95	16 3/4
7- 0	10.25	13.10	17 1/4
2-10×6- 8	9.80	12.45	8 1/8 × 16 1/4
6-10	10.25	13.05	16 3/4
7- 0	10.35	13.20	17 1/4
3- 0×6- 8	9.95	12.55	8 13/16 × 16 1/4
6-10	10.35	13.20	16 3/4
7- 0	10.40	13.30	17 1/4

	1 3/8"	1 3/4"
	List	List
3 1/2" Stiles and Top Rail, deduct.....	\$0.70	\$1.05
5 1/2" Stiles and Top Rail, add.....	.70	1.05
11 1/2" Bottom Rail, add.....	.30	.50
12 1/2" Bottom Rail, add.....	.45	.75
If beads omitted, deduct.....	\$1.00	List
For door extras, see pages 79 to 81 inclusive.		

## 15 Light Door

Standard Stock Sticking  
Beads for Glass Included



**S. D. 627**

No. 1 Quality

Stiles and Top Rail not over  $4\frac{3}{4}$ " wide over all.  
Bottom Rail not over  $9\frac{3}{4}$ " wide over all.

---

	1 $\frac{3}{8}$ "	1 $\frac{3}{4}$ "
	List	List
3 $\frac{1}{2}$ " Stiles and Top Rail, deduct.....	\$0.70	\$1.05
5 $\frac{1}{2}$ " Stiles and Top Rail, add.....	.70	1.05
11 $\frac{1}{2}$ " Bottom Rail, add.....	.30	.50
12 $\frac{1}{2}$ " Bottom Rail, add.....	.45	.75
If beads omitted, deduct.....	\$1.10	List
For door extras, see pages 79 to 81 inclusive.		

# 15 Light Door

Standard Stock Sticking  
Beads for Glass Included

S. D. 627  
No. 1 Quality


Stiles and Top Rail not over 4 3/4" wide over all.  
Bottom Rail not over 9 3/4" wide over all.

Size of Door	Open List 1 3/8 in.	Open List 1 3/4 in.	Glass Size 1/2 in. Between
1- 6x6- 6	\$10.00	\$12.45	2 1 3/8 x 12 1/2
6- 8	10.10	12.60	12 7/8
6-10	10.50	13.15	13 1/4
7- 0	10.60	13.25	13 1 1/8
2- 0x6- 6	10.20	12.75	4 1 3/8 x 12 1/2
6- 8	10.35	12.95	12 7/8
6-10	10.75	13.50	13 1/4
7- 0	10.90	13.65	13 1 1/8
2- 4x6- 6	10.40	13.00	6 1/8 x 12 1/2
6- 8	10.50	13.15	12 7/8
6-10	10.95	13.75	13 1/4
7- 0	11.00	13.85	13 1 1/8
2- 6x6- 6	10.45	13.10	6 1 3/8 x 12 1/2
6- 8	10.55	13.25	12 7/8
6-10	11.00	13.85	13 1/4
7- 0	11.10	14.05	13 1 1/8
2- 8x6- 8	10.65	13.35	7 1/2 x 12 7/8
6-10	11.10	14.00	13 1/4
7- 0	11.15	14.15	13 1 1/8
2-10x6- 8	10.70	13.50	8 1/8 x 12 7/8
6-10	11.15	14.10	13 1/4
7- 0	11.25	14.25	13 1 1/8
3- 0x6- 8	10.85	13.60	8 1 3/8 x 12 7/8
6-10	11.25	14.25	13 1/4
7-10	11.30	14.35	13 1 1/8

	1 3/8"	1 3/4"
	List	List
3 1/2" Stiles and Top Rail, deduct.....	\$0.70	\$1.05
5 1/2" Stiles and Top Rail, add.....	.70	1.05
11 1/2" Bottom Rail, add.....	.30	.50
12 1/2" Bottom Rail, add.....	.45	.75
If beads omitted, deduct.....	\$1.10	List
For door extras, see pages 79 to 81 inclusive.		

## 18 Light Door

Standard Stock Sticking  
Beads for Glass Included



**S. D. 628**

No. 1 Quality

Stiles and Top Rail not over 4  $\frac{3}{4}$ " wide over all.  
Bottom Rail not over 9  $\frac{3}{4}$ " wide over all.

---

	1 $\frac{3}{8}$ " List	1 $\frac{3}{4}$ " List
3 $\frac{1}{2}$ " Stiles and Top Rail, deduct.....	\$0.70	\$1.05
5 $\frac{1}{2}$ " Stiles and Top Rail, add.....	.70	1.05
11 $\frac{1}{2}$ " Bottom Rail, add.....	.30	.50
12 $\frac{1}{2}$ " Bottom Rail, add.....	.45	.75
If beads omitted, deduct.....	\$1.15	List
For door extras, see pages 79 to 81 inclusive.		

## 18 Light Door

Standard Stock Sticking  
Beads for Glass Included

S. D. 628

No. 1 Quality

Stiles and Top Rail not over 4¾" wide over all.


Bottom Rail not over 9¾" wide over all.

Size of Door	Open List 1⅜ in.	Open List 1¾ in.	Glass Size ½ in. Between
1- 6×6- 6	\$10.90	\$13.50	2 1⅜×10 5/16
6- 8	11.00	13.65	10 5/8
6-10	11.40	14.20	11
7- 0	11.50	14.30	11 5/16
2- 0×6- 6	11.10	13.80	4 1⅜×10 5/16
6- 8	11.25	14.00	10 5/8
6-10	11.65	14.55	11
7- 0	11.80	14.70	11 5/16
2- 4×6- 6	11.30	14.05	6 1/8×10 5/16
6- 8	11.40	14.20	10 5/8
6-10	11.85	14.80	11
7- 0	11.90	14.90	11 5/16
2- 6×6- 6	11.35	14.15	6 1⅜×10 5/16
6- 8	11.45	14.30	10 5/8
6-10	11.90	14.90	11
7- 0	12.00	15.10	11 5/16
2- 8×6- 8	11.55	14.40	7 1/2×10 5/8
6-10	12.00	15.05	11
7- 0	12.05	15.20	11 5/16
2-10×6- 8	11.60	14.55	8 1/8×10 5/8
6-10	12.05	15.15	11
7- 0	12.15	15.30	11 5/16
3- 0×6- 8	11.75	14.65	8 1⅜×10 5/8
6-10	12.15	15.30	11
7- 0	12.20	15.40	11 5/16

	1⅜"	1¾"
	List	List
3 1/2" Stiles and Top Rail, deduct.....	\$0.70	\$1.05
5 1/2" Stiles and Top Rail, add.....	.70	1.05
11 1/2" Bottom Rail, add.....	.30	.50
12 1/2" Bottom Rail, add.....	.45	.75
If beads omitted, deduct.....	\$1.15	List
For door extras, see pages 79 to 81 inclusive.		

# 1 Light Door

Standard Stock Sticking  
Beads for Glass Included



**S. D. 635**

No. 1 Quality

Stiles, up to and including 3-0 width door, 5½" wide over all.

Stiles, over 3-0 width door, 6½" wide over all.

Top Rail not over 6½" wide over all.

Bottom Rail not over 18½" wide over all.

---

If beads omitted, deduct.....	25c List
Doors, Single Fillet around glass opening, add	65c List
Doors Plain Flush Mould, one side, not including fillet, add.....	\$1.30 List
Doors Plain Raised Mould, one side, not including fillet, add.....	1.75 List
Doors Flush, Egg and Dart Mould, one side, not including fillet, add.....	3.25 List
Doors Raised, Egg and Dart Mould, one side, not including fillet, add.....	3.90 List
For door extras, see pages 79 to 81 inclusive.	



## 1 Light Door

Standard Stock Sticking  
Beads for Glass Included

S. D. 635

No. 1 Quality

Stiles, up to and including 3-0 width door, 5½" wide over all.

Stiles, over 3-0 width door, 6½" wide over all.

Top Rail not over 6½" wide over all.


Bottom Rail not over 18½" wide over all.

Size of Door	Open List 1½ in.	Open List 1½ in.	Glass Size
1- 6×6- 6	\$ 6.75	\$ 8.90	8×54
6- 8	6.85	9.05	56
6-10	7.30	9.65	58
7- 0	7.40	9.85	60
2- 0×6- 6	7.25	9.60	14×54
6- 8	7.35	9.80	56
6-10	7.80	10.40	58
7- 0	7.90	10.55	60
2- 4×6- 6	7.60	10.05	18×54
6- 8	7.70	10.20	56
6-10	8.20	10.90	58
7- 0	8.30	11.05	60
2- 6×6- 6	7.75	10.25	20×54
6- 8	7.85	10.45	56
6-10	8.35	11.10	58
7- 0	8.45	11.25	60
2- 8×6- 8	8.00	10.65	22×56
6-10	8.50	11.35	58
7- 0	8.60	11.50	60
2-10×6- 8	8.20	10.90	24×56
6-10	8.70	11.60	58
7- 0	8.80	11.75	60
3- 0×6- 8	8.35	11.15	26×56
6-10	8.85	11.80	58
7- 0	8.95	12.00	60
3- 4×7- 0	10.25	13.90	28×60
3- 6×7- 0	10.50	14.20	30×60

If beads omitted, deduct..... 25c List  
 Doors, Single Fillet around glass opening, add 65c List  
 Doors Plain Flush Mould, one side, not including fillet, add.....\$1.30 List  
 Doors Plain Raised Mould, one side, not including fillet, add..... 1.75 List  
 Doors Flush, Egg and Dart Mould, one side, not including fillet, add..... 3.25 List  
 Doors Raised, Egg and Dart Mould, one side, not including fillet, add..... 3.90 List  
 For door extras, see pages 79 to 81 inclusive.

## 8 Light Door

Standard Stock Sticking  
Beads for Glass Included



**S. D. 637**

No. 1 Quality

Stiles, up to and including 3-0 width door, 5½" wide over all.

Stiles, over 3-0 width door, 6½" wide over all.

Top Rail not over 6½" wide over all.

Bottom Rail not over 18½" wide over all.

---

If beads omitted, deduct.....75c List  
For door extras, see pages 79 to 81 inclusive.

## 8 Light Door

Standard Stock Sticking  
Beads for Glass Included

S. D. 637  
No. 1 Quality

Stiles, up to and including 3-0 width door, 5½" wide over all.

Stiles, over 3-0 width door, 6½" wide over all.

Top Rail not over 6½" wide over all.


Bottom Rail not over 18½" wide over all.

Size of Door	Open List 1¾ in.	Open List 1¾ in.	Glass Size ½ in. Between
1- 6×6- 6	\$ 9.15	\$11.70	3¾×13⅛
6- 8	9.25	11.85	13⅝
6-10	9.70	12.45	14⅛
7- 0	9.80	12.65	14⅝
2- 0×6- 6	9.65	12.40	6¾×13⅛
6- 8	9.75	12.60	13⅝
6-10	10.20	13.20	14⅛
7- 0	10.30	13.35	14⅝
2- 4×6- 6	10.00	12.85	8¾×13⅛
6- 8	10.10	13.00	13⅝
6-10	10.60	13.70	14⅛
7- 0	10.70	13.85	14⅝
2- 6×6- 6	10.15	13.05	9¾×13⅛
6- 8	10.25	13.25	13⅝
6-10	10.75	13.90	14⅛
7- 0	10.85	14.05	14⅝
2- 8×6- 8	10.40	13.45	10¾×13⅝
6-10	10.90	14.15	14⅛
7- 0	11.00	14.30	14⅝
2-10×6- 8	10.60	13.70	11¾×13⅝
6-10	11.10	14.40	14⅛
7- 0	11.20	14.55	14⅝
3- 0×6- 8	10.75	13.95	12¾×13⅝
6-10	11.25	14.60	14⅛
7- 0	11.35	14.80	14⅝
3- 4×7- 0	12.65	16.70	13¾×14⅝
3- 6×7- 0	12.90	17.00	14¾×14⅝

If beads omitted, deduct.....75c List  
For door extras, see pages 79 to 81 inclusive.

## 9 Marginal Light Door

Standard Stock Sticking  
Beads for Glass Included



**S. D. 638**

No. 1 Quality

Stiles, up to and including 3-0 width door, 5½" wide over all.

Stiles, over 3-0 width door, 6½" wide over all.

Top Rail not over 6½" wide over all.

Bottom Rail not over 18½" wide over all.

---

If beads omitted, deduct.....75c List  
For door extras, see pages 79 to 81 inclusive.

# Standard National Sash Door Lists

## 9 Marginal Light Door

Standard Stock Sticking  
Beads for Glass Included

S. D. 638  
No. 1 Quality

Stiles, up to and including 3-0 width door, 5½" wide over all.

Stiles, over 3-0 width door, 6½" wide over all.

Top Rail not over 6½" wide over all.

Bottom Rail not over 18½" wide over all.


Size of Door	Open List 1¾ in.	Open List 1¾ in.	Glass Size ½ in. Between
1- 6×6- 6	\$ 9.90	\$12.50	Corner 5×5
6- 8	10.00	12.65	Corner 5×5
6-10	10.45	13.25	Corner 5×5
7- 0	10.55	13.45	Corner 5×5
2- 0×6- 6	10.40	13.20	Corner 5×5
6- 8	10.50	13.40	Corner 5×5
6-10	10.95	14.00	Corner 5×5
7- 0	11.05	14.15	Corner 5×5
2- 4×6- 6	10.75	13.65	Corner 5×5
6- 8	10.85	13.80	Corner 5×5
6-10	11.35	14.50	Corner 5×5
7- 0	11.45	14.65	Corner 5×5
2- 6×6- 6	10.90	13.85	Corner 5×5
6- 8	11.00	14.05	Corner 5×5
6-10	11.50	14.70	Corner 5×5
7- 0	11.60	14.85	Corner 5×5
2- 8×6- 8	11.15	14.25	Corner 5×5
6-10	11.65	14.95	Corner 5×5
7- 0	11.75	15.10	Corner 5×5
2-10×6- 8	11.35	14.50	Corner 5×5
6-10	11.85	15.20	Corner 5×5
7- 0	11.95	15.35	Corner 5×5
3- 0×6- 8	11.50	14.75	Corner 5×5
6-10	12.00	15.40	Corner 5×5
7- 0	12.10	15.60	Corner 5×5
3- 4×7- 0	13.40	17.50	Corner 5×5
3- 6×7- 0	13.65	17.80	Corner 5×5

If beads omitted, deduct.....75c List

For door extras, see pages 79 to 81 inclusive.

## 9 Light Door

Standard Stock Sticking  
Beads for Glass Included



**S. D. 639**

No. 1 Quality

Stiles, up to and including 3-0 width door,  $5\frac{1}{2}$ " wide over all.

Stiles, over 3-0 width door,  $6\frac{1}{2}$ " wide over all.

Top Rail not over  $6\frac{1}{2}$ " wide over all.

Bottom Rail not over  $18\frac{1}{2}$ " wide over all.

---

If beads omitted, deduct.....75c List  
For door extras, see pages 79 to 81 inclusive.

# Standard National Sash Door Lists

## 9 Light Door

Standard Stock Sticking  
Beads for Glass Included

S. D. 639  
No. 1 Quality

Stiles, up to and including 3-0 width door,  $5\frac{1}{2}$ " wide over all.

Stiles, over 3-0 width door,  $6\frac{1}{2}$ " wide over all.

Top Rail not over  $6\frac{1}{2}$ " wide over all.

Bottom Rail not over  $18\frac{1}{2}$ " wide over all.


Size of Door	Open List 1½ in.	Open List 1¾ in.	Glass Size ½ in. Between
1- 6×6- 6	\$ 9.90	\$12.50	Top 2 $\frac{5}{16}$ × 2 $\frac{5}{16}$
6- 8	10.00	12.65	2 $\frac{5}{16}$
6-10	10.45	13.25	2 $\frac{5}{16}$
7- 0	10.55	13.45	2 $\frac{5}{16}$
2- 0×6- 6	10.40	13.20	Top 4 $\frac{5}{16}$ × 4 $\frac{5}{16}$
6- 8	10.50	13.40	4 $\frac{5}{16}$
6-10	10.95	14.00	4 $\frac{5}{16}$
7- 0	11.05	14.15	4 $\frac{5}{16}$
2- 4×6- 6	10.75	13.65	Top 5 $\frac{5}{8}$ × 5 $\frac{5}{8}$
6- 8	10.85	13.80	5 $\frac{5}{8}$
6-10	11.35	14.50	5 $\frac{5}{8}$
7- 0	11.45	14.65	5 $\frac{5}{8}$
2- 6×6- 6	10.90	13.85	Top 6 $\frac{5}{16}$ × 6 $\frac{5}{16}$
6- 8	11.00	14.05	6 $\frac{5}{16}$
6-10	11.50	14.70	6 $\frac{5}{16}$
7- 0	11.60	14.85	6 $\frac{5}{16}$
2- 8×6- 8	11.15	14.25	Top 7 × 7
6-10	11.65	14.95	7
7- 0	11.75	15.10	7
2-10×6- 8	11.35	14.50	Top 7 $\frac{5}{8}$ × 7 $\frac{5}{8}$
6-10	11.85	15.20	7 $\frac{5}{8}$
7- 0	11.95	15.35	7 $\frac{5}{8}$
3- 0×6- 8	11.50	14.75	Top 8 $\frac{5}{16}$ × 8 $\frac{5}{16}$
6-10	12.00	15.40	8 $\frac{5}{16}$
7- 0	12.10	15.60	8 $\frac{5}{16}$
3- 4×7- 0	13.40	17.50	Top 9 × 9
3- 6×7- 0	13.65	17.80	Top 9 $\frac{5}{8}$ × 9 $\frac{5}{8}$

If beads omitted, deduct.....75c List  
For door extras, see pages 79 to 81 inclusive.



## 10 Light Door

Standard Stock Sticking  
Beads for Glass Included



**S. D. 640**

No. 1 Quality

Stiles, up to and including 3-0 width door,  $5\frac{1}{2}$ " wide over all.

Stiles, over 3-0 width door,  $6\frac{1}{2}$ " wide over all.

Top Rail not over  $6\frac{1}{2}$ " wide over all.

Bottom Rail not over  $18\frac{1}{2}$ " wide over all.

---

If beads omitted, deduct.....75c List  
For door extras, see pages 79 to 81 inclusive.

# Standard National Sash Door Lists

## 10 Light Door

Standard Stock Sticking  
Beads for Glass Included

S. D. 640  
No. 1 Quality

Stiles, up to and including 3-0 width door, 5½" wide over all.

Stiles, over 3-0 width door, 6½" wide over all.

Top Rail not over 6½" wide over all.


Bottom Rail not over 18½" wide over all.

Size of Door	Open List 1 ¾ in.	Open List 1 ¾ in.	Glass Size ½ in. Between
1. 6×6- 6	\$ 9.75	\$12.40	3 ¾ × 10 ¾
6- 8	9.85	12.55	10 ¾
6-10	10.30	13.15	11 ¾
7- 0	10.40	13.35	11 ¾
2. 0×6- 6	10.25	13.10	6 ¾ × 10 ¾
6- 8	10.35	13.30	10 ¾
6-10	10.80	13.90	11 ¾
7- 0	10.90	14.05	11 ¾
2. 4×6- 6	10.60	13.55	8 ¾ × 10 ¾
6- 8	10.70	13.70	10 ¾
6-10	11.20	14.40	11 ¾
7- 0	11.30	14.55	11 ¾
2. 6×6- 6	10.75	13.75	9 ¾ × 10 ¾
6- 8	10.85	13.95	10 ¾
6-10	11.35	14.60	11 ¾
7- 0	11.45	14.75	11 ¾
2. 8×6- 8	11.00	14.15	10 ¾ × 10 ¾
6-10	11.50	14.85	11 ¾
7- 0	11.60	15.00	11 ¾
2-10×6- 8	11.20	14.40	11 ¾ × 10 ¾
6-10	11.70	15.10	11 ¾
7- 0	11.80	15.25	11 ¾
3. 0×6- 8	11.35	14.65	12 ¾ × 10 ¾
6-10	11.85	15.30	11 ¾
7- 0	11.95	15.50	11 ¾
3. 4×7- 0	13.25	17.40	13 ¾ × 11 ¾
3. 6×7- 0	13.50	17.70	14 ¾ × 11 ¾

If beads omitted, deduct.....75c List  
For door extras, see pages 79 to 81 inclusive.

## 12 Light Door

Standard Stock Sticking  
Beads for Glass Included



**S. D. 641**

No. 1 Quality

Stiles, up to and including 3-0 width door,  $5\frac{1}{2}$ " wide over all.

Stiles, over 3-0 width door,  $6\frac{1}{2}$ " wide over all.

Top Rail not over  $6\frac{1}{2}$ " wide over all.

Bottom Rail not over  $18\frac{1}{2}$ " wide over all.

---

If beads omitted, deduct.....90c List  
For door extras, see pages 79 to 81 inclusive.

# Standard National Sash Door Lists

## 12 Light Door

Standard Stock Sticking  
Beads for Glass Included

S. D. 641  
No. 1 Quality

Stiles, up to and including 3-0 width door, 5½" wide over all.

Stiles, over 3-0 width door, 6½" wide over all.

Top Rail not over 6½" wide over all.


Bottom Rail not over 18½" wide over all.

Size of Door	Open List 1⅞ in.	Open List 1¾ in.	Glass Size ½ in. Between
1- 6×6- 6	\$10.35	\$13.10	2 ⅝ × 13 ⅛
6- 8	10.45	13.25	13 ⅝
6-10	10.90	13.85	14 ⅛
7- 0	11.00	14.05	14 ⅝
2- 0×6- 6	10.85	13.80	4 ⅝ × 13 ⅛
6- 8	10.95	14.00	13 ⅝
6-10	11.40	14.60	14 ⅛
7- 0	11.50	14.75	14 ⅝
2- 4×6- 6	11.20	14.25	5 ⅝ × 13 ⅛
6- 8	11.30	14.40	13 ⅝
6-10	11.80	15.10	14 ⅛
7- 0	11.90	15.25	14 ⅝
2- 6×6- 6	11.35	14.45	6 ⅝ × 13 ⅛
6- 8	11.45	14.65	13 ⅝
6-10	11.95	15.30	14 ⅛
7- 0	12.05	15.45	14 ⅝
2- 8×6- 8	11.60	14.85	7 × 13 ⅝
6-10	12.10	15.55	14 ⅛
7- 0	12.20	15.70	14 ⅝
2-10×6- 8	11.80	15.10	7 ⅝ × 13 ⅝
6-10	12.30	15.80	14 ⅛
7- 0	12.40	15.95	14 ⅝
3- 0×6- 8	11.95	15.35	8 ⅝ × 13 ⅝
6-10	12.45	16.00	14 ⅛
7- 0	12.55	16.20	14 ⅝
3- 4×7- 0	13.85	18.10	9 × 14 ⅝
3- 6×7- 0	14.10	18.40	9 ⅝ × 14 ⅝

If beads omitted, deduct.....90c List  
For door extras, see pages 79 to 81 inclusive.

## 15 Light Door

Standard Stock Sticking  
Beads for Glass Included



**S. D. 642**

No. 1 Quality

Stiles, up to and including 3-0 width door,  $5\frac{1}{2}$ " wide over all.

Stiles, over 3-0 width door,  $6\frac{1}{2}$ " wide over all.

Top Rail not over  $6\frac{1}{2}$ " wide over all.

Bottom Rail not over  $18\frac{1}{2}$ " wide over all.

---

If beads omitted, deduct.....\$1.00 List  
For door extras, see pages 79 to 81 inclusive.

## 15 Light Door

Standard Stock Sticking  
Beads for Glass Included

S. D. 642

No. 1 Quality

Stiles, up to and including 3-0 width door, 5½" wide over all.

Stiles, over 3-0 width door, 6½" wide over all.

Top Rail not over 6½" wide over all.


Bottom Rail not over 18½" wide over all.

Size of Door	Open List 1⅜ in.	Open List 1¾ in.	Glass Size ½ in. Between
1- 6×6- 6	\$11.25	\$14.15	2 ⅝ × 10 ⅜
6- 8	11.35	14.30	10 ¾
6-10	11.80	14.90	11 ⅜
7- 0	11.90	15.10	11 ⅝
2- 0×6- 6	11.75	14.85	4 ⅝ × 10 ⅜
6- 8	11.85	15.05	10 ¾
6-10	12.30	15.65	11 ⅜
7- 0	12.40	15.80	11 ⅝
2- 4×6- 6	12.10	15.30	5 ⅝ × 10 ⅜
6- 8	12.20	15.45	10 ¾
6-10	12.70	16.15	11 ⅜
7- 0	12.80	16.30	11 ⅝
2- 6×6- 6	12.25	15.50	6 ⅝ × 10 ⅜
6- 8	12.35	15.70	10 ¾
6-10	12.85	16.35	11 ⅜
7- 0	12.95	16.50	11 ⅝
2- 8×6- 8	12.50	15.90	7 × 10 ¾
6-10	13.00	16.60	11 ⅜
7- 0	13.10	16.75	11 ⅝
2-10×6- 8	12.70	16.15	7 ⅝ × 10 ¾
6-10	13.20	16.85	11 ⅜
7- 0	13.30	17.00	11 ⅝
3- 0×6- 8	12.85	16.40	8 ⅝ × 10 ¾
6-10	13.35	17.05	11 ⅜
7- 0	13.45	17.25	11 ⅝
3- 4×7- 0	14.75	19.15	9 × 11 ⅝
3- 6×7- 0	15.00	19.45	9 ⅝ × 11 ⅝

If beads omitted, deduct.....\$1.00 List  
For door extras, see pages 79 to 81 inclusive.

## 18 Light Door

Standard Stock Sticking  
Beads for Glass Included



**S. D. 643**

No. 1 Quality

Stiles, up to and including 3-0 width door, 5½" wide over all.

Stiles, over 3-0 width door, 6½" wide over all.

Top Rail not over 6½" wide over all.

Bottom Rail not over 18½" wide over all.

---

If beads omitted, deduct.....\$1.05 List  
For door extras, see pages 79 to 81 inclusive.



# 18 Light Door

Standard Stock Sticking  
Beads for Glass Included

**S. D. 643**  
No. 1 Quality

Stiles, up to and including 3-0 width door, 5½" wide over all.

Stiles, over 3-0 width door, 6½" wide over all.

Top Rail not over 6½" wide over all.


Bottom Rail not over 18½" wide over all.

Size of Door	Open List 1¾ in.	Open List 1¾ in.	Glass Size ½ in. Between
1- 6×6- 6	\$12.15	\$15.20	2 ⅝ × 8 ⅝
6- 8	12.25	15.35	8 ⅞
6-10	12.70	15.95	9 ¼
7- 0	12.80	16.15	9 ⅝
2- 0×6- 6	12.65	15.90	4 ⅝ × 8 ⅝
6- 8	12.75	16.10	8 ⅞
6-10	13.20	16.70	9 ¼
7- 0	13.30	16.85	9 ⅝
2- 4×6- 6	13.00	16.35	5 ⅝ × 8 ⅝
6- 8	13.10	16.50	8 ⅞
6-10	13.60	17.20	9 ¼
7- 0	13.70	17.35	9 ⅝
2- 6×6- 6	13.15	16.55	6 ⅝ × 8 ⅝
6- 8	13.25	16.75	8 ⅞
6-10	13.75	17.40	9 ¼
7- 0	13.85	17.55	9 ⅝
2- 8×6- 8	13.40	16.95	7 × 8 ⅞
6-10	13.90	17.65	9 ¼
7- 0	14.00	17.80	9 ⅝
2-10×6- 8	13.60	17.20	7 ⅝ × 8 ⅞
6-10	14.10	17.90	9 ¼
7- 0	14.20	18.05	9 ⅝
3- 0×6- 8	13.75	17.45	8 ⅝ × 8 ⅞
6-10	14.25	18.10	9 ¼
7- 0	14.35	18.30	9 ⅝
3- 4×7- 0	15.65	20.20	9 × 9 ⅝
3- 6×7- 0	15.90	20.50	9 ⅝ × 9 ⅝

If beads omitted, deduct.....\$1.05 List  
For door extras, see pages 79 to 81 inclusive.

# 1 Light Store Door

Standard Stock Sticking  
Beads for Glass Included



S. D. 650

No. 1 Quality

Stiles and Top Rail not over 6½" wide over all.  
Bottom Rail not over 18½" wide over all.

Size of Door	Open List 1¾ in.	Glass Size
3- 0 × 7- 0	\$13.05	24 × 60
7- 6	14.65	66
8- 0	15.30	72
3- 4 × 7- 0	13.90	28 × 60
7- 6	15.15	66
8- 0	15.75	72
3- 6 × 7- 0	14.20	30 × 60
7- 6	15.45	66
8- 0	16.05	72

If beads omitted, deduct.....25c List  
For door extras, see pages 79 to 81 inclusive.

## Open Sash Door Extras

Following extras apply only to designs not otherwise listed or provided for:

**Rule "1M":**—For sizes not listed and intermediate sizes, use same list as next larger listed size.

### LARGER THAN LISTED SIZES

**Rule "2M":**—(a) Wider than listed sizes, use widest list specified of same height and add for each additional four inches or part thereof, 10%.  
(b) Longer than listed sizes, use longest list specified of same width and add for each additional six inches or part thereof, 10%.

### SPECIAL DESIGNS

**Rule "3M":**—(a) To make list on open sash doors with one light, not otherwise provided for and of same layout as cross panel door, use Panel Door list as basis.

(b) Full length panels where cut up into small panels, add over the price of such full length panel, 20c List extra, for each small panel into which such full length panel is cut.

(c) Shortening glass sizes specified in regular listed designs, thus increasing height of panels, add 10c List extra for every two inches or fraction thereof.

### WIDE STILES, RAILS OR MUNTINS

	List	
	For 1 3/8"	For 1 1/4"
<b>Rule "4M":</b> —(a) Stiles, including top rail wider than standard layout, add for each additional one inch or part thereof .....	\$0.70	\$1.05
(b) Cross Rails, top, lock or bottom rail, wider than standard layout, add for each additional one inch or part thereof, for each wide rail.....	\$0.15	\$0.25
(c) Solid White Pine Panels (not otherwise specified) ordered wider than 12 1/2"—requiring glue joint, add 40c List extra for each glue joint.		
(d) Wide Rails over 12 1/2", for each glue joint, add 40c List.		

# Standard National Sash Door List

## RECTANGULAR DIVIDED LIGHTS

$\frac{1}{2}$ " between glass

**Rule "5M":**—Add for each divided light as follows (no glass stop)

	List	
	For $1\frac{3}{8}$ "	For $1\frac{1}{4}$ "
(a) Up to 40 united inches.....	\$0.30	\$0.40
(b) 41 to 60 united inches.....	.40	.50
(c) 61 to 80 united inches.....	.50	.65
(d) For each one-half inch extra width between glass, add 20%.		

## BEAD STOPS FOR GLASS

**Rule "6M":**—Add for Bead Stops around each rectangular light, as follows:

(a) 20 United inches or less.....	\$0.15	List
(b) 21 to 40 united inches.....	.20	List
(c) 41 to 60 united inches.....	.25	List
(d) 61 to 80 united inches.....	.30	List
(e) 81 to 100 united inches.....	.35	List

## MOULDING AROUND RECTANGULAR LIGHTS OR PANELS

	List Per Side
<b>Rule "7M":</b> —Plain Flush Mould (not over $\frac{3}{4} \times 1\frac{1}{8}$ ), add per united inch.....	\$0.01 $\frac{1}{2}$
Plain Raised Mould (not over $\frac{3}{4} \times 1\frac{1}{4}$ ), add per united inch.....	.02
Flush E. & D. Pressed Mould (not over $\frac{3}{4} \times 1\frac{1}{8}$ ), add per united inch.....	.03 $\frac{3}{4}$
Raised E. & D. Pressed Mould (not over $\frac{3}{4} \times 1\frac{1}{4}$ ), add per united inch.....	.04 $\frac{1}{2}$
Single Fillet around Glass Opening, add per united inch.....	.00 $\frac{3}{4}$

## OVAL LIGHT PANELS WITH GLASS BEAD

	Add List
<b>Rule "8M":</b> —(a) Not over 36 inches high over all .....	\$3.00
(b) Over 36 inches high, not over 44 inches high .....	3.60
(c) Over 44 inches high, not over 60 inches high .....	4.00

# Standard National Sash Door Lists

## CAPS AND SILLS

List      List  
Loose   Put On

Rule "9M":—(a) One member plain moulded, not over  $1\frac{1}{8} \times 1\frac{1}{4}$ , add for each .....\$0.20    \$0.30

(b) One member plain moulded, not over  $1\frac{1}{8} \times 1\frac{1}{4}$ , add for each..... .26      .36

(c) Two members Egg and Dart or Dentil mould, add..... .48      .68

(d) One member Stool and 3 Blocks S4S—Bungalow Type ..... .65    1.05

## SEGMENT, CIRCLE OR GOTHIC TOP DOORS

Rule "10M":—

	Not Over $1\frac{1}{4}$ " Thick	
	Up to 3'0" Wide	
(a) Circle Top, add.....	\$ 9.00	List
(b) Circle Top with Solid Corners, add.....	8.00	List
(c) Circle Top with Panel Corners, add.....	13.50	List
(d) Segment Top, add.....	4.50	List
(e) Gothic Top, either Full Gothic or Semi-Gothic, add.....	9.00	List
(f) Peak Head Top, add.....	6.00	List

## CURVED BARS AND BEADS

Rule "11M":—

	Not Over $1\frac{1}{4}$ " Thick
(a) For Lights formed by curved bars, not including beads, per Light, add....	\$ 3.00 List
(b) For Beads, for lights formed by curved bars, per Light, add.....	2.00 List

## DUTCH DOORS

Rule "12M":—Made with double width Lock Rail so as to permit cutting through center, add to list of a similar door of same size .....

	\$1.50	List
(b) Cut through Lock Rail and Rabbeted	2.50	List

## THICK DOORS

Pan or  
Part Pan    Rlm  
and Part    Sash  
Sash       Door

Rule "13M":—(a) 2 or  $2\frac{1}{4}$ " doors (single or double thick), add to list of a  $1\frac{1}{4}$ " door same size.....

	95%	100%
(b) $2\frac{1}{2}$ " door (single or double thick), add to list of a $1\frac{1}{4}$ " door, same size..	190%	200%

## RABBETING

Rule "14M":—Rabbeting and beading folding doors made extra wide for rabbeting, add extra per pair.....

	\$2.50	List
--	--------	------

## ASTRAGALS, LOOSE, (Not Put On)

Rule "15M":—Single, for folding doors not over eight feet high:

(a) If doors are $1\frac{1}{4}$ " thick or less.....	\$1.25	List
If doors are $2\frac{1}{4}$ " or $2\frac{1}{2}$ " or less.....	4.00	List
For double sliding doors not over eight feet high:		
(b) If doors are $1\frac{1}{4}$ " thick or less.....	1.50	List
If doors are $2\frac{1}{4}$ " or $2\frac{1}{2}$ " thick or less...	5.00	List
(c) Astragal joints on stiles, add per pair .....	2.50	List

## Side Lights for Doors

Standard Stock Sticking  
Beads for Glass Included



**S. L. 675**

No. 1 Quality

Stiles not over 2½" wide over all.  
Top Rail not over 6½" wide over all.  
Bottom Rail not over 18½" wide over all.

Size of Side Light	Open List 1¾ in.	Open List 1¾ in.	Glass Size
1- 0×6- 8	\$ 4.35	\$ 5.40	8×56
6-10	4.55	5.70	58
7- 0	4.60	5.75	60
1- 2×6- 8	4.50	5.60	10×56
6-10	4.70	5.95	58
7- 0	4.75	6.00	60
1- 4×6- 8	4.65	5.80	12×56
6-10	4.95	6.20	58
7- 0	5.00	6.25	60
1- 6×6- 8	4.85	6.10	14×56
6-10	5.10	6.40	58
7- 0	5.15	6.50	60

If beads omitted, deduct.....20c List  
For Extras on above design, see page 84.

## Side Lights for Doors

Standard Stock Sticking  
Beads for Glass Included



**S. L. 676**

No. 1 Quality

"Solid Raised or Laminated Flat Panel"—5/16" thick.  
Stiles not over 2½" wide over all.  
Top Rail not over 5½" wide over all.  
Lock and Bottom Rail not over 9¾" wide over all.

Size of Side Light	Open List 1 ¾ in.	Open List 1 ¾ in.	Glass Size
1- 0×6- 8	\$4.35	\$5.40	8×46
6-10	4.55	5.70	48
7- 0	4.60	5.75	50
1- 2×6- 8	4.50	5.60	10×46
6-10	4.70	5.95	48
7- 0	4.75	6.00	50
1- 4×6- 8	4.65	5.80	12×46
6-10	4.95	6.20	48
7- 0	5.00	6.25	50
1- 6×6- 8	4.85	6.10	14×46
6-10	5.10	6.40	48
7- 0	5.15	6.50	50

If beads omitted, deduct.....15c List  
For Extras on above design, see page 84.



## Side Lights For Doors

Standard Stock Sticking  
Beads for Glass Included

**S. L. 675**

No. 1 Quality

Stiles not over 2½" wide over all.

Top Rail not over 6½" wide over all.

Bottom Rail not over 18½" wide over all.

<b>Side Light 675—Extras</b>	1¾"	1¾"
(If beads omitted, deduct 20c List)	List	List
9¾" Bottom Rail, deduct.....	\$0.65	\$1.10
12½" Bottom Rail, deduct.....	.45	.75
If made 4 Lights high, beaded for glass, add .....	1.60	1.75
If made 5 Lights high, beaded for glass, add .....	2.00	2.20
If made 6 Lights high, beaded for glass, add .....	2.40	2.65
If made 8 Lights (2 wide), beaded for glass, add .....	2.80	3.20
If made 10 Lights (2 wide), beaded for glass, add .....	3.50	4.00
If made 12 Lights (2 wide), beaded for glass, add .....	4.20	4.80
If made 6 Marginal Lights, beaded for glass, add .....	2.80	3.10

**S. L. 676**

No. 1 Quality

"Solid Raised or Laminated Flat Panel"—  
5/16" thick.

Stiles not over 2½" wide over all.

Top Rail not over 5½" wide over all.

Lock and Bottom Rail not over 9¾" wide  
over all.


**Side Light 676—Extras**

(If beads omitted, deduct 15c List)


If made 3 Lights high, beaded for glass, add .....	1.20	1.35
If made 6 Lights (2 wide), beaded for glass, add .....	2.40	2.65
If made 1 long flat panel and 1 light 18" high, beaded for glass, add.....	.70	.90
If made 1 long flat panel and 18" glass height divided 4 Lights (2 wide), beaded for glass, add.....	2.30	2.50
If made 1 long flat panel and 2 Vertical Lights 18" high, beaded for glass, add...	1.50	1.75
Lists for above side lights shown on pages 82 and 83.		
For door extras, see pages 79 to 81 inclusive.		

## Storm Doors

Standard Stock Sticking  
In the White—Not Painted or Primed



**S. D. 700**



**S. D. 701**


Beads for Glass  
included

Stiles, Top and Cross Rails not over 4¾" wide over all.  
Bottom Rail not over 9¾" wide over all.


Size of Door 1½"	SD-700 Panel Door List	SD-701 Open Sash Door	
		List Open	Glass Size
2- 6½×6- 7	\$8.15	\$7.45	22×24
2- 8½×6- 9	8.55	7.75	24×26
7- 1	9.25	8.25	30
2- 10½×6- 9	8.85	7.90	26×26
6- 11	9.40	8.40	28
7- 1	9.50	8.45	30
3- 0½×6- 9	9.10	8.15	28×26
7- 1	9.85	8.70	30

If beads omitted (SD-701), deduct.....20c List

## Garage Doors




**G. D. 710**




**G. D. 711**

Prices on application.

## Garage Doors




**G. D. 712**




**G. D. 713**  
Prices on application.

## Garage Doors



**G. D. 714**




**G. D. 715**

Prices on application.

## Combination Door

2X Panels and 6 Lights  
Standard Stock Sticking



**C. D. 736**  
No. 1 Quality


Stiles, Top and Cross Rails not over 4¾" wide over all.  
Bottom Rail not over 9¾" wide over all.  
Sash section open for putty glazing.  
Screen section wired (black or galvanized wire).  
Fasteners for sash and screen sections included.  
Doors furnished with an over run in size not to exceed  
½" in width and 1" in height.

Net Size of Door	Open List 1⅛ in. Sash Open, Screen Wired
2- 6×6- 6	\$11.00
2- 8×6- 8	11.05
7- 0	11.70
2-10×6- 8	11.75
6-10	11.80
7- 0	12.00
3- 0×6- 8	12.00
7- 0	12.25

If screen wire omitted, deduct.....75c List

## Combination Door

1X Panel and 8 Lights  
Standard Stock Sticking



**C. D. 737**

No. 1 Quality

Stiles, Top and Cross Rail not over 4 $\frac{3}{4}$ " wide over all.  
Bottom Rail not over 9 $\frac{3}{4}$ " wide over all.  
Sash section open for putty glazing.  
Screen section wired (black or galvanized wire).  
Fasteners for sash and screen sections included.  
Doors furnished with an over run in size not to exceed  
 $\frac{1}{2}$ " in width and 1" in height.


Net Size of Door	Open List 1 $\frac{1}{8}$ in. Sash Open, Screen Wired
2- 6 $\times$ 6- 6	<b>\$10.90</b>
2- 8 $\times$ 6- 8	<b>10.95</b>
7- 0	<b>11.60</b>
2-10 $\times$ 6- 8	<b>11.65</b>
6-10	<b>11.70</b>
7- 0	<b>11.90</b>
3- 0 $\times$ 6- 8	<b>11.90</b>
7- 0	<b>12.15</b>

If screen wire omitted, deduct.....\$1.00 List



## Combination Door

1X Panel and 9 Marginal Light  
Standard Stock Sticking



**C. D. 738**  
No. 1 Quality


Stiles, Top and Cross Rail not over 4 $\frac{3}{4}$ " wide over all.  
Bottom Rail not over 9 $\frac{3}{4}$ " wide over all.  
Sash section open for putty glazing.  
Screen section wired (black or galvanized wire).  
Fasteners for sash and screen sections included.  
Doors furnished with an over run in size not to exceed  
 $\frac{1}{2}$ " in width and 1" in height.

Net Size of Door	Open List 1 $\frac{1}{8}$ in. Sash Open, Screen Wired
2- 6 $\times$ 6- 6	\$11.20
2- 8 $\times$ 6- 8	11.25
7 0	11.90
2-10 $\times$ 6- 8	11.95
6-10	12.00
7- 0	12.20
3- 0 $\times$ 6- 8	12.20
7- 0	12.45

If screen wire omitted, deduct.....\$1.00 List

## Combination Door

1X Panel and 12 Lights  
Standard Stock Sticking



**C. D. 739**

**No. 1 Quality**


Stiles, Top and Cross Rail not over 4 $\frac{3}{4}$ " wide over all.  
Bottom Rail not over 9 $\frac{3}{4}$ " wide over all.  
Sash section open for putty glazing.  
Screen section wired (black or galvanized wire).  
Fasteners for sash and screen sections included.  
Doors furnished with an over run in size not to exceed  
 $\frac{1}{2}$ " in width and 1" in height.

Net Size of Door	Open List 1 $\frac{1}{8}$ in. Sash Open, Screen Wired
2- 6x6- 6	\$11.25
2- 8x6- 8	11.30
7- 0	11.95
2-10x6- 8	12.00
6-10	12.05
7- 0	12.25
3- 0x6- 8	12.25
7- 0	12.50

If screen wire omitted, deduct.....\$1.00 List

## Combination Door

1X Panel and 15 Lights  
Standard Stock Sticking



**C. D. 740**  
No. 1 Quality


Stiles, Top and Cross Rail not over 4 $\frac{3}{4}$ " wide over all.  
Bottom Rail not over 9 $\frac{3}{4}$ " wide over all.  
Sash section open for putty glazing.  
Screen section wired (black or galvanized wire).  
Fasteners for sash and screen sections included.  
Doors furnished with an over run in size not to exceed  
 $\frac{1}{2}$ " in width and 1" in height.

Net Size of Door	Open List 1 $\frac{1}{2}$ in. Sash Open, Screen Wired
2- 6x6- 6	\$11.35
2- 8x6- 8	11.40
7- 0	12.05
2-10x6- 8	12.10
6-10	12.15
7- 0	12.35
3- 0x6- 8	12.35
7- 0	12.60


If screen wire omitted, deduct.....\$1.00 List

## Swing Doors

No. 1 Quality  
Standard Stock Sticking




W




X

## Single Blind Doors



Y



Z

Stationary Slats

Height of closet doors with extended lug stiles is taken from top of top rail to bottom of bottom rail.  
Lists follow on page 95.  
For Door Extras, see pages 95 and 153 and 154.

## Swing Doors

No. 1 Quality  
Stationary Slats  
Standard Stock Sticking

### "W"

Stiles, Top, Cross and  
Bottom Rails not over  
4 3/4" wide over all.  
Raised Panel 2 Sides.

### "X"

Stiles, Top and Bottom  
Rails not over 3 1/2" wide  
over all.  
Cross Rail and Mullion  
not over 2 1/2" wide over  
all.

Size of Door	"W" List 1 1/8 in.	"X" List 1 1/8 in.
2- 0x4- 0	\$4.40	\$5.25
4- 6	5.10	5.40
5- 0	5.45	5.60
5- 6	5.75	5.80
6- 0	6.10	6.00

Above lists based on lugs extending not exceeding  
3 1/2" over door height, top and bottom, as explained on  
preceding page 75.

## Single Blind Doors

### "Y"

Stiles, Top and Cross  
Rails not over 4 3/4" wide  
over all.  
Bottom Rail not over  
8" wide over all.  
Mullion not over 2 1/2"  
wide over all.  
Raised Panel 2 Sides.

### "Z"

Stiles, Top and Cross  
Rails not over 4 3/4" wide  
over all.  
Bottom Rail not over  
8" wide over all.

Size of Door	"Y" List 1 1/8 in.	"Z" List 1 1/8 in.
2- 0x4- 6	\$6.05	\$5.35
5- 0	6.25	5.55
5- 6	6.50	5.70
6- 0	6.75	5.90
2- 6x6- 6	7.50	6.50
2- 8x6- 8	7.80	6.75
2- 10x6- 10	8.55	7.30
3- 0x7- 0	9.30	7.55

Above designs shown on preceeding page 94.  
For 1 3/8" closet doors, add to above lists, 15%.  
For irregular or intermediate sizes, see Note "A," page  
153.  
For larger than listed sizes, see Rule 1, page 153.  
For Blind Extras, see pages 153 and 154.

## **Door Blinds—in Pairs**

Each Blind 1 Slat Panel Wide, 2 Slat Panels High.

Size of Door in Pairs	List per Pair ⅓ in. R. S. or S. S.
2- 6×6- 6	\$6.30
2- 8×6- 8	6.75
2-10×6-10	7.00
3- 0×7- 0	7.45

All door blinds made in pairs and rabbeted, same as window blinds, unless otherwise ordered.

For odd or intermediate sizes, See Note "A," page 153.

For larger than listed sizes, see Rule 1, page 153.

For Blind Extras, see pages 153 and 154.

# Two Light Check Rail Windows



1 3/4 Inches Thick.

Glass Size	List Open	Western Opening
12×16	\$1.17	1- 4×3- 2
20	1.25	3-10
24	1.34	4- 6
26	1.38	4-10
28	1.42	5- 2
14×16	1.21	1- 6×3- 2
20	1.30	3-10
24	1.38	4- 6
26	1.42	4-10
28	1.46	5- 2
16×16	1.25	1- 8×3- 2
18	1.30	3- 6
20	1.34	3-10
22	1.38	4- 2
24	1.42	4- 6
26	1.46	4-10
28	1.50	5- 2
30	1.55	5- 6
18×16	1.30	1-10×3- 2
18	1.34	3- 6
20	1.38	3-10
22	1.42	4- 2
24	1.46	4- 6
26	1.50	4-10
28	1.55	5- 2
30	1.59	5- 6
20×14	1.30	2- 0×2-10
16	1.34	3- 2
18	1.38	3- 6
20	1.42	3-10
22	1.46	4- 2
24	1.50	4- 6
26	1.55	4-10
28	1.59	5- 2
30	1.63	5- 6
32	1.75	5-10

(Continued on next page.)





## Two Light Check Rail Windows

1 3/8 Inches Thick—Continued.

Glass Size	List Open	Western Opening
22×16	\$1.38	2- 2×3- 2
18	1.42	3- 6
20	1.46	3-10
22	1.50	4- 2
24	1.55	4- 6
26	1.59	4-10
28	1.63	5- 2
30	1.67	5- 6
32	1.80	5-10
24×14	1.38	2- 4×2-10
16	1.42	3- 2
18	1.46	3- 6
20	1.50	3-10
22	1.55	4- 2
24	1.59	4- 6
26	1.63	4-10
28	1.67	5- 2
30	1.71	5- 6
32	1.84	5-10
34	1.89	6- 2
36	1.93	6- 6
26×14	1.42	2- 6×2-10
16	1.46	3- 2
18	1.50	3- 6
20	1.55	3-10
22	1.59	4- 2
24	1.63	4- 6
26	1.67	4-10
28	1.71	5- 2
30	1.75	5- 6
32	1.89	5-10
34	1.93	6- 2
36	1.97	6- 6
27×20	1.59	2- 7×3-10
22	1.63	4- 2
24	1.67	4- 6
26	1.71	4-10
28	1.75	5- 2
30	1.80	5- 6
32	1.93	5-10

(Continued on next page.)

# Two Light Check Rail Windows



1 3/4 Inches Thick—Continued.

Glass Size	List Open	Western Opening
28×16	\$1.50	2- 8×3- 2
18	1.55	3- 6
20	1.59	3-10
22	1.63	4- 2
24	1.67	4- 6
26	1.71	4-10
28	1.75	5- 2
30	1.80	5- 6
32	1.93	5-10
34	1.97	6- 2
36	2.02	6- 6
30×16	1.55	2-10×3- 2
18	1.59	3- 6
20	1.63	3-10
24	1.71	4- 6
26	1.75	4-10
28	1.80	5- 2
30	1.84	5- 6
32	1.97	5-10
34	2.02	6- 2
36	2.06	6- 6
32×18	1.71	3- 0×3- 6
20	1.75	3-10
24	1.84	4- 6
26	1.89	4-10
28	1.93	5- 2
30	1.97	5- 6
32	2.02	5-10
34	2.06	6- 2
36	2.10	6- 6
34×20	1.80	3- 2×3-10
24	1.89	4- 6
26	1.93	4-10
28	1.97	5- 2
30	2.02	5- 6
32	2.06	5-10
34	2.10	6- 2
36	2.15	6- 6

(Continued on next page.)



## Two Light Check Rail Windows

1½ Inches Thick—Continued.

Glass Size	List Open	Western Opening
<b>36×20</b>	<b>\$1.84</b>	<b>3- 4×3-10</b>
24	1.93	4- 6
26	1.97	4-10
28	2.02	5- 2
30	2.06	5- 6
32	2.10	5-10
34	2.15	6- 2
36	2.19	6- 6
<b>40×24</b>	<b>2.11</b>	<b>3- 8×4- 6</b>
26	2.16	4-10
28	2.20	5- 2
30	2.26	5- 6
32	2.30	5-10
36	2.39	6- 6
40	2.48	7- 2
<b>44×24</b>	<b>2.20</b>	<b>4- 0×4- 6</b>
26	2.26	4-10
28	2.30	5- 2
30	2.34	5- 6
32	2.39	5-10
36	2.48	6- 6
40	2.57	7- 2
<b>48×24</b>	<b>2.30</b>	<b>4- 4×4- 6</b>
26	2.34	4-10
28	2.39	5- 2
30	2.43	5- 6
32	2.48	5-10
36	2.57	6- 6
40	2.66	7- 2

For Sash Extras, see pages 142 to 145 inclusive.

## Divided Top Check Rail Windows

3 Vertical Lights—1½ Inches Thick  
Bars ¾ in. Thick Between Glass



Glass Size	List Open	Western Opening
20×16	\$1.88	2- 0×3- 2
18	1.92	3- 6
20	1.96	3-10
22	2.00	4- 2
24	2.04	4- 6
26	2.09	4-10
28	2.13	5- 2
30	2.17	5- 6
24×16	1.96	2- 4×3- 2
18	2.00	3- 6
20	2.04	3-10
22	2.09	4- 2
24	2.13	4- 6
26	2.17	4-10
28	2.21	5- 2
30	2.25	5- 6
26×16	2.00	2- 6×3- 2
18	2.04	3- 6
20	2.09	3-10
22	2.13	4- 2
24	2.17	4- 6
26	2.21	4-10
28	2.25	5- 2
30	2.29	5- 6
27×20	2.13	2- 7×3-10
22	2.17	4- 2
24	2.21	4- 6
26	2.25	4-10
28	2.29	5- 2
30	2.34	5- 6
28×24	2.21	2- 8×4- 6
26	2.25	4-10
28	2.29	5- 2
30	2.34	5- 6
30×24	2.25	2-10×4- 6
26	2.29	4-10
28	2.34	5- 2
30	2.38	5- 6

For sizes 1½" thick not listed above, to corresponding Two Light Check Rail Window List, add .....54c List  
For 1½" Two Light Check Rail Windows, top divided 4 vertical lights, to corresponding Two Light Check Rail Window List, add....72c List  
For Sash Extras, see pages 142 to 145 inclusive.



## Divided Top Check Rail Windows

6 Lights (3 Wide)—1 $\frac{3}{8}$  Inches Thick

Bars  $\frac{3}{8}$  in. Thick Between Glass

Glass Size	List Open	Western Opening
20×16	\$2.06	2- 0×3- 2
18	2.10	3- 6
20	2.14	3-10
22	2.18	4- 2
24	2.22	4- 6
26	2.27	4-10
28	2.31	5- 2
30	2.35	5- 6
24×16	2.14	2- 4×3- 2
18	2.18	3- 6
20	2.22	3-10
22	2.27	4- 2
24	2.31	4- 6
26	2.35	4-10
28	2.39	5- 2
30	2.43	5- 6
26×16	2.18	2- 6×3- 2
18	2.22	3- 6
20	2.27	3-10
22	2.31	4- 2
24	2.35	4- 6
26	2.39	4-10
28	2.43	5- 2
30	2.47	5- 6
27×20	2.31	2- 7×3-10
22	2.35	4- 2
24	2.39	4- 6
26	2.43	4-10
28	2.47	5- 2
30	2.52	5- 6
28×24	2.39	2- 8×4- 6
26	2.43	4-10
28	2.47	5- 2
30	2.52	5- 6
30×24	2.43	2-10×4- 6
26	2.47	4-10
28	2.52	5- 2
30	2.56	5- 6

For sizes 1 $\frac{3}{8}$ " thick not listed above, to corresponding Two Light Check Rail Window List, add .....72c List  
 For Sash Extras, see pages 142 to 145 inclusive.

## Divided Light Check Rail Windows



Top and Bottom 6 Lights Each (3 Wide)

1 3/8 Inches Thick

Bars 3/8 in. Thick Between Glass

Glass Size	List Open	Western Opening
<b>20×16</b>	<b>\$2.78</b>	<b>2- 0×3- 2</b>
18	2.82	3- 6
20	2.86	3-10
22	2.90	4- 2
24	2.94	4- 6
26	2.99	4-10
28	3.03	5- 2
30	3.07	5- 6
<b>24×16</b>	<b>2.86</b>	<b>2- 4×3- 2</b>
18	2.90	3- 6
20	2.94	3-10
22	2.99	4- 2
24	3.03	4- 6
26	3.07	4-10
28	3.11	5- 2
30	3.15	5- 6
<b>26×16</b>	<b>2.90</b>	<b>2- 6×3- 2</b>
18	2.94	3- 6
20	2.99	3-10
22	3.03	4- 2
24	3.07	4- 6
26	3.11	4-10
28	3.15	5- 2
30	3.19	5- 6
<b>27×20</b>	<b>3.03</b>	<b>2- 7×3-10</b>
22	3.07	4- 2
24	3.11	4- 6
26	3.15	4-10
28	3.19	5- 2
30	3.24	5- 6
<b>28×24</b>	<b>3.11</b>	<b>2- 8×4- 6</b>
26	3.15	4-10
28	3.19	5- 2
30	3.24	5- 6
<b>30×24</b>	<b>3.15</b>	<b>2-10×4- 6</b>
26	3.19	4-10
28	3.24	5- 2
30	3.28	5- 6

For sizes 1 3/8" thick not listed above, to corresponding Two Light Check Rail Window

List, add .....\$1.44 List  
For Sash Extras, see pages 142 to 145 inclusive.





## Two Light Plain Rail Windows

1½ Inches Thick. Not Ploughed or Bored.

Glass Size	List Open	Western Opening
20×20	\$1.25	2- 0×3-10
24	1.32	4- 6
24×20	1.32	2- 4×3-10
24	1.39	4- 6
26	1.42	4-10
28	1.46	5- 2



## Four Light Plain Rail Windows

1½ Inches Thick. Not Ploughed or Bored.

Glass Size	List Open	Western Opening
12×20	\$1.55	2- 4×3-10
24	1.64	4- 6
26	1.69	4-10
28	1.73	5- 2
14×26	1.76	2- 8×4-10
28	1.80	5- 2



## Four Light Check Rail Windows

1½ Inches Thick. Ploughed and Bored.

Glass Size	List Open	Western Opening
12×20	\$1.59	2- 4×3-10
24	1.68	4- 6
26	1.73	4-10
28	1.77	5- 2

For Sash Extras, see pages 142 to 145 inclusive.



# Four Light Check Rail Windows



1 3/8 Inches Thick.

Glass Size	List Open	Western Opening
10×20	\$1.69	2- 1×3- 0
24	1.80	4- 6
26	1.85	4-10
28	1.91	5- 2
12×16	1.66	2- 5×3- 2
18	1.72	3- 6
20	1.77	3-10
22	1.83	4- 2
24	1.88	4- 6
26	1.94	4-10
28	1.99	5- 2
30	2.05	5- 6
32	2.21	5-10
34	2.27	6- 2
36	2.32	6- 6
13×24	1.96	2- 7×4- 6
26	2.02	4-10
28	2.08	5- 2
30	2.13	5- 6
14×20	1.85	2- 9×3-10
22	1.91	4- 2
24	1.96	4- 6
26	2.02	4-10
28	2.08	5- 2
30	2.13	5- 6
32	2.30	5-10
34	2.35	6- 2
36	2.42	6- 6
15×24	2.01	2-11×4- 6
26	2.06	4-10
28	2.12	5- 2
30	2.17	5- 6
32	2.34	5-10
34	2.39	6- 2
36	2.46	6- 6

For Sash Extras, see pages 142 to 145 inclusive.



## Eight Light Plain Rail Windows

1½ Inches Thick.

Glass Size	List Open	Western Opening
8×10	\$1.48	1- 8½×3-10
12	1.57	4- 6
9×12	1.61	1-10½×4- 6
14	1.70	5- 2
10×12	1.65	2- 0½×4- 6
14	1.74	5- 2
16	1.92	5-10
12×14	1.81	2- 4½×5- 2
16	2.00	5-10
18	2.09	6- 6



## Eight Light Check Rail Windows

1¾ Inches Thick.

Glass Size	List Open	Western Opening
8×10	\$1.71	1- 9×3-10
12	1.82	4- 6
9×12	1.87	1-11×4- 6
14	1.98	5- 2
10×12	1.92	2- 1×4- 6
14	2.02	5- 2
16	2.24	5-10
12×14	2.12	2- 5×5- 2
16	2.34	5-10
18	2.46	6- 6
14×16	2.44	2- 9×5-10
18	2.55	6- 6
20	2.79	7- 2

For Sash Extras, see pages 142 to 145 inclusive.

## Twelve Light Plain Rail Windows



1½ Inches Thick.

Glass Size	List Open	Western Opening
7× 9	\$1.61	2- 1×3- 6
8×10	1.71	2- 4×3-10
12	1.80	4- 6
9×12	1.86	2- 7×4- 6
13	1.90	4-10
14	1.95	5- 2
10×12	1.91	2-10×4- 6
14	2.00	5- 2
16	2.19	5-10
12×14	2.22	3- 4×5- 2
16	2.31	5-10

## Twelve Light Check Rail Windows



1½ Inches Thick.

Glass Size	List Open	Western Opening
7× 9	\$1.90	2- 1½×3- 6
8×10	2.02	2- 4½×3-10
12	2.13	4- 6
14	2.24	5- 2
9×12	2.21	2- 7½×4- 6
13	2.26	4-10
14	2.32	5- 2
15	2.38	5- 6
16	2.55	5-10
10×12	2.28	2-10½×4- 6
14	2.39	5- 2
15	2.45	5- 6
16	2.64	5-10
18	2.75	6- 6
12×14	2.67	3- 4½×5- 2
16	2.79	5-10
18	2.91	6- 6
20	3.17	7- 2

For Sash Extras, see pages 142 to 145 inclusive.



## Fifteen Light Check Rail Windows

1 3/8 Inches Thick  
Bars 3/8 in. Thick Between Glass

Glass Size	List Open	Western Opening
8×10	\$3.20	2- 4 1/8 × 4- 9 7/8
12	3.34	5- 7 7/8
14	3.49	6- 5 7/8
9×12	3.44	2- 7 1/8 × 5- 7 7/8
13	3.52	6- 0 7/8
14	3.59	6- 5 7/8
16	3.73	7- 3 7/8
10×12	3.73	2- 10 1/8 × 5- 7 7/8
14	3.87	6- 5 7/8
15	3.95	6- 10 7/8
16	4.02	7- 3 7/8
12×14	4.09	3- 4 1/8 × 6- 5 7/8
16	4.24	7- 3 7/8
18	4.39	8- 1 7/8

Unless otherwise ordered, 15-light windows will be made with 6 lights in bottom sash.



## Sixteen Light Check Rail Window

1 3/8 Inches Thick  
Bars 3/8 in. Thick Between Glass

Glass Size	List Open	Western Opening
8×10	\$3.20	3- 1 3/8 × 3- 1 1
12	3.34	4- 7
14	3.49	5- 3
9×12	3.44	3- 5 3/8 × 4- 7
13	3.52	4- 1 1
14	3.59	5- 3
16	3.73	5- 1 1
10×12	3.73	3- 9 3/8 × 4- 7
14	3.87	5- 3
15	3.95	5- 7
16	4.02	5- 1 1
12×14	4.09	4- 5 3/8 × 5- 3
16	4.24	5- 1 1
18	4.39	6- 7

For Sash Extras, see pages 142 to 145 inclusive.

## Eighteen Light Check Rail Windows



1  $\frac{3}{8}$  Inches Thick  
Bars  $\frac{3}{8}$ " Thick Between Glass

Glass Size	List Open	Western Opening
8×10	\$3.31	2- 4 $\frac{1}{8}$ × 5- 7 $\frac{7}{8}$
12	3.66	6- 7 $\frac{7}{8}$
14	4.03	7- 7 $\frac{7}{8}$
9×12	3.76	2- 7 $\frac{1}{8}$ × 6- 7 $\frac{7}{8}$
13	3.84	7- 1 $\frac{7}{8}$
14	4.13	7- 7 $\frac{7}{8}$
16	4.32	8- 7 $\frac{7}{8}$
10×12	3.84	2- 10 $\frac{1}{8}$ × 6- 7 $\frac{7}{8}$
14	4.22	7- 7 $\frac{7}{8}$
15	4.32	8- 1 $\frac{7}{8}$
16	4.41	8- 7 $\frac{7}{8}$
18	4.61	9- 7 $\frac{7}{8}$
12×14	4.42	3- 4 $\frac{1}{8}$ × 7- 7 $\frac{7}{8}$
16	4.61	8- 7 $\frac{7}{8}$
18	4.81	9- 7 $\frac{7}{8}$

## Twenty Light Check Rail Windows



1  $\frac{3}{8}$  Inches Thick  
Bars  $\frac{3}{8}$ " Thick Between Glass

Glass Size	List Open	Western Opening
8×10	\$3.79	3- 1 $\frac{3}{8}$ × 4- 9 $\frac{7}{16}$
12	3.97	5- 7 $\frac{7}{16}$
14	4.35	6- 5 $\frac{7}{16}$
9×12	4.08	3- 5 $\frac{3}{8}$ × 5- 7 $\frac{7}{16}$
14	4.46	6- 5 $\frac{7}{16}$
10×12	4.40	3- 9 $\frac{3}{8}$ × 5- 7 $\frac{7}{16}$
14	4.58	6- 5 $\frac{7}{16}$
16	4.76	7- 3 $\frac{7}{16}$
18	4.95	8- 1 $\frac{7}{16}$
12×14	4.82	4- 5 $\frac{3}{8}$ × 6- 5 $\frac{7}{16}$
16	5.01	7- 3 $\frac{7}{16}$
18	5.19	8- 1 $\frac{7}{16}$

Unless otherwise specified, bottom sash made 8 lights.  
For Sash Extras, see pages 142 to 145 inclusive.



## Twenty-four Light Check Rail Windows

1  $\frac{3}{8}$  Inches Thick  
Bars  $\frac{3}{8}$ " Thick Between Glass

Glass Size	List Open	Western Opening
8×10	\$4.38	3- 1 $\frac{3}{8}$ × 5- 7 $\frac{7}{8}$
12	4.59	6- 7 $\frac{7}{8}$
14	5.03	7- 7 $\frac{7}{8}$
9×12	4.71	3- 5 $\frac{3}{8}$ × 6- 7 $\frac{7}{8}$
14	5.16	7- 7 $\frac{7}{8}$
10×12	5.07	3- 9 $\frac{3}{8}$ × 6- 7 $\frac{7}{8}$
14	5.29	7- 7 $\frac{7}{8}$
16	5.51	8- 7 $\frac{7}{8}$
18	5.73	9- 7 $\frac{7}{8}$
12×14	5.54	4- 5 $\frac{3}{8}$ × 7- 7 $\frac{7}{8}$
16	5.76	8- 7 $\frac{7}{8}$
18	5.98	9- 7 $\frac{7}{8}$



## Thirty Light Check Rail Windows

1  $\frac{3}{8}$  Inches Thick  
Bars  $\frac{3}{8}$ " Thick Between Glass

Glass Size	List Open	Western Opening
8×10	\$5.57	3- 9 $\frac{13}{16}$ × 5- 7 $\frac{7}{8}$
12	5.81	6- 7 $\frac{7}{8}$
14	6.06	7- 7 $\frac{7}{8}$
9×12	5.97	4- 2 $\frac{13}{16}$ × 6- 7 $\frac{7}{8}$
14	6.22	7- 7 $\frac{7}{8}$
10×12	6.14	4- 7 $\frac{13}{16}$ × 6- 7 $\frac{7}{8}$
14	6.38	7- 7 $\frac{7}{8}$
16	6.63	8- 7 $\frac{7}{8}$
18	6.88	9- 7 $\frac{7}{8}$
12×14	6.70	5- 5 $\frac{13}{16}$ × 7- 7 $\frac{7}{8}$
16	6.95	8- 7 $\frac{7}{8}$
18	7.19	9- 7 $\frac{7}{8}$

For Sash Extras, see pages 142 to 145 inclusive.

## Thirty-two Light Check Rail Windows



1 $\frac{3}{8}$  Inches Thick  
Bars  $\frac{3}{8}$ " Thick Between Glass

Glass Size	List Open	Western Opening
8×10	\$5.83	3- 1 $\frac{3}{8}$ × 7- 4 $\frac{3}{4}$
12	6.12	8- 8 $\frac{3}{4}$
14	6.41	10- 0 $\frac{3}{4}$
9×12	6.27	3- 5 $\frac{3}{8}$ × 8- 8 $\frac{3}{4}$
14	6.56	10- 0 $\frac{3}{4}$
10×12	6.41	3- 9 $\frac{3}{8}$ × 8- 8 $\frac{3}{4}$
14	6.71	10- 0 $\frac{3}{4}$
16	7.01	11- 4 $\frac{3}{4}$
18	7.29	12- 8 $\frac{3}{4}$
12×14	7.01	4- 5 $\frac{3}{8}$ × 10- 0 $\frac{3}{4}$
16	7.29	11- 4 $\frac{3}{4}$
18	7.59	12- 8 $\frac{3}{4}$

## Thirty-six Light Check Rail Windows



1 $\frac{3}{8}$  Inches Thick  
Bars  $\frac{3}{8}$ " Thick Between Glass

Glass Size	List Open	Western Opening
8×10	\$6.47	3- 1 $\frac{3}{8}$ × 8- 3 $\frac{3}{16}$
12	6.80	9- 9 $\frac{3}{16}$
14	7.13	11- 3 $\frac{3}{16}$
9×12	6.95	3- 5 $\frac{3}{8}$ × 9- 9 $\frac{3}{16}$
14	7.28	11- 3 $\frac{3}{16}$
10×12	7.11	3- 9 $\frac{3}{8}$ × 9- 9 $\frac{3}{16}$
14	7.44	11- 3 $\frac{3}{16}$
16	7.77	12- 9 $\frac{3}{16}$
18	8.10	14- 3 $\frac{3}{16}$
12×14	7.76	4- 5 $\frac{3}{8}$ × 11- 3 $\frac{3}{16}$
16	8.09	12- 9 $\frac{3}{16}$
18	8.42	14- 3 $\frac{3}{16}$

Unless otherwise specified, bottom sash made 16 lights.

For Sash Extras, see pages 142 to 145 inclusive.






## Forty Light Check Rail Windows

1  $\frac{3}{8}$  Inches Thick  
Bars  $\frac{3}{8}$ " Thick Between Glass

Glass Size	List Open	Western Opening
8×10	\$7.06	3- 9 $\frac{1}{8}$ × 7- 4 $\frac{3}{4}$
12	7.39	8- 8 $\frac{3}{4}$
14	7.72	10- 0 $\frac{3}{4}$
9×12	7.58	4- 2 $\frac{1}{8}$ × 8- 8 $\frac{3}{4}$
14	7.91	10- 0 $\frac{3}{4}$
10×12	7.76	4- 7 $\frac{1}{8}$ × 8- 8 $\frac{3}{4}$
14	8.09	10- 0 $\frac{3}{4}$
16	8.42	11- 4 $\frac{3}{4}$
18	8.75	12- 8 $\frac{3}{4}$
12×14	8.46	5- 5 $\frac{1}{8}$ × 10- 0 $\frac{3}{4}$
16	8.79	11- 4 $\frac{3}{4}$
18	9.12	12- 8 $\frac{3}{4}$


For Sash Extras, see pages 142 to 145 inclusive.

## Front Window and Sash



14

Check Rail Window



15

Single 2 Light Sash

For lists see page 113.


## Front Window and Sash

Two Lights, 1 $\frac{3}{4}$  Inches Thick.


Glass Sizes		No. 14 Window 2 lt. Check	No. 15 Sash 2 lt.	Western Opening
Bottom Lt.	Top Lt.	List Open	List Open	
36x36	36x16	\$2.13	\$1.98	3- 4 x 4-10 5- 2
36x36	36x20	2.17	2.02	
40x36	40x16	2.32	2.05	3- 8 x 4-10 5- 2 5- 6 5-10 5- 6 5-10
40x40	40x16	2.37	2.09	
40x44	40x16	2.42	2.15	
40x48	40x16	2.46	2.19	
40x40	40x20	2.42	2.15	
40x44	40x20	2.46	2.19	
44x40	44x16	2.46	2.17	
44x44	44x16	2.51	2.21	4- 0 x 5- 2 5- 6 5- 6 5-10
44x40	44x20	2.51	2.21	
44x44	44x20	2.55	2.26	
48x40	48x16	2.55	2.23	4- 4 x 5- 2 5- 6 5-10 6- 2
48x42	48x18	2.60	2.28	
48x46	48x18	2.64	2.32	
48x50	48x18	2.70	2.37	

For 1 $\frac{3}{4}$ " and Sash Extras, see pages 142 to 145 inclusive.

## Front Windows



17



18

Can be furnished either Check Rail Windows or Single Sash.

For lists on above designs, for such sizes having same number of lights as above, add to list of No. 14 Window or No. 15 Sash, as follows:

Design	1 3/8"	1 3/4"
	Open List	Open List
No. 17 .....	\$10.12	\$11.20
No. 18 .....	17.04	18.80

For other Sash Extras, see pages 142-145 inclusive.

# One Light Front Sash

Number 16

1  $\frac{3}{8}$  Inches Thick



Glass Size	List Open	Western Opening
40×40	\$1.76	3- 8×3- 9
44	1.80	4- 1
48	1.85	4- 5
52	1.90	4- 9
56	1.95	5- 1
60	1.99	5- 5
64	2.04	5- 9
68	2.08	6- 1
44×40	1.83	4- 0×3- 9
44	1.87	4- 1
48	1.91	4- 5
52	1.96	4- 9
56	2.01	5- 1
60	2.06	5- 5
64	2.10	5- 9
68	2.15	6- 1
48×40	1.89	4- 4×3- 9
44	1.94	4- 1
48	1.98	4- 5
52	2.02	4- 9
56	2.07	5- 1
60	2.12	5- 5
64	2.17	5- 9
68	2.21	6- 1
50×40	1.93	4- 6×3- 9
44	1.97	4- 1
48	2.01	4- 5
52	2.06	4- 9
56	2.10	5- 1
60	2.16	5- 5
64	2.20	5- 9
68	2.24	6- 1
56×44	2.07	5- 0×4- 1
48	2.11	4- 5
52	2.16	4- 9
56	2.20	5- 1
60	2.24	5- 5
64	2.29	5- 9
68	2.34	6- 1

For 1  $\frac{3}{4}$ " and Sash Extras, see pages 142-145 inclusive.



# One Light Sash

1% Inches Thick.

Glass Size	List Open	Western Opening
10×12	\$0.67	1- 2×1- 5
14	.69	1- 7
12×14	.71	1- 4×1- 7
16	.73	1- 9
18	.75	1-11
20	.77	2- 1
24	.79	2- 5
16×16	.75	1- 8×1- 9
18	.77	1-11
20	.79	2- 1
24	.81	2- 5
18×18	.79	1-10×1-11
20	.81	2- 1
24	.83	2- 5
26	.85	2- 7
28	.87	2- 9
30	.89	2-11
32	.92	3- 1
36	.97	3- 5
20×16	.79	2- 0×1- 9
18	.81	1-11
20	.83	2- 1
24	.85	2- 5
26	.87	2- 7
28	.89	2- 9
30	.91	2-11
32	.95	3- 1
36	.99	3- 5
24×16	.81	2- 4×1- 9
18	.83	1-11
20	.85	2- 1
24	.87	2- 5
26	.89	2- 7
28	.91	2- 9
30	.93	2-11
32	1.00	3- 1
36	1.04	3- 5
26×16	.81	2- 6×1- 9
18	.83	1-11
20	.87	2- 1
24	.90	2- 5
26	.92	2- 7
28	.94	2- 9
30	.96	2-11
32	1.05	3- 1
36	1.07	3- 5

(Continued on next page.)

# Standard National Sash Lists

## One Light Sash

Continued  
1 1/4 Inches Thick



Glass Size	List Open	Western Opening
28×16	.84	2- 8×1- 9
18	.86	1-11
20	.88	2- 1
24	.92	2- 5
28	.96	2- 9
30	.98	2-11
32	1.05	3- 1
36	1.10	3- 5
30×16	.86	2-10×1- 9
18	.88	1-11
20	.90	2- 1
24	.95	2- 5
26	.97	2- 7
28	.99	2- 9
30	1.00	2-11
32	1.08	3- 1
36	1.12	3- 5
36×16	.99	3- 4×1- 9
18	1.01	1-11
20	1.03	2- 1
24	1.07	2- 5
26	1.09	2- 7
28	1.11	2- 9
30	1.14	2-11
36	1.21	3- 5
40×16	1.09	3- 8×1- 9
18	1.11	1-11
20	1.13	2- 1
24	1.18	2- 5
28	1.23	2- 9
30	1.25	2-11
36	1.32	3- 5
44×16	1.14	4- 0×1- 9
18	1.17	1-11
20	1.19	2- 1
24	1.24	2- 5
28	1.29	2- 9
30	1.31	2-11
36	1.38	3- 5
48×16	1.18	4- 4×1- 9
18	1.20	1-11
20	1.22	2- 1
24	1.27	2- 5
28	1.34	2- 9
30	1.36	2-11
36	1.43	3- 5

For 1 1/4" and Sash Extras, see pages 142 to 145 inclusive.

## Standard National Sash Lists



### 1 Light Transoms

1 3/4 Inches Thick.

Standard Opening	Glass Size	List Open
2- 6x0-10	26x6	\$0.64
1- 0	8	.64
1- 2	10	.66
1- 4	12	.68
1- 6	14	.70
2- 8x0-10	28x6	.66
1- 0	8	.66
1- 2	10	.68
1- 4	12	.70
1- 6	14	.72
1- 8	16	.74
2- 10x1- 0	30x8	.68
1- 2	10	.70
1- 4	12	.72
1- 6	14	.74
1- 8	16	.76
3- 0x1- 0	32x8	.74
1- 2	10	.76
1- 4	12	.78
1- 6	14	.80
1- 8	16	.82
2- 0	20	.87

Transoms divided two or more vertical lights in above sizes, add for each light 12c List.



### Hot Bed Sash


1 3/4 Inches Thick.

Standard Opening	List Open	Width of Glass	Rows of Glass
3-0x4-0	\$3.27	10	3
3-0x6-0	3.35	10	3
3-0x6-0	3.55	7	4
3-0x6-0	3.61	6	5
3-2x6-0	3.28	8	4
3-4x6-0	3.67	8	4
3-6x6-0	3.78	7	5
3-6x7-0	4.09	7	5
4-0x6-0	4.02	8	5
4-0x7-0	4.25	10	4

For 1 3/4" and Sash Extras, see pages 119 and 142 to 145 inclusive.



## Two Light Cellar Sash



1 3/4 Inches Thick.

Glass Size	List Open	Western Opening
8×10	\$0.70	1- 9×1- 3
10×12	.77	2- 1×1- 5
14	.80	1- 7
16	.83	1- 9
18	.86	1-11
20	.88	2- 1
12×12	.82	2- 5×1- 5
14	.85	1- 7
16	.88	1- 9
18	.91	1-11
20	.93	2- 1
22	.96	2- 3
24	.99	2- 5
14×14	.90	2- 9×1- 7
16	.93	1- 9
18	.96	1-11
20	.98	2- 1
22	1.01	2- 3
24	1.04	2- 5
28	1.09	2- 9

## Hot Bed Sash




1 3/4 Inches Thick.

Standard Opening	List Open	Width of Glass	Rows of Glass
3-0×4-0	\$4.70	10	3
3-0×6-0	4.82	10	3
3-0×6-0	5.12	7	4
3-0×6-0	5.21	6	5
3-2×6-0	4.72	8	4
3-4×6-0	5.30	8	4
3-6×6-0	5.47	7	5
3-6×7-0	5.93	7	5
4-0×6-0	5.83	8	5
4-0×7-0	6.17	10	4

All Hot Bed Sash are furnished with Hardwood Crossbar.

If Hardwood Crossbar omitted, deduct.....40c List

For Sash Extras, see pages 142 to 145 inclusive.



## Three Light Cellar Sash

1½ Inches Thick.

Glass Size	List Open	Western Opening
7 × 9	\$0.69	2- 1 × 1- 2
8 × 10	.73	2- 4 × 1- 3
12	.75	1- 5
14	.78	1- 7
16	.80	1- 9
9 × 12	.78	2- 7 × 1- 5
13	.80	1- 6
14	.81	1- 7
15	.82	1- 8
16	.83	1- 9
18	.85	1-11
20	.87	2- 1
10 × 12	.82	2-10 × 1- 5
14	.84	1- 7
16	.86	1- 9
18	.88	1-11
20	.91	2- 1
12 × 14	.95	3- 4 × 1- 7
16	.97	1- 9

## Three Light Cellar Sash

1½ Inches Thick.

Glass Size	List Open	Western Opening
7 × 9	\$0.77	2- 1 × 1- 2
8 × 10	.82	2- 4 × 1- 3
12	.85	1- 5
9 × 12	.89	2- 7 × 1- 5
14	.91	1- 7
16	.94	1- 9
18	.97	1-11
20	.99	2- 1
10 × 12	.92	2-10 × 1- 5
14	.95	1- 7
16	.98	1- 9
18	1.00	1-11
20	1.03	2- 1
12 × 12	1.05	3- 4 × 1- 5
14	1.08	1- 7
16	1.10	1- 9
18	1.13	1-11

For Sash Extras, see pages 142 to 145 inclusive.

## Four Light Sash



1 1/8 Inches Thick.

Bars 3/16" between glass

Glass Size	List Open	Western Opening
7 × 9	\$0.75	1- 6 × 1- 11
8 × 10	.80	1- 8 × 2- 1
12	.84	2- 5
9 × 12	.86	1- 10 × 2- 5
14	.90	2- 9
16	.99	3- 1
10 × 10	.84	2- 0 × 2- 1
12	.88	2- 5
14	.92	2- 9
16	1.01	3- 1
12 × 12	.93	2- 4 × 2- 5
14	.97	2- 9
16	1.06	3- 1

## Four Light Sash



1 1/8 Inches Thick.

Bars 3/16" between glass

Glass Size	List Open	Western Opening
8 × 10	\$0.89	1- 8 × 2- 1
12	.94	2- 5
9 × 12	.97	1- 10 × 2- 5
14	1.02	2- 9
16	1.11	3- 1
10 × 10	.95	2- 0 × 2- 1
12	1.00	2- 5
14	1.04	2- 9
16	1.14	3- 1
12 × 12	1.05	2- 4 × 2- 5
14	1.10	2- 9
16	1.21	3- 1

For Sash Extras, see pages 142 to 145 inclusive.



## Six Light Sash

1 1/8 Inches Thick  
Bars 3/16 in. Between Glass

Glass Size	List Open	Western Opening
7X 9	\$0.90	2- 1X1.11
8X10	.96	2- 4X2. 1
12	1.00	2- 5
14	1.05	2- 9
16	1.14	3- 1
9X12	1.04	2- 7X2. 5
14	1.08	2- 9
10X12	1.07	2-10X2. 5
14	1.12	2- 9
15	1.14	2-11
16	1.22	3- 1
12X14	1.25	3- 4X2. 9
16	1.29	3- 1



## Nine Light Sash

3 Lights Wide—3 Lights High  
Bars 3/16 in. Between Glass

Glass Size	1 1/8" Open List	1 3/8" Open List	Western Opening
7X 9	\$1.15	\$1.29	2- 1X2. 8
8X10	1.23	1.38	2- 4X2.11
12	1.35	1.53	3- 5
14	1.50	1.69	3-11
16	1.57	1.78	4- 5
9X12	1.40	1.58	2- 7X3. 5
13	1.51	1.69	3- 8
14	1.54	1.75	3-11
15	1.57	1.79	4- 2
16	1.62	1.84	4- 5
18	1.69	1.93	4-11
10X10	1.30	1.47	2-10X2.11
12	1.44	1.63	3- 5
14	1.58	1.79	3-11
15	1.62	1.84	4- 2
16	1.66	1.88	4- 5
18	1.74	1.97	4-11
12X12	1.52	1.72	3- 4X3. 5
14	1.67	1.90	3-11
16	1.75	1.99	4- 5
18	1.82	2.08	4-11

For Sash Extras, see pages 142 to 145 inclusive.

## Six Light Sash

1 3/8 Inches Thick  
Bars 3/16" between glass



Glass Size	List Open	Western Opening
7× 9	\$1.01	2- 1×1-11
8×10	1.08	2- 4×2- 1
12	1.13	2- 5
14	1.19	2- 9
16	1.30	3- 1
9×12	1.17	2- 7×2- 5
14	1.23	2- 9
10×12	1.22	2-10×2- 5
14	1.27	2- 9
16	1.39	3- 1
12×14	1.43	3- 4×2- 9
16	1.48	3- 1

## Twelve Light Sash

3 lts. Wide—4 lts. High  
Bars 3/16" between glass



Glass Size	1 1/8" Open List	1 3/8" Open List	Western Opening
7× 9	\$1.52	\$1.69	2- 1×3- 5
8×10	1.69	1.88	2- 4×3- 9
12	1.78	2.00	4- 5
14	1.89	2.12	5- 1
16	1.99	2.24	5- 9
9×12	1.84	2.06	2- 7×4- 5
13	1.88	2.12	4- 9
14	1.94	2.18	5- 1
15	1.98	2.24	5- 5
16	2.04	2.30	5- 9
18	2.13	2.42	6- 5
10×10	1.78	2.00	2-10×3- 9
12	1.88	2.12	4- 5
14	1.98	2.24	5- 1
15	2.04	2.30	5- 5
16	2.08	2.35	5- 9
18	2.18	2.48	6- 5
12×12	1.98	2.23	3- 4×4- 5
14	2.08	2.35	5- 1
16	2.18	2.46	5- 9
18	2.28	2.59	6- 5

For Sash Extras, see pages 142 to 145 inclusive.



# Cupboard Sash—One Light

For Putty Glazing  
1½ Inches Thick

Standard Opening	List Open
1- 4×3- 0	\$0.79
3- 6	.85
4- 0	.95
4- 6	1.02
5- 0	1.09
5- 6	1.14
6- 0	1.21
1- 6×3- 0	.82
3- 6	.88
4- 0	.98
4- 6	1.05
5- 0	1.11
5- 6	1.18
6- 0	1.23
1- 8×3- 0	.84
3- 6	.90
4- 0	1.01
4- 6	1.08
5- 0	1.13
5- 6	1.20
6- 0	1.25
1- 10×3- 0	.87
3- 6	.92
4- 0	1.04
4- 6	1.10
5- 0	1.17
5- 6	1.22
6- 0	1.29
2- 0×3- 0	.89
3- 6	.94
4- 0	1.07
4- 6	1.12
5- 0	1.19
5- 6	1.24
6- 0	1.31

For Cupboard Sash ¾" thick, use above list.  
For Cupboard Sash made with wide meeting  
stiles to permit of rabbeting, add to proper  
list .....10%  
For Sash Extras, see pages 142 to 145 inclusive.

# Cupboard Sash—One Light



Beads for Glass Included

1½ Inches Thick

Standard Opening	List Open
1- 4×3- 0	\$1.29
3- 6	1.35
4- 0	1.45
4- 6	1.62
5- 0	1.69
5- 6	1.74
6- 0	1.81
1- 6×3- 0	1.32
3- 6	1.38
4- 0	1.48
4- 6	1.65
5- 0	1.71
5- 6	1.78
6- 0	2.04
1- 8×3- 0	1.34
3- 6	1.40
4- 0	1.51
4- 6	1.68
5- 0	1.73
5- 6	1.80
6- 0	2.08
1-10×3- 0	1.37
3- 6	1.42
4- 0	1.64
4- 6	1.70
5- 0	1.77
5- 6	1.82
6- 0	2.14
2- 0×3- 0	1.39
3- 6	1.44
4- 0	1.67
4- 6	1.72
5- 0	1.79
5- 6	2.05
6- 0	2.18

For Cupboard Sash ¾" thick, use above list.

For Cupboard Sash made with wide meeting  
stiles to permit of rabbeting, add to proper

list .....10%

For Sash Extras, see pages 142 to 145 inclusive.





## Cupboard Sash—Two Light

For Putty Glazing  
1½ Inches Thick

Standard Opening	List Open
1- 4×3- 0	\$1.03
3- 6	1.09
4- 0	1.19
4- 6	1.26
5- 0	1.33
5- 6	1.38
6- 0	1.45
1- 6×3- 0	1.06
3- 6	1.12
4- 0	1.22
4- 6	1.29
5- 0	1.35
5- 6	1.42
6- 0	1.47
1- 8×3- 0	1.08
3- 6	1.14
4- 0	1.25
4- 6	1.32
5- 0	1.37
5- 6	1.44
6- 0	1.49
1-10×3- 0	1.11
3- 6	1.16
4- 0	1.28
4- 6	1.34
5- 0	1.41
5- 6	1.46
6- 0	1.53
2- 0×3- 0	1.13
3- 6	1.18
4- 0	1.31
4- 6	1.36
5- 0	1.43
5- 6	1.48
6- 0	1.55

For Cupboard Sash ¾" thick, use above list.

For Cupboard Sash made with wide meeting

stiles to permit of rabbeting, add to proper

list .....10%

For Sash Extras, see pages 142 to 145 inclusive.

# Cupboard Sash—Two Light

Beads for Glass Included

1 1/8 Inches Thick



Standard Opening	List Open
1- 4×3- 0	\$1.83
3- 6	1.89
4- 0	1.99
4- 6	2.06
5- 0	2.13
5- 6	2.38
6- 0	2.45
1- 6×3- 0	1.86
3- 6	1.92
4- 0	2.02
4- 6	2.09
5- 0	2.35
5- 6	2.42
6- 0	2.47
1- 8×3- 0	1.88
3- 6	1.94
4- 0	2.05
4- 6	2.32
5- 0	2.37
5- 6	2.44
6- 0	2.49
1- 10×3- 0	1.91
3- 6	1.96
4- 0	2.08
4- 6	2.34
5- 0	2.41
5- 6	2.46
6- 0	2.53
2- 0×3- 0	1.93
3- 6	1.98
4- 0	2.31
4- 6	2.36
5- 0	2.43
5- 6	2.48
6- 0	2.55

For Cupboard Sash 3/4" thick, use above list.


For Cupboard Sash made with wide meeting  
styles to permit of rabbeting, add to proper

list .....10%

For Sash Extras, see pages 142 to 145 inclusive.

# Casement Sash—in Pairs

1 $\frac{3}{8}$  Inches Thick  
(Each Sash 1 Light and Open for Putty Glazing)



Standard Opening Size of Pairs	List Open
2- 4×2- 6	\$1.76
3- 0	1.89
3- 6	2.02
4- 0	2.18
4- 2	2.22
4- 6	2.31
4-10	2.40
5- 2	2.49
5- 6	2.60
5-10	2.68
2- 8×2- 6	1.80
3- 0	1.96
3- 6	2.09
4- 0	2.22
4- 2	2.27
4- 6	2.35
4-10	2.44
5- 2	2.57
5- 6	2.66
5-10	2.75
3- 0×2- 6	1.87
3- 0	2.00
3- 6	2.13
4- 0	2.29
4- 2	2.33
4- 6	2.42
4-10	2.51
5- 2	2.62
5- 6	2.71
5-10	2.82

## Casement Sash—in Pairs

(Continued)

1 $\frac{3}{8}$  Inches Thick

(Each Sash 1 Light and Open for Putty Glazing)

Standard Opening Size of Pairs	List Open
3- 4×2- 6	\$1.91
3- 0	2.07
3- 6	2.20
4- 0	2.33
4- 2	2.38
4- 6	2.46
4-10	2.57
5- 2	2.68
5- 6	2.79
5-10	2.88
3- 8×2- 6	1.98
3- 0	2.11
3- 6	2.24
4- 0	2.40
4- 2	2.44
4- 6	2.55
4-10	2.64
5- 2	2.73
5- 6	2.84
5-10	2.93
4- 0×2- 6	2.02
3- 0	2.18
3- 6	2.31
4- 0	2.44
4- 2	2.49
4- 6	2.60
4-10	2.68
5- 2	2.82
5- 6	2.90
5-10	2.99

For Casement Sash made with wide meeting  
stiles to permit of rabbeting, per pair, add  
to proper list.....10%

For meeting stiles rabbeted plain or rabbeted  
and beaded, per pair, add..... 30c List

For Sash Extras, see pages 142 to 145 inclusive.



## Casement or Porch Sash

1 3/8 Inches Thick  
Bars 3/16 in. Between Glass

### SIX LIGHT SASH

2 lts. wide

Glass Size	1 3/8" Open List	Western Opening
8x10	\$1.42	1- 8 1/4 x 2- 1 1 1/2
9x12	1.51	1- 10 1/4 x 3- 5 1/2
10x12	1.53	2- 0 1/4 x 3- 5 1/2
14	1.64	3- 1 1 1/2
16	1.70	4- 5 1/2
12x14	1.68	2- 4 1/4 x 3- 1 1 1/2



### EIGHT LIGHT SASH

2 lts. wide

Glass Size	1 3/8" Open List	Western Opening
8x10	\$1.77	1- 8 1/4 x 3- 9 3/4
9x12	1.88	1- 10 1/4 x 4- 5 3/4
10x12	1.90	2- 0 1/4 x 4- 5 3/4
14	1.98	5- 1 3/4
16	2.07	5- 9 3/4
12x14	2.03	2- 4 1/4 x 5- 1 3/4

For bars 3/8" between glass, see Rule 2 (e) of Sash Extras.



### FIVE LIGHT SASH

(Top Divided 3 Vertical Lights)

1 3/8 Inches Thick

Crossbar 3/4 in. Between Glass

Vertical Bars 3/8 in. Between Glass


Height Bottom Lights	1 3/8" Open List	Western Opening
20"	\$1.70	1- 8 1/4 x 2- 1 1 1/2
32"	2.04	2- 0 1/4 x 4- 5 3/4
36"	2.14	5- 1 3/4
32"	2.07	2- 2 1/4 x 4- 5 3/4
36"	2.16	5- 1 3/4
32"	2.10	2- 4 1/4 x 4- 5 3/4
36"	2.19	5- 1 3/4
32"	2.13	2- 6 1/4 x 4- 5 3/4
36"	2.22	5- 1 3/4

For Sash Extras, see pages 142 to 145 inclusive.

## 1 $\frac{3}{8}$ -In. Two Light Check Rail Windows


### Divided Light Top

The following list extras apply to exact number of lights shown in cuts. For more or less lights see Rule 4 of Sash Extras, page 143.




**"A"**

List extra ..54c List




**"B"**

List extra ..72c List



**"C"**

List extra ..72c List



**"D"**


List extra ..96c List

Bars not over  $\frac{3}{8}$ " between glass.  
For 1 $\frac{3}{4}$ " and Sash Extras, see pages 142 to 145 inclusive.

## 1 $\frac{3}{8}$ -In. Two Light Check Rail Windows


### Divided Light Top

The following list extras apply to exact number of lights shown in cuts. For more or less lights see Rule 4 of Sash Extras, page 143.




**"E"**

List extra ..48c List




**"F"**

List extra ..72c List



**"G"**

List extra ..96c List



**"H"**

List extra.\$1.08 List


Bars not over  $\frac{3}{8}$ " between glass.  
For 1 $\frac{3}{4}$ " and Sash Extras, see pages 142 to 145 inclusive.



# 1 $\frac{3}{8}$ -In. Two Light Check Rail Windows


## Divided Light Top

The following list extras apply to exact number of lights shown in cuts. For more or less lights see Rule 4 of Sash Extras, page 143.




**"I"**

List extra \$.144 List




**"J"**

List extra \$3.00 List



**"K"**

List extra \$4.32 List



**"L"**

List extra \$3.60 List

Bars not over  $\frac{3}{8}$ " between glass

For 1 $\frac{3}{4}$ " and Sash Extras, see pages 142 to 145 inclusive.

# 1 3/8-In. Two Light Check Rail Windows


## Divided Light Top

The following list extras apply to exact number of lights shown in cuts. For more or less lights see Rule 4 of Sash Extras, page 143.




"M"

List extra.\$5.24 List




"N"

List extra.\$8.88 List



"O"

List extra.\$1.80 List




"P"

List Extra.\$7.92 List


Bars not over 3/8" between glass  
For 1 3/4" and Sash Extras, see pages 142 to 145 inclusive.

## Bungalow Sash


The list extras shown on page 136 applying to following designs, are for exact number of lights shown in cuts. For more or less lights see Rule 4 of Sash Extras, page 143.




60




61




61½




62½




63½




64




65½



66



67



68

For Sash Extras, see pages 142 to 145 inclusive.

## Lists on Bungalow and Divided Light Top Windows and Sash

To arrive at lists for Windows or Sash, divided as shown on pages 131 to 135 inclusive, add to list of a similar Two Light Check Rail Window or One Light Sash, as follows:

Design	1 $\frac{3}{8}$ " Open	1 $\frac{1}{4}$ " Open
"A" .....	\$0.54	\$0.66
"B" .....	.72	.88
"C" .....	.72	.90
"D" .....	.96	1.20
"E" .....	.48	.60
"F" .....	.72	.90
"G" .....	.96	1.20
"H" .....	1.08	1.35
"I" .....	1.44	1.80
"J" .....	3.00	3.25
"K" .....	4.32	4.80
"L" .....	3.60	4.00
"M" .....	5.24	5.80
"N" .....	8.88	9.80
"O" .....	1.80	2.25
"P" .....	7.92	8.80
No. 60 .....	1.80	2.25
No. 61 .....	3.48	4.05
No. 61 $\frac{1}{2}$ .....	1.44	1.80
No. 62 $\frac{1}{2}$ .....	1.44	1.80
No. 63 $\frac{1}{2}$ .....	1.08	1.32
No. 64 .....	1.32	1.65
No. 65 $\frac{1}{2}$ .....	1.08	1.35
No. 66 .....	9.00	10.00
No. 67 .....	10.12	11.20
No. 68 .....	17.04	18.80

Lists covering designs "A" and "F" will be found on pages 101 and 102.

For sizes requiring greater number of lights than shown in above designs, also for other cut up sash, see Rule 4 of Sash Extras, page 143.

For Sash Extras, see pages 142 to 145 inclusive.

## Transoms Segment, Circle and Gothic Top




69



70



71




72



Specify whether right or  
left quarter is wanted


72½



73



74



75

In ordering the above designs, specify width and height.

For Lists, see page 140.


For Sash Extras, see pages 141 to 145 inclusive.

## Circle and Segment Top Windows




**Fig. 1**

Circle inside and outside. Radius, one-half width of sash.




**Fig. 2**

Circle outside, square inside. Radius, one-half width of sash. (less width of 1 stile.)



**Fig. 3**

Segment inside and outside. Radius, width of sash.




**Fig. 4**

Segment outside, square inside. Radius, width of sash. (less width of 1 stile.)

For Segment, Circle or Gothic windows, always give radius, if not as above. If not given, it will be understood that the regular radius as indicated above will apply. For Lists, see page 140, and for Sash Extras, see pages 141 to 145 inclusive.


## Gothic and Peak Head Windows



76



77



78



79

For Lists, see page 140.

For Sash Extras, see pages 141 to 145 inclusive.



## Segment, Circle or Gothic Head Windows, Sash and Transoms

As shown on pages 137, 138 and 139.

To arrive at list for the following designs, add to the list of a Square Head Window, Sash or Transom of same size, as follows:

Designs	Not over 1 3/4" Thick	
	Up to 3' 0" Wide	Up to 5' 0" Wide
Nos. 69 and 70, add.....	\$ 1.90	\$ 3.75
Nos. 71 and 74, add.....	5.75	9.00
No. 72, add.....	7.95	11.20
No. 72 1/2, add.....	5.60	7.85
No. 73, add.....	11.10	15.60
No. 75, add.....	9.25	13.50
<b>Circle Head, In and Out</b>		
Fig. 1, add.....	5.75	9.00
<b>Circle Head Outside, Square Inside</b>		
Fig. 2, add.....	6.50	13.50
<b>Segment Heads</b>		
Fig. 3, add.....	1.90	3.75
Fig. 4, add.....	1.90	3.75
<b>Gothic Head, In and Out</b>		
No. 76, add.....	5.75	9.00
No. 77, add.....	9.25	13.50
<b>Peak Head, In and Out</b>		
No. 78, add.....	2.75	5.25
No. 79, add.....	5.00	7.50

For Sash Extras, see pages 141 to 145 inclusive.

## **Segment, Circle or Gothic Head Windows, Sash and Transoms**

### **Extras---Continued**

**Note "A"**—For Segment, Gothic, Circle or Peak Head Sash over 5 feet in width add for each additional 6 inches or fraction thereof to list of 5-foot width, 15%.

#### **Full Circle Sash**

**Note "A"**—For list on Sash full circle in and out, add double the list provided by rule for circle head in and out, Fig. 1.

**Note "B"**—For list on Sash full circle outside, square inside, add double the list provided by rule for circle head outside, square inside, Fig. 2.

#### **Kite Shaped, Elliptical or Eyebrow Sash**

For list, add to the Open list of a full circle sash of similar size 30%.

### **QUARTER CIRCLE WINDOWS, SASH OR TRANSOMS**

Not Over 1¾" Thick  
Open:

- (a) For quarter circle inside and outside, not over 2'0" wide base, add.....\$ 3.75 List
- (b) For quarter circle inside and outside, over 2'0" and not over 4'0" wide base, add. 7.50 List
- (c) For quarter circle outside and square inside, not over 2'0" wide base, add..... 5.25 List
- (d) For quarter circle outside and square inside, over 2'0" and not over 4'0" wide base add ..... 10.00 List

#### **Diamond Shape Sash**

For diamond shape, add double the list given for Peak Head Sash.

For Sash Extras, see pages 142 to 145 inclusive.

## Sash Extras

These List Extras apply to the open lists only and cover the listing of items not otherwise provided for.

For smaller than listed and intermediate sizes, use same list as next larger listed size.

### LARGER THAN LISTED SIZES

**Rule 1—**(a) Open windows "wider" than listed sizes, add to the open list for similar window of widest listed size of same height, for each additional two inches or part thereof ..... 15c list

(b) Open windows "longer" than listed sizes, add to the open list for similar window of longest listed size of same width, for each additional four inches or part thereof..... 15c list

### WIDE STILES, RAILS OR BARS

**Rule 2—**Open windows or sash with stiles, rails or bars, wider than regular standard layout, add of the sash or window list, as follows:

(a) Stiles and top rails wider than 2 inches to glass rabbet, add for each additional  $\frac{1}{4}$  inch or part thereof to the entire sash or window list ..... 20%

(b) Bottom rails wider than 3 inches to glass rabbet, add for each additional  $\frac{1}{2}$  inch or part thereof to the entire sash or window list ..... 10%

(c) Check rails higher than  $1\frac{3}{8}$  inches and not over  $1\frac{1}{2}$  inches, either for  $1\frac{3}{8}$  or  $1\frac{1}{2}$  inch thick windows, add to the entire window list ..... 15%

(d) For 2 inches or  $2\frac{1}{4}$  inches high check rails, for  $1\frac{1}{4}$  inches thick windows, add to the entire window list..... 50%

(e) Bars or muntins wider than  $\frac{3}{16}$  inch between glass, for each  $\frac{1}{4}$  inch or part thereof, add of the entire sash or window list for each light .....  $3\frac{1}{2}\%$

# Standard National Sash Lists

## O. G. LUGS

- Rule 3—**(a) For 1½ windows with O. G. lugs shaped on stiles, add for each pair of lugs 40c list  
 (b) Removing sash sticking on that portion of stile which projects beyond check rail on extended lug stiles, add for each sash..... 20c list

## DIVIDED SASH

- Rule 4—**Add to list of similar 2-light window or 1-light sash, for each divided light, as follows:

(These extras cover bars not over  
 ¾ in. between glass)

	1½ inch, List	1¾ inch, List
(a) Rectangular lights, if formed with vertical bars only, similar to top sash in Designs A and B, page 131.....	\$0.18	\$0.22
(b) Other rectangular lights, if formed with vertical and horizontal bars, similar to top sash in Designs E, F and G, page 132 .....	.12	.15
(c) Lights not rectangular, but formed by straight bars on all sides, diamond lights, except suspended lights, see Note "E" .....	.36	.40
(d) For long irregular shaped lights, similar to those shown in top sash of Design No. 17, page 114.....	.50	.55
(e) Suspended diamond lights, similar to long lights in top sash of Design No. 18, page 114 .....	.60	.65
(f) For bars wider than standard sizes, see Rule 2, Note "e."		
(g) Lights formed by curved bars—		
(1) ¼ Circle or Smaller.....	1.00	1.25
(2) ½ Circle .....	2.00	2.50
(3) Full Circle .....	4.00	5.00
(i) For suspended circle lights in 1½ inch open sash, add \$5.00 list for the 1 circle light and for all other divided lights, see above extras.		
(j) For suspended circle lights in 1¾ inch open sash, add \$6.00 list for the 1 circle light and for all other divided lights, see above extras.		

## SINGLE SASH

- Rule 5—**(a) To make open sash list on any 1½ or 1¾ inch 1-light single sash with standard layout and not otherwise provided for, figure the united inches width and length added of the entire glass measurement, at per united inch.....2½c list

## ***Standard National Sash Lists***

---

(b) On above basis no sash figured at less than ..... 1.00 list

(c) Sash made with wood parts larger than standard layout, see Rule 2.

(d) For divided lights in above sash, add for each light as per Rule 4.

### **STORM SASH**

**Rule 6—**(a)  $1\frac{1}{8}$ -inch storm sash with regular  $2\frac{1}{4}$ -inch wide stiles over all, use the list of a  $1\frac{1}{8}$ -inch check rail window with an equal number of lights of the same size.

(b)  $1\frac{1}{8}$ -inch storm sash, add of the  $1\frac{1}{8}$ -inch open storm sash list..... 20%

### **STOPS AND BEADS**

**Rule 7—**For regular stock stops or beads around square glass in sash or windows not over  $1\frac{3}{4}$  inches thick, add for beads around each light as follows:

Where deep rabbet or beads necessitate the use of wider stiles and rails, add for such wider stiles and rails per Rule 2.

(a) 20 united inches or less..... 30c list

(b) 21 to 40 united inches..... 40c list

(c) 41 to 60 united inches..... 50c list

(d) 61 to 80 united inches..... 60c list

(e) For over 80 united inches, figure at 1c list per united inch.

(f) Rabbeting sash to receive bead, but NO beads furnished, add extra per sash over regular list ..... 5c list

(g) The minimum charge under above rule for stops or rabbeting (on any one order) will be ..... 25c net

### **RABBETING**

**Rule 8—**(a) For rabbeting bottom rail, including shaping ends of stiles to match bottom rail, add..... 35c list

(b) For rabbeting outside edge of stiles or rails, other than bottom rail, for each edge rabbeted, add ..... 15c list

## Standard National Sash Lists

- (c) For rabbeting standard size check rails, add per window ..... 25c list
- (d) For meeting stiles of casement, cupboard or other sash, in pairs, either rabbeted plain or rabbeted and beaded, add extra per pair 30c list
- (e) For sash made with wide meeting stiles to permit of rabbeting, per pair, add..... 10%
- (f) Rabbeting sash for plate or other thick glass, add extra for each sash so rabbeted.. 5c list
- Note: (1) The minimum charge under Rule 8 for any one order will be..... 25c net
- (2) For rabbeting requiring special knives or more than one machine operation, an extra charge will be made.

### WATER DRIPS

- Rule 9**—(a) For bottom rail and stiles grooved to receive stock pattern water drip, add.... 35c list
- (b) For furnishing stock pattern water drip, loose, not over  $\frac{3}{4}$ "x1 $\frac{3}{4}$ ", for each lineal foot or fraction thereof, add..... 15c list
- Note:—Minimum charge for loose water drip 45c list
- (c) For water drip nailed on, add..... 50c list

### COTTAGE STYLE WINDOWS

- Rule 10**—Cottage style windows (with top and bottom light different heights) not listed, add together one-half of the list of windows of the same width containing the same or next larger glass size for both bottom and top sash, and add..... 30c list

### HALF WINDOWS

- Rule 11**—Half windows (either top or bottom sash), add to half the list of a similar full window ..... 30c list

### 1 $\frac{1}{8}$ -INCH THICK

- Rule 12**—(a) For 1 $\frac{1}{8}$ -inch 2 Lt. and 4 Lt. plain rail windows, in sizes not listed, use 1 $\frac{1}{8}$ -inch list and, deduct..... 10%
- (b) For 1 $\frac{1}{8}$ -inch check rail windows, in sizes not listed, use 1 $\frac{1}{8}$ -inch check rail window list.

### 1 $\frac{3}{8}$ -INCH PLAIN RAIL WINDOWS

- Rule 13**—For 1 $\frac{3}{8}$ -inch plain rail windows, use 1 $\frac{3}{8}$ -inch check rail list.

### 1 $\frac{3}{4}$ -INCHES THICK

- Rule 14**—For 1 $\frac{3}{4}$ -inch windows or sash, add of the 1 $\frac{3}{8}$ -inch open list, unless otherwise provided ..... 50%

### 2 $\frac{1}{4}$ -INCHES THICK

- Rule 15**—For 2 or 2 $\frac{1}{4}$ -inch windows or sash, add of the 1 $\frac{3}{4}$ -inch open list..... 150%



## K. D. Sash Parts

(Machined and Moulded)

**LISTS PER PIECE**

**2 Lt. Check Rail Windows 1 $\frac{3}{8}$ " Thick**

Glass	Stile	Top Rail	Check Rail	Bottom Rail
12"	\$0.15	\$0.15	\$0.12	\$0.21
14"	.15	.15	.12	.21
16"	.16	.16	.13	.22
18"	.17	.17	.14	.24
20"	.18	.18	.14	.25
22"	.19	.19	.15	.26
24"	.20	.20	.16	.28
26"	.21	.21	.17	.29
28"	.22	.22	.18	.31
30"	.23	.23	.19	.33
32"	.26	.26	.20	.35
34"	.27	.27	.21	.37
36"	.28	.28	.22	.39
38"	.29	.29	.23	.41
40"	.31	.31	.25	.44
44"	.36	.36	.29	.50
48"	.41	.41	.33	.57
50"	.45	.45	.36	.63
54"	.52	.52	.42	.73
56"	.56	.56	.45	.78
58"	.60	.60	.48	.84
60"	.62	.62	.51	.89

**8 Lt. Check Rail Windows 1 $\frac{3}{8}$ " Thick**

Glass	Stile	Bar 2 Lt Hl	Top Rail	Ck. Rail	Bot. Rail	Munt 1 Lt Wl
8"	.....	.....	\$0.17	\$0.14	\$0.24	\$0.03 $\frac{1}{2}$
9"	\$0.17	\$0.12	.18	.14	.25	.03 $\frac{1}{2}$
10"	.18	.12	.19	.15	.26	.04
12"	.20	.14	.21	.17	.29	.04
13"	.21	.14	.22	.18	.31	.04 $\frac{1}{2}$
14"	.22	.15	.23	.19	.33	.04 $\frac{1}{2}$
15"	.23	.15	.26	.20	.35	.05
16"	.26	.17	.27	.21	.37	.05
18"	.28	.18	.29	.23	.41	.05 $\frac{1}{2}$
20"	.31	.20	.34	.27	.47	.06
22"	.36	.22	.....	.....	.....	.....
24"	.41	.23	.....	.....	.....	.....



# K. D. Sash Parts—Continued

(Machined and Moulded)

4 Lt. Check Rail Windows 1 $\frac{3}{8}$ " Thick

Glass	Stile	Bar	Top Rail	Check Rail	Bottom Rail
10"	.....	.....	\$0.19	\$0.15	\$0.26
12"	.....	.....	.21	.17	.29
14"	.....	.....	.23	.19	.33
15"	.....	.....	.26	.20	.35
16"	\$0.16	\$0.11	.27	.21	.37
18"	.17	.12	.29	.23	.41
20"	.18	.12	.34	.27	.47
22"	.19	.13	.....	.....	.....
24"	.20	.14	.....	.....	.....
26"	.21	.14	.....	.....	.....
28"	.22	.15	.....	.....	.....
30"	.23	.15	.....	.....	.....
32"	.26	.17	.....	.....	.....
34"	.27	.18	.....	.....	.....
36"	.28	.18	.....	.....	.....
38"	.29	.19	.....	.....	.....
40"	.31	.20	.....	.....	.....
44"	.36	.22	.....	.....	.....
48"	.41	.23	.....	.....	.....

12 Lt. Check Rail Windows 1 $\frac{3}{8}$ " Thick

Glass	Stile	Bar 2 Lt Hl	Top Rail	Ck. Rail	Bot. Rail	Munt 1 Lt Wi
7"	.....	.....	\$0.19	\$0.15	\$0.26	\$0.03
8"	.....	.....	.21	.17	.29	.03 $\frac{1}{2}$
9"	\$0.17	\$0.07 $\frac{1}{2}$	.22	.18	.31	.03 $\frac{1}{2}$
10"	.18	.08	.26	.20	.35	.04
12"	.20	.08 $\frac{1}{2}$	.29	.23	.41	.04
13"	.21	.09	.31	.25	.44	.04 $\frac{1}{2}$
14"	.22	.09 $\frac{1}{2}$	.36	.29	.50	.04 $\frac{1}{2}$
15"	.23	.10	.....	.....	.....	.....
16"	.26	.10 $\frac{1}{2}$	.....	.....	.....	.....
18"	.28	.11 $\frac{1}{2}$	.....	.....	.....	.....
20"	.31	.13	.....	.....	.....	.....
22"	.36	.13 $\frac{1}{2}$	.....	.....	.....	.....
24"	.41	.14 $\frac{1}{2}$	.....	.....	.....	.....

2 and 4 Light Windows 1 $\frac{3}{8}$ " thick 10 per cent less.

8 and 12 Light Windows 1 $\frac{3}{8}$ " thick 15 per cent less.

# Lists of Lineal Moulded Sash Stock

Per 100 lineal feet.

				1 1/8 Thick 1/8 Gl. Rabt. List	1 3/8 Thick 3/8 Gl. Rabt. List	1 1/2 Thick 1/2 Gl. Rabt. List
Muntin	1/8	Bet. Gl.	.....	\$1.50	\$2.00	\$2.25
Muntin	1/4	Bet. Gl.	.....	1.50	2.00	2.25
Muntin	3/8	Bet. Gl.	.....	1.50	2.00	3.00
Muntin	1/2	Bet. Gl.	.....	1.50	2.00	3.40
Muntin	5/8	Bet. Gl.	.....	1.90	2.25	3.40
Muntin	3/4	Bet. Gl.	.....	2.15	2.50	3.75
Mull or Bar	3/4	Bet. Gl.		2.35	2.75	4.25
Mull or Bar	1 1/8	Bet. Gl.		2.75	3.00	4.25
Mull or Bar	1 1/4	Bet. Gl.		2.75	3.00	4.25
Mull or Bar	1 1/2	Bet. Gl.		2.90	3.75	4.80
Mull or Bar	1 3/4	Bet. Gl.		2.90	3.75	5.10
Stiles or Rails	1 1/2	to Gl.		3.30	4.00	5.50
Stiles or Rails	1 5/8	to Gl.		3.30	4.00	5.90
Stiles or Rails	1 3/4	to Gl.		3.75	4.50	6.20
Stiles or Rails	2	to Gl.		4.15	5.00	6.90
Stiles or Rails	2 1/8	to Gl.		4.30	5.25	7.30
Stiles or Rails	2 1/4	to Gl.		4.55	5.50	7.55
Stiles or Rails	2 1/2	to Gl.		4.95	6.00	8.25
Stiles or Rails	2 3/4	to Gl.		5.35	6.50	8.95
Stiles or Rails	3	to Gl.		5.80	7.00	9.65
Stiles or Rails	3 1/4	to Gl.		6.20	7.50	10.30
Stiles or Rails	3 1/2	to Gl.		6.60	8.00	11.00
Stiles or Rails	3 3/4	to Gl.		7.45	9.00	12.40
Stiles or Rails	4	to Gl.		7.85	9.60	13.05
Stiles or Rails	4 1/4	to Gl.		8.25	10.00	13.75
Stiles or Rails	4 1/2	to Gl.		8.70	10.50	14.45
Stiles or Rails	4 3/4	to Gl.		9.10	11.00	15.15
Stiles or Rails	5	to Gl.		9.90	12.00	16.50
Ck. Rls.	1 1/4	to 1 3/8 thick for 1 1/8 Wds.				
for 3/8 or 1/2 in. Part Strip						\$3.60
Ck. Rls.	1 1/4	to 1 3/8 thick for 1 1/4 Wds.				
for 3/8 or 1/2 in. Part Strip						4.00
Ck. Rls.	1 1/4	to 1 3/8 thick for 1 3/8 Wds.				
for 3/8 or 1/2 in. Part Strip						4.00
Ck. Rls.	1 1/4	to 1 3/8 thick for 1 1/2 Wds.				
for 3/8 or 1/2 in. Part Strip						4.75
Ck. Rls.	1 3/8	to 1 3/8 thick for 1 3/8 Wds.				
for 3/8 or 1/2 in. Part Strip						5.50
Ck. Rls.	1 3/8	to 1 3/4 thick for 1 3/4 Wds.				
for 3/8 or 1/2 in. Part Strip						6.55

## Outside Blinds for 2-Lt. Windows—in Pairs

Glass Size	List 1½ in. R. S. or S. S.	List 1½ in. ½ S. S. ½ R. S.	List 1½ in. R. S. or S. S.	List 1½ in. ½ S. S. ½ R. S.	Western Opening
20×20	\$2.80	\$2.96	\$3.11	\$3.27	2-0×3-11
24	3.24	3.42	3.61	3.79	4- 7
26	3.46	3.66	3.86	4.06	4-11
28	3.69	3.90	4.11	4.32	5- 3
30	3.91	4.13	4.36	4.58	5- 7
32	4.13	4.37	4.61	4.85	5-11
34	4.36	4.61	4.86	5.11	6- 3
36	4.58	4.84	5.11	5.37	6- 7
38	5.04	5.33	5.60	5.89	6-11
40	5.27	5.58	5.85	6.16	7- 3
22×24	3.30	3.48	3.67	3.85	2-2×4- 7
26	3.53	3.73	3.93	4.13	4-11
28	3.76	3.97	4.18	4.39	5- 3
30	3.98	4.20	4.43	4.65	5- 7
32	4.21	4.45	4.69	4.93	5-11
34	4.44	4.69	4.94	5.19	6- 3
36	4.66	4.92	5.18	5.45	6- 7
38	5.13	5.43	5.69	5.99	6-11
40	5.37	5.67	5.95	6.25	7- 3
24×24	3.36	3.54	3.73	3.91	2-4×4- 7
26	3.60	3.80	4.00	4.20	4-11
28	3.83	4.04	4.25	4.46	5- 3
30	4.06	4.28	4.51	4.73	5- 7
32	4.29	4.53	4.77	5.01	5-11
34	4.52	4.77	5.02	5.27	6- 3
36	4.75	5.01	5.28	5.54	6- 7
38	5.23	5.52	5.89	6.08	6-11
40	5.46	5.76	6.04	6.34	7- 3
26×24	3.43	3.61	3.80	3.98	2-6×4- 7
26	3.66	3.86	4.06	4.26	4-11
28	3.90	4.11	4.32	4.53	5- 3
30	4.13	4.35	4.58	4.80	5- 7
32	4.36	4.60	4.84	5.08	5-11
34	4.60	4.85	5.10	5.35	6- 3
36	4.84	5.10	5.37	5.63	6- 7
38	5.32	5.62	5.88	6.18	6-11
40	5.57	5.87	6.15	6.35	7- 3

For odd or intermediate sizes, see Note A, page 153.  
 For larger than listed sizes, see Rule 1, page 153.  
 For Blind Extras, see pages 153 and 154.

## Outside Blinds for 2-Lt. Windows—in Pairs

(Continued)

Glass Size	List 1½ in. R. S. or S. S.	List 1½ in. ½ S. S. ½ R. S.	List 1½ in. R. S. or S. S.	List 1½ in. ½ R. S.	Western Opening
28×24	\$3.49	\$3.67	\$3.86	\$4.04	2- 8×4- 7
26	3.72	3.92	4.12	4.32	4-11
28	3.97	4.18	4.39	4.60	5- 3
30	4.20	4.42	4.65	4.87	5- 7
32	4.44	4.68	4.92	5.16	5-11
34	4.68	4.93	5.18	5.43	6- 3
36	4.92	5.18	5.45	5.71	6- 7
38	5.42	5.71	5.98	6.27	6-11
40	5.86	5.96	6.44	6.54	7- 3
30×24	3.55	3.73	3.92	4.10	2-10×4- 7
26	3.79	3.99	4.19	4.39	4-11
28	4.04	4.25	4.46	4.67	5- 3
30	4.28	4.50	4.73	4.95	5- 7
32	4.52	4.76	5.00	5.24	5-11
34	4.76	5.01	5.26	5.51	6- 3
36	5.00	5.26	5.53	5.79	6- 7
38	5.50	5.80	6.06	6.36	6-11
40	5.70	6.07	6.34	6.65	7- 3

## Single Outside Blinds for 2-Lt. Windows

Glass Size	List 1½ in. R. S. or S. S.	List 1½ in. ½ S. S. ½ R. S.	List 1½ in. R. S. or S. S.	List 1½ in. ½ R. S.	Western Opening
12×24	\$1.75	\$1.84	\$1.94	\$2.03	1- 4×4- 7
26	1.87	1.97	2.07	2.17	4-11
28	1.99	2.10	2.20	2.31	5- 3
30	2.11	2.22	2.34	2.45	5- 7
32	2.22	2.34	2.46	2.59	5-11
34	2.35	2.47	2.60	2.72	6- 3
36	2.46	2.59	2.73	2.86	6- 7
14×24	1.81	1.90	2.00	2.09	1- 6×4- 7
26	1.94	2.04	2.14	2.24	4-11
28	2.06	2.16	2.27	2.37	5- 3
30	2.18	2.29	2.41	2.52	5- 7
32	2.30	2.42	2.54	2.66	5-11
34	2.43	2.55	2.68	2.80	6- 3
36	2.55	2.68	2.82	2.95	6- 7

Single blinds for four light pantry windows not over 1 foot 6½ inches in width, same lists as two light pantry window blinds of the same height.

For Blind Extras, see pages 153 and 154.

## Outside Blinds for 4-Lt. Windows—in Pairs

Glass Size	List 1 1/8 in. R. S. or S. S.	List 1 1/8 in. 1/2 S. S. 1/2 R. S.	List 1 3/8 in. R. S. or S. S.	List 1 3/8 in. 1/2 R. S.	Western Opening
10×20	\$2.82	\$2.98	\$3.13	\$3.29	2- 1×3-11
24	3.27	3.45	3.64	3.82	4- 7
26	3.49	3.69	3.89	4.09	4-11
28	3.72	3.93	4.14	4.35	5- 3
30	3.94	4.16	4.39	4.61	5- 7
32	4.17	4.41	4.65	4.89	5-11
34	4.40	4.65	4.90	5.15	6- 3
36	4.62	4.88	5.15	5.41	6- 7
38	5.12	5.38	5.68	5.94	6-11
40	5.31	5.62	5.89	6.20	7- 3
12×20	2.94	3.10	3.25	3.41	2- 5×3-11
22	3.17	3.34	3.51	3.68	4- 3
24	3.40	3.58	3.77	3.95	4- 7
26	3.63	3.83	4.03	4.23	4-11
28	3.86	4.07	4.28	4.49	5- 3
30	4.09	4.31	4.54	4.76	5- 7
32	4.32	4.56	4.80	5.04	5-11
34	4.56	4.81	5.06	5.31	6- 3
36	4.79	5.05	5.32	5.58	6- 7
38	5.27	5.57	5.83	6.13	6-11
40	5.51	5.82	6.09	6.40	7- 3
14×24	3.52	3.70	3.89	4.07	2- 9×4- 7
26	3.76	3.96	4.16	4.36	4-11
28	4.00	4.21	4.42	4.63	5- 3
30	4.24	4.46	4.69	4.91	5- 7
32	4.48	4.72	4.96	5.20	5-11
34	4.72	4.97	5.22	5.47	6- 3
36	4.96	5.22	5.49	5.75	6- 7
38	5.46	5.75	6.02	6.31	6-11
40	5.71	6.02	6.29	6.60	7- 3
15×24	3.58	3.76	3.95	4.13	2-11×4- 7
26	3.82	4.02	4.22	4.42	4-11
28	4.07	4.28	4.49	4.70	5- 3
30	4.32	4.54	4.77	4.99	5- 7
32	4.56	4.80	5.04	5.28	5-11
34	4.80	5.05	5.30	5.55	6- 3
36	5.05	5.31	5.58	5.84	6- 7
38	5.55	5.85	6.11	6.41	6-11
40	5.81	6.11	6.39	6.69	7- 3

For odd or intermediate sizes, see Note A, page 153.

For larger than listed sizes, see Rule 1, page 153.

For Blind Extras, see pages 153 and 154.



## Outside Blinds for Eight Light Windows—in Pairs

Glass Size	List 1½ in. R. S. or S. S.	List 1½ in. ½ S. S. ½ R. S.	List 1½ in. R. S. or S. S.	List 1½ in. ½ R. S.	Western Opening
9 × 12	\$3.21	\$3.39	\$3.58	\$3.76	1-11 × 4- 7
14	3.65	3.86	4.07	4.28	5- 3
16	4.09	4.33	4.57	4.81	5-11
10 × 12	3.27	3.45	3.64	3.82	2- 1 × 4- 7
14	3.72	3.93	4.16	4.35	5- 3
16	4.17	4.41	4.65	4.89	5-11
18	4.62	4.88	5.15	5.41	6- 7
20	5.31	5.62	5.89	6.20	7- 3
12 × 14	3.86	4.07	4.28	4.49	2- 5 × 5- 8
16	4.32	4.56	4.80	5.04	5-11
18	4.79	5.05	5.32	5.58	6- 7
20	5.51	5.82	6.09	6.40	7- 3

## Outside Blinds for Twelve Light Windows—in Pairs

Glass Size	List 1½ in. R. S. or S. S.	List 1½ in. ½ S. S. ½ R. S.	List 1½ in. R. S. or S. S.	List 1½ in. ½ R. S.	Western Opening
8 × 10	\$2.92	\$3.08	\$3.23	\$3.39	2-4 ½ × 3-11
12	3.38	3.56	3.75	3.93	4- 7
14	3.84	4.05	4.26	4.47	5- 3
9 × 12	3.48	3.66	3.85	4.03	2-7 ½ × 4- 7
13	3.71	3.91	4.11	4.31	4-11
14	3.95	4.16	4.37	4.58	5- 3
15	4.18	4.40	4.63	4.85	5- 7
16	4.42	4.66	4.90	5.14	5-11
10 × 12	3.57	3.75	3.94	4.12	2-10 ½ × 4-7
14	4.06	4.27	4.48	4.69	5- 3
15	4.30	4.52	4.75	4.97	5- 7
16	4.54	4.78	5.02	5.26	5-11
18	5.03	5.29	5.56	5.82	6- 7
20	5.79	6.09	6.37	6.67	7- 3

For odd or intermediate sizes, see Note A, page 153.

For larger than listed sizes, see Rule 1, page 153.

For Blind Extras, see pages 153 and 154.

## Blind Extras

**Note "A"**—For sizes not listed or intermediate sizes, use the same list as next larger listed size.

### LARGER SIZES

**Rule 1**—For list on outside blinds larger than listed sizes, use list on largest size of a similar blind and add as follows:

(a) For each additional 4 inches in length or part thereof, for 1½-inch blinds..... 50c list

(b) For each additional 4 inches in length or part thereof, for 1¾-inch blinds..... 60c list

(c) For each additional 2 inches in width or part thereof, for 1½-inch blinds..... 25c list

(d) For each additional 2 inches in width or part thereof, for 1¾-inch blinds..... 30c list

### WIDE STILES OR RAILS

**Rule 2**—(a) For outside blinds with stiles or top rails wider than regular, add to the list for similar blind for each ½ inch or part thereof ..... 10 %

(b) For bottom rails wider than regular, add for each additional inch or part thereof 5 %

### SEGMENT HEAD

**Rule 3**—For list on segment head blinds, add to proper list.....\$3.00 list  
For wide top rail for imitation segment head, add to proper list.....\$1.00 list

### PEAK HEAD

**Rule 4**—For list on peak head blinds, add to proper list.....\$4.00 list

### CIRCLE TOP HEAD

**Rule 5**—For half circle top blinds, add to proper list.....\$5.00 list

### GOTHIC HEAD

**Rule 6**—For Gothic head blinds, add to proper list.....\$6.00 list



## ***Standard National Blind Lists***

---

### **STICKING**

- Rule 7—**(a) Stock blinds are made with O. G. sticking for rolling slat blinds, and square sticking for stationary or half stationary blinds.  
(b) Special sticking extra price.

### **SINGLE BLINDS**

- Rule 8—**For single blinds not otherwise listed, or for one-half of a pair of blinds, use one-half of the list of a pair double the opening of the single blind, and add 25 %.

### **MULLION BLINDS**

- Rule 9—**(a) For list on mullion blinds use list of a pair of similar blinds of the same opening, and add 25 %.  
(b) For same center beaded to represent a pair, add 35 %.  
(c) All pairs of 2-fold blinds 4-4 and wider are made with center mullion rail.

### **FOUR-FOLD BLINDS**

- Rule 10—**For list on four-fold outside blinds use double the list of a pair one-half the width of the opening, and add 40c list.

### **SHORTER THAN LISTED SIZES**

- Rule 11—**No blind to be figured at less than the list price of a 3-1½ high blind.

### **SOLID STUCK PANEL SHUTTERS**

- Rule 12—**For solid stuck panel shutters, either all panels or part panels and part slats, use the list of stationary slat blind of the same size and thickness, and add 40 %.  
**Rule 13—**For shutters bead and butt 1 S. solid stuck 1 S. use list of stationary slat blind of the same size and thickness, and add 60 %.

### **BLINDS FOR 34 IN. GLASS AND LONGER**

- Rule 14—**Blinds for 34 in. glass and longer are made 3 panels high, unless otherwise ordered.

### **1¾ IN. THICK**

- Rule 15—**For 1¾ in. blinds, use 1½ in. list for similar size and style, and add 75 %.

## **Directions for Ordering**

**Time, Annoyance and Expense Can Be Saved by Noting and Following Closely the Suggestions Below:**

We will understand all orders and inquiries are for Regular Western Style and Sizes as described in this catalog, unless specifically ordered otherwise.

Be explicit in ordering. Do not assume that we know what you want.

Always give width first, length or height second, then thickness.

Always use inches to designate glass size, and feet and inches for openings or outside measurements.

### **SASH AND WINDOW**

The term "Sash" indicates only one piece to fill opening.

The term "Window" indicates two pieces (upper and lower sash).

State size of glass, number of lights, opening (unless regular stock) and thickness.

If a window whether check or plain rail.

Where a window or sash is ordered with top and bottom lights of different heights (example, 2-lt. 40x30x38), it is understood that the first measurement (40) is the width of both lights, that the second measurement (30) is the height of the top light, and that the third measurement (38) is the height of the bottom light.

If segment or circle head give number of style desired (see page 138) and radius of circle or segment if not regular. When Circle Head not otherwise specified we will furnish Style No. 2 with a radius one-half the width of the sash, less the width of the stile, and for Segment Head Style No. 4 with a radius the width of the sash, less the width of the stile.

When an odd sash or window is ordered always give both glass size and number of lights and outside opening, and, if possible send sketch.

## ***Standard National Manufacturers List***

---

If glass sizes only are given, we will understand that regular stock widths of stiles, rails and bars are required.

Note—All windows and sash are understood to be open.

### **DOORS**

State width, height and thickness, number of panels and arrangement of same and quality.

State style of sticking desired.

If moulded, state whether flush or raised mould one or two sides.

If odd send sketch or detail.

Odd doors will be made with regular stock widths of stiles, rails, muntins and panels, unless specifically ordered otherwise.

### **OUTSIDE BLINDS**

We will understand all orders for blinds to call for Regular Western Stock Styles and Sizes, 1  $\frac{1}{8}$  inch rolling slats, unless specifically ordered otherwise.

State size and number of lights of window for which blinds are ordered, also thickness of blind, and whether all rolling slats (R. S.) stationary slats (S. S.), or half rolling and half stationary ( $\frac{1}{2}$  R. S.  $\frac{1}{2}$  S. S.).

If odd give outside opening, thickness, arrangement of slats and send sketch.

The regular stock blind is the width of the window to be covered and one inch longer.

Blinds for brick buildings must be so specified, and will in the absence of additional instructions be made two inches longer than regular window opening.

A blind indicates a single piece to fill opening.

A pair of blinds indicates two pieces to fold together to fill opening.

A set of blinds indicates more than two pieces and should always be accompanied by sketch.

## Trade Terms

The definitions below give the meaning of various terms used in this book or in quotations affecting articles described as established by general usage.

---

### In General

#### MEASUREMENTS

**Outside Opening**—The measurement of any given article from outside to outside. The frame opening always should be given in feet and inches.

**Between Glass**—The difference between the outside opening and the total glass measurement of a given window or sash.

**Face Measure**—The measurement across the face of any wood part exclusive of any solid mold or rabbet.

**Finished Size**—The measurement of any wood part over all, including the solid mold or rabbet.

**Ripping Size**—The width of stock necessary to produce any given finished size. Usually  $\frac{1}{4}$  inch over finished size.

#### MOLDING

**Solid Mold or Solid Stuck**—A mold which is worked on the article itself.

**Applied Mold**—A separate mold to be applied or attached.

**Flush Mold**—An applied molding which finishes flush with, or below the face or surface of the stiles or rails.

**Raised Mold**—An applied molding which partly covers or which extends above the face or surface of the stiles or rails.

#### MULLION

An upright or vertical bar, usually wider than the ordinary bar, dividing the glass in a sash, or a wide upright bar dividing two sashes in a frame. Applies also to upright bars in doors.

**MUNTIN**

Applies to any short or light bars—either vertical or horizontal—in a sash or door between glass or panels and not extending the full width or length of the article.

**RAIL**

The cross or horizontal pieces of the framework of a sash, door or blind.

**STILES**

The upright or vertical outside pieces of a sash, door or blind.

---

**APPLYING TO SASH OR WINDOWS**

**SASH**

A sash indicates a single piece to fill a given opening.

**WINDOW**

A window indicates two pieces—one upper, one lower—to fill an opening, arranged to slide vertically.

**Front Window**—A window in which the meeting rails are placed above the center of the opening.

**Front Sash**—A sash made to correspond to a front window.

**FACTORY SASH OR WINDOWS**

Sash or windows divided into small lights for factory use—The term implies an inferior quality of material for paint, permitting the use of reasonable defects of any nature not weakening the sash.

**FULL BOUND**

This term indicates that the sash so described shall have a similar amount of wood in stiles and top and bottom rails, usually described as "same rail all around."

**MEETING RAILS**

The rails of a window which meet when the window is hung and closed.

**Plain Rail**—Meeting rails of the same thickness as balance of the window.

**Check Rails**—Meeting rails sufficiently thicker than the window to fill the opening between the top and bottom sash made by the check strip or parting strip in the frame. They are usually beveled.

**LUGS OR HORNS**

An extension of the stiles of a window beyond the meeting rails. They are usually molded on the inside of the stile with an O. G. Mold.—(O. G. Lugs.)

### **SUSPENDED LIGHTS**

A term applied to a light within a sash, formed by straight bars, any one of which must be attached to the free end or to the beveled joint of other bars or muntins.

---

### **APPLYING TO DOORS**

#### **ASTRAGAL**

**Mold—For Folding Doors**—A strip of molding the length of the door of any desired pattern to be applied to one of a pair of folding doors so as to form a rabbet.

**Single—For Folding Doors**—A strip the length of the doors with a cross-section usually similar to a letter "T"—used to form a rabbet.

**Double—For Sliding Doors**—A pair of strips the length of the doors—rabbeted to receive the doors on the back and molded or grooved reciprocally on the face to make a closed joint.

**Joint—For Sliding Doors**—A molding or groove worked reciprocally on the meeting edges of each of a pair of doors to make a closed joint.

#### **BANDED DOORS**

Doors with a thin band or strip—usually molded—applied to the outside edge of the face of each stile and top and bottom rail—Also called friction strips.

#### **CHAMFERED DOORS**

Doors with the corner of the stiles or rails beveled at an angle of about 45 degrees.

**Stop Chamfer**—A chamfer stopped or ended short of the length of the piece chamfered

#### **DOWELED DOORS**

Doors put together with dowels instead of tenons.

#### **DUTCH DOORS**

A door made to be cut horizontally through the lock rail, so that the upper part can be opened independently of the lower part.



## **PANELS**

Bevel raised panels are standard.

## **GRADUATED PANELS**

Doors with cross panels of a different width usually graduated from a wide lower panel to a narrow top panel.

## **LOCK RAIL**

The wide center rail of a door.

## **TENONS**

**Through Tenoned**—A door made with tenons on the end of the rails mortised or tenoned through and showing on the outside of the stile.

**Blind Tenoned or Mortised**—A door made with the tenons on the ends of the rails mortised into but extending only part way through the stile.

---

## **APPLYING TO BLINDS**

### **BLIND**

**Single**—A single blind is one piece to fill a given opening.

**Pair**—A pair of blinds is two pieces to fill a given opening, made and rabbeted to fold.

**Set**—A set of blinds is more than two pieces for a given opening.

### **STATIONARY SLAT BLINDS**

Blinds with slats mortised into or so attached to the stiles as to be fixed.

**Half Stationary Blinds**—Blinds with  $\frac{1}{2}$  panels or with movable or rolling slats and  $\frac{1}{2}$  with stationary or fixed slats.

## **SHUTTERS**

Blind with solid panels instead of slat panels.

### **BEAD AND BUTT SHUTTERS**

Shutters with panels flush with the stiles and rails on one side and with beads lengthwise of the panels, at or near the stiles on one side only.



# INDEX

Page

## BLINDS

Directions for ordering.....	155 and 156
Door.....	94, 95 and 96
Extras.....	153 and 154
Grades.....	3
Trade Terms.....	157 to 160
Window.....	149 to 152

## DOORS

Blind.....	94, 95 and 96
Colonial-Panel.....	8 and 9
Combination.....	89 to 93
Cupboard.....	10 and 11
Directions for ordering.....	155 and 156
Grades.....	2

## EXTRAS

Blind.....	153 and 154
Colonial.....	8
Cupboard.....	11
Door.....	79 to 81
Panel.....	5 to 7
Sash.....	79 to 81
Side Lights.....	84
Garage.....	86 and 88
Grades.....	2 and 3
Medicine Cabinet.....	11
Panel.....	4
Sash.....	12 to 78
Side Lights.....	82 and 83
Store.....	78
Storm.....	85
Swing.....	94, 95 and 96
Trade Terms.....	157 to 160

## SASH

Bungalow.....	135 and 136
Casement.....	128 and 129
Cellar.....	119 and 120

## INDEX---Continued

	Page
<b>SASH—(Continued)</b>	
Circle Head.....	137, 138 and 140
Cupboard.....	124 to 127
Diamond.....	141
Directions for ordering.....	155 and 156
Extras.....	142 to 145
Front.....	112, 113 and 114
General Lists.....	113 and 115 to 130
Grades.....	2
Gothic.....	139 to 141
Hot Bed.....	118 and 119
One Light.....	116 and 117
Parts—KD.....	146 and 147
Peak Head.....	139 to 141
Porch.....	130
Quarter Circle.....	137, 138 and 140
Segment.....	137, 138 and 140
Stock—Lineal Moulded.....	148
Trade Terms.....	157 to 160
Transoms.....	118, 137 and 140

## WINDOWS

Circle Head.....	138, 140 and 141
Directions for ordering.....	155 and 156
Divided Light Top.....	101, 102 and 130 to 136
Extras.....	142 to 145
Front.....	112 to 114
Gothic.....	139 and 141
Grades.....	2
Lists—General.....	97 to 113
Parts—KD.....	146 and 147
Peak Head.....	139 and 140
Segment.....	138, 140 and 141
Stock—Lineal Moulded.....	148
Trade Terms.....	157 to 160









